

Prekidači

Prekidač

10.30.010



DS 401 XAO 13

Broj kontakata: 2

Bez signalizacije

Boja prekidača: crvena

Ugradna mera: 11 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.100



DS 401 XBO 10

Broj kontakata: 3

Sa signalizacijom

Boja prekidača: crvena

Ugradna mera: 11 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.120



DS 401 ZAA 07

Broj kontakata: 4

Bez signalizacije

Boja prekidača: crvena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.130



DS 401 ZBB 12

Broj kontakata: 6

Sa signalizacijom

Boja prekidača: crvena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.111



DS 401 YAK 03

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: crvena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.110



DS 401 YAK AM

Broj kontakata: 4

Sa zaštitom od prašine

Boja prekidača: crvena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.112



DS 401 YAK BC

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: crvena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Bimetalni termometar

10.30.113



DS 401 YAK 07

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: narandžasta

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.115



DS 401 YAK 04

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: zelena

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidač

10.30.114



DS 401 YAK 15

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: crna

Ugradna mera: 22 x 30 mm

16A / 250V~

Metalflex, Slovenija

Prekidači

Prekidač

10.30.140



DS 401 YAA FO
Broj kontakata: 4
Bez signalizacije Boja
prekidača: crna Ugradna
mera: 22 x 30 mm
16 A, 250 V~
Metalflex, Slovenija

Prekidač

10.30.145



DS 401 YCC
Broj kontakata: 6
Bez signalizacije Boja
prekidača: crna Ugradna
mera: 22 x 30 mm
16 A, 250 V~
Metalflex, Slovenija

Prekidač

10.30.141



DS 401 YAA IO
Broj kontakata: 4
Bez signalizacije Boja
prekidača: crna Ugradna
mera: 22 x 30 mm
16 A, 250 V~
Metalflex, Slovenija

Prekidač

10.30.146



DS 401 YCC FO
Broj kontakata: 6
Bez signalizacije Boja
prekidača: crna Ugradna
mera: 22 x 30 mm
16 A, 250 V~
Metalflex, Slovenija

Taster

10.30.200



SR 421 A5F
Broj kontakata: 4
Sa signalizacijom
Boja tastera: narandžasta
Ugradna mera: 22 x 30 mm
10 A, 250 V~
Metalflex, Slovenija

Taster

10.30.203



SR 422 B3A
Broj kontakata: 4
Sa signalizacijom Boja
tastera: crvena Ugradna
mera: 22 x 30 mm
10 A, 250 V~
Metalflex, Slovenija

Indikator

10.30.204



SR 424 C3G
Broj kontakata: 2
Boja indikatora: zelena
Ugradna mera: 22 x 30 mm
1 W, 250 V~
Metalflex, Slovenija

Taster

10.30.202



SR 422 B2A
Broj kontakata: 4
Sa signalizacijom Boja
tastera: crvena Ugradna
mera: 22 x 30 mm
10 A, 250 V~
Metalflex, Slovenija

Prekidač

10.30.210



MD 402 AA1
Broj kontakata: 2
Bez signalizacije Boja
prekidača: bela Ugradna
mera: 19 x 13 mm
6 A, 250 V~
Metalflex, Slovenija

Indikator - signalna sijalica

10.30.211



MD 402 LYD
Broj kontakata: 2
Boja indikatora: crvena
Ugradna mera: 19 x 13 mm
250 V~
Metalflex, Slovenija

Prekidači

Prekidač

10.30.213



MD 402 XAD 07

Broj kontakata: 2

Bez signalizacije

Boja prekidača: bela

Ugradna mera: 19 x 13 mm

6 A, 250 V~

Metalflex, Slovenija

Prekidač

10.30.214



MD 402 XAD 04

Broj kontakata: 2

Bez signalizacije

Boja prekidača: crna

Ugradna mera: 19 x 13 mm

6A, 250 V~

Metalflex, Slovenija

Prekidač

10.30.150



SP 400 A7B 00 13

Broj kontakata: 6

Bez signalizacije

Boja prekidača: narandžasta

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.151



SP 400 A7B 00 11

Broj kontakata: 6

Bez signalizacije

Boja prekidača: crvena

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.160



SP 400 E1 00 80

Broj kontakata: 4

Bez signalizacije

Boja prekidača: narandžasta

Ugradna mera: 12 x 36 mm

16 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.161



SP 400 E1 00 70

Broj kontakata: 4

Bez signalizacije

Boja prekidača: crvena

Ugradna mera: 12 x 36 mm

16 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.170



SP 400 ATB

Broj kontakata: 6

Sa signalizacijom

Boja prekidača: narandžasta

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.162



SP 400 E1 00

Broj kontakata: 4

Bez signalizacije

Boja prekidača: zelena

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.152



SP 400 A7B 00 01

Broj kontakata: 6

Bez signalizacije

Boja prekidača: bela

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.167



SP 400 C1 00 01

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: narandžasta

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidači

Prekidač

10.30.168



SP 400 R3 00 01

Broj kontakata: 4

Bez signalizacije

Boja prekidača: bela

Ugradna mera: 12 x 36 mm

10 A/ 250 V~

Metalflex, Slovenija

Prekidač

10.30.131



DS 401 ZAJ 01

Broj kontakata: 4

Sa signalizacijom

Boja prekidača: crna

Ugradna mera: 22 x 30 mm

16 A/ 250 V~

Metalflex, Slovenija

Prekidački set - letva

10.30.400



HL 403 AA3

Zamrzivači: Obod

4 A, 250 V~

Metalflex, Slovenija

Prekidački set - letva

10.30.401



HL 405 A1

Zamrzivači: Gorenje

10 A, 250 V~

Metalflex, Slovenija

Prekidački set - letva

10.30.402



HL 403 HB4

Zamrzivači: Končar

4 A, 250 V~

Metalflex, Slovenija