

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
100021	pick-up plug sleeve size F2,8x0,8mm	111113	knob dial plate steam ø 15 mm	111307	knob ø 42 mm shaft ø 6x5mm	301001	rocker switch 30x22mm red 2 -poles 2NO
100022	flat pin bushing size F6,3x0,8mm	111114	knob dial plate water ø 15 mm	111308	mushroom cap handle M8x1,25	301002	rocker switch 30x22mm yellow 2 -poles
100023	bullet receptacle ø 2,4 mm 0,5-1,5mm²	111115	knob steam ø 60 mm shaft ø 7x7mm	111309	star handle shaft 7x7mm ø 62 mm L 19 mm	301003	rocker switch 30x22mm green 2 -poles 2NO
100024	bullet receptacle ø 4 mm 0,25-1,5mm²	111116	knob water ø 60 mm shaft ø 7x7mm	111310	bezel 0-1 yellow ELEKTRA	301004	rocker switch 30x22mm black 2 -poles 2CO
100112	bullet receptacle ø 2 mm 0,25-1,0mm²	111117	knob steam ø 32 mm shaft ø threadmm	111311	bezel 0-1-2 yellow ELEKTRA	301006	rocker switch 30x22mm yellow 2 -poles
100809	O-rings EPDM thickness 2 mm ID ø 21 mm	111118	knob water ø 32 mm shaft ø 6x6mm	111312	bezel 0-1-2 blue ELEKTRA	301009	rocker switch 30x22mm white 2 -poles 2NO
101273	cutting ring ID ø 12 mm Qty 1 pc	111120	knob steam ø 38 mm black	111313	cone handle M8 ø 25 mm L 41 mm plastic	301010	rocker switch 30x11mm red 1 -poles 1NO
101277	cutting ring ID ø 8 mm Qty 1 pc	111121	knob water ø 38 mm shaft ø 7x7mm	111315	knob ø 28/48mm shaft ø 5x5mm brown	301011	rocker switch 30x11mm yellow 1 -poles
101278	cutting ring ID ø 10 mm Qty 1 pc	111122	knob ø 50 mm white	111316	slide shaft ø 6 mm	301012	rocker switch 30x11mm green 1 -poles 1NO
101286	cutting ring ID ø 6 mm Qty 1 pc	111125	lever right	111317	turning handle for coffee grinder	301013	rocker switch 30x11mm black 1 -poles 1CO
101293	flat gasket aluminium D1 ø 14 mm	111126	lever left	111318	knob ø 50 mm Tr18x2 black	301014	momentary rocker switch 30x11mm black
101478	union nut 3/8" for pipe ø 10 mm	111127	knob ø 48 mm black	111319	knob dial plate water ø 28 mm black	301015	rocker switch 30x22mm red 2 -poles 2CO
101503	O-rings EPDM thickness 2 mm ID ø 32 mm	111132	lever	111320	knob dial plate steam ø 28 mm black	301016	rocker switch 30x22mm yellow 2 -poles
101526	O-rings Viton thickness 1,78 mm	111134	knob ø 51 mm shaft ø 8,5x7mm silver	111321	knob dial plate tail +/- ø 32,5 mm	301017	rocker switch 30x22mm green 2 -poles 2CO
101527	O-rings Viton thickness 1,78 mm	111135	knob ø 45 mm shaft ø 9x7mm black	111322	knob dial plate tail +/- ø 32,5 mm	301018	momentary rocker switch 30x22mm yellow
101555	gasket aluminium D1 ø 12,5 mm D2 ø 16 mm	111136	knob ø 45 mm shaft ø 9x7mm black	111323	knob ø 45 mm Tr18x2 black	301019	momentary rocker switch 30x22mm green
101880	gasket Viton D1 ø 14 mm D2 ø 9 mm	111137	knob dial plate steam	111324	knob ø 48 mm shaft ø 7,5 mm	301020	momentary rocker switch 30x22mm red
101895	ball-tap IT ½" L 45 mm wing handle	111138	knob dial plate water	111325	lever handle ø 22 mm L 50 mm M8x1,25	301025	rocker switch 30x22mm white 2 -poles 2CO
102997	O-rings EPDM thickness 1 mm ID ø 6 mm	111140	lever handle plastic black	111326	lever handle ø 16-19mm L 40 mm M18x1,25	301029	rocker switch 30x22mm green 2x1-poles
104212	O-rings Viton thickness 3 mm	111141	knob steam	111327	cone handle M8 ø 30 mm L 66 mm	301030	rocker switch 30x22mm red 2x1-poles
106250	gasket Viton D1 ø 14 mm D2 ø 9 mm	111142	knob water	111328	turning handle ø 42 mm shaft ø 6x8mm	301031	rocker switch 30x22mm yellow 2x1-poles
110008	knob	111143	knob ø 42 mm shaft ø 10 mm	111329	star handle M8x1,25 ø 40 mm L 27 mm	301032	rocker switch 30x22mm red 1 -poles 1NO
110009	knob ø 72 mm	111144	knob ø 42 mm shaft ø 10 mm	111330	knob dial plate steam ø 20 mm L 7 mm	301033	rocker switch 30x22mm yellow 1 -poles
110133	O-rings EPDM thickness 2 mm ID ø 50 mm	111145	cone handle M6 ø 20 mm L 26 mm plastic	111331	knob water ø 53 mm shaft ø 8,5 mm black	301034	rocker switch 30x22mm green 1 -poles 1NO
110205	knob ø 27 mm shaft ø 5x5mm	111147	knob water ø 40 mm black	111332	knob water ø 53 mm shaft ø 8,5 mm	301035	protecting cover 30x11mm
110277	knob switch zero mark ø 42 mm	111149	knob water ø 40 mm blue	111333	star handle shaft 7x7mm ø 60 mm L 24 mm	301036	protecting cover for rocker switch
110365	knob switch zero mark ø 44 mm	111150	handle ø 39 mm M12x1,75	111334	turning handle without dial plate	301037	rocker switch 30x11mm yellow 1 -poles
110366	knob switch zero mark ø 44 mm	111151	knob steam ø 40 mm shaft ø 6x6mm	111335	symbol steam ø 32 mm L 29 mm black	301038	rocker switch 30x11mm green 1 -poles 1NO
110370	dial plate graduation 4min ø 60 mm	111152	knob water ø 40 mm black	111336	symbol water ø 32 mm L 29 mm black	301039	rocker switch 30x11mm red 1 -poles 1NO
111001	knob steam ø 41 mm shaft ø COMPACTmm	111153	knob water ø 49 mm shaft ø 8x6,5mm	111337	turning handle without dial plate	301040	press-button switch lighted 30x22mm
111002	knob steam/water tap ø 50 mm	111154	knob ø 50 mm	111338	turning handle without dial plate	301041	press-button switch lighted 30x22mm
111004	knob ø 50 mm shaft ø lead: 2mm black	111155	knob universal ø 50 mm shaft 5x5	111339	symbol tail +/- ø 47 mm black	301042	momentary push switch lighted 30x22mm
111006	knob ø 51 mm Tr18x4 black	111156	knob water ø 54 mm black	111340	symbol tail +/- ø 45 mm black	301043	momentary push switch lighted 30x22mm
111007	knob ø 51 mm Tr18x2 black	111157	knob water ø 46 mm black	111341	knob ø 43 mm for rotary switch	301047	press-button switch lighted 30x22mm
111008	knob dial plate water white	111158	knob ø 46 mm	111342	lever for rotary switch ON/OFF L 80 mm	301048	press-button switch lighted 30x22mm
111009	knob dial plate steam	111160	lever	111343	lever M8 ø 18/22mm plastic	301049	press-button switch lighted 30x22mm
111010	lever handle plastic black L 95 mm	111161	lever	111344	knob zero mark ø 40 mm	301050	momentary push switch lighted 30x22mm
111011	dial plate	111162	knob universal ø 38 mm shaft ø 6x5mm	111346	ball handle ø 25 mm L 23 mm M8	301051	momentary push switch lighted 30x22mm
111012	knob switch zero mark ø 34/60mm	111164	dial plate	111347	knob steam ø 53 mm shaft ø 8,5 mm	301052	momentary push switch lighted 30x22mm
111013	knob ø 51 mm Tr18x2 black	111165	knob switch zero mark ø 37 mm	111349	knob dial plate water ø 20 mm L 7 mm	301053	rocker switch 30x11mm white 1 -poles 1NO
111014	handle ø 45 mm shaft ø 5x5mm	111167	knob water ø 47 mm shaft ø hexagon 20mm	111350	knob for coffee grinder arrow/FINE	301060	rocker switch 30x22mm red 2 -poles 2NO
111015	knob PUSH ø 36 mm shaft ø 6 mm	111168	button spring	111351	turning handle ø 40 mm shaft ø 6x6mm black	301061	rocker switch 30x22mm yellow 2 -poles
111016	knob ø 50 mm shaft ø lead: 1mm black	111169	knob RANCLILIO ø 49 mm black	111352	turning handle ø 50 mm shaft ø 6x6mm black	301062	rocker switch 30x22mm green 2 -poles 2NO
111017	knob dial plate water black	111170	knob ø 55 mm black	111353	knob ø 53 mm L 52 mm Tr18x4 black	301066	rocker switch 19x13mm black 2 -poles 2NO
111018	knob dial plate steam black	111171	knob water ø 55 mm black	111354	knob dial plate MARZOCCO ø 38 mm L 10 mm	301067	rocker switch 19x13mm red 2 -poles 2NO
111020	knob ø 38 mm shaft ø 6x5mm	111173	knob ø 50 mm black	111355	turning handle ø 42 mm L 49 mm black	301068	rocker switch 19x13mm yellow 2 -poles
111028	star handle shaft 7x7mm ø 64 mm L 24 mm	111174	knob ø 50 mm claret	111356	symbol steam ø 39 mm L 29 mm pluggable	301069	rocker switch 19x13mm green 2 -poles 2NO
111029	knob ø 52 mm shaft ø 8 x 6mm	111175	knob switch zero mark ø 42 mm	111357	symbol water ø 39 mm L 29 mm pluggable	301076	momentary rocker switch 30x22mm red
111030	slide	111223	symbol water black	111360	handle ø 39 mm L 45 mm black Tr18x2	301078	momentary rocker switch 30x22mm black
111031	handle for steam tap black	111251	knob water ø 52 mm shaft ø hexagon 20mm	111361	handle ø 44 mm L 27 mm black	301080	rocker switch 30x22mm black 2x1-poles
111032	handle	111252	knob steam ø 52 mm black	111362	turning handle ø 42 mm L 62 mm	301081	rocker switch 30x22mm white 2 -poles 2CO
111034	knob water ø 44 mm black	111254	knob with adapter ø 26 mm shaft ø 5x8mm	111363	cone handle M10 ø 28 mm L 46 mm black	301082	press-button switch lighted 30x22mm
111035	knob steam ø 42 mm shaft ø threadmm	111255	lever M8x1 ø 32 mm for coffee machine	111364	knob ø 40 mm shaft ø 5x5mm black	301083	press-button switch lighted 30x22mm
111036	cylindrical handle M10 ø 21 mm L 50 mm	111256	turning handle ø 47 mm shaft ø 8 mm	111365	knob ø 40 mm shaft ø 5x5mm dark blue	301084	press-button switch lighted, water proof
111037	cylindrical handle M10 bore ø 13,6 mm	111257	lid for handle	111366	turning handle ø 24 mm L 45 mm	301085	momentary rocker switch 30x22mm white
111038	knob ø 48 mm shaft ø 7x7mm	111259	knob ø 50 mm black/grey	111367	turning handle ø 30 mm L 29 mm	301086	press-button switch water proof 30x22mm
111039	knob ø 48 mm shaft ø 7x7mm	111260	knob steam ø 50 mm black	111368	knob zero mark ø 31 mm shaft ø 5x5mm	301089	rocker switch 34,2x12,6mm green 2 -poles
111040	knob steam ø 55 mm shaft ø hexagon 20mm	111263	symbol water blue	111369	knob ø 28/48mm shaft ø 5x5mm black	301091	rocker switch 30x22mm red 2 -poles 2NO
111041	knob water ø 55 mm	111264	symbol steam black	111370	knob zero mark ø 31 mm shaft ø 8x5,5mm	301095	operation switch 4 operating positions
111044	handle for intake tap	111265	symbol water ø 45 mm black	111371	knob ø 27/46mm black shaft intake 6x6mm	301098	momentary rocker switch 30x22mm black
111045	ball handle black	111267	turning handle ø 60 mm shaft ø 6 mm	111372	knob ø 50 mm L 32 mm shaft 8 mm black	301101	rocker switch 30x22mm white 2 -poles 2CO
111046	knob ø 50 mm black	111268	turning handle ø 60 mm shaft ø 6 mm	111373	handle for sliding valve shaft ø 6x5mm	301135	momentary rocker switch 30x22mm yellow
111047	knob dial plate	111269	symbol water ø 28 mm L 27 mm black	111374	knob dial plate steam ø 24 mm black	301137	rocker switch 30x22mm green 2 -poles 2CO
111048	knob dial plate steam	111270	symbol steam ø 28 mm L 27 mm black	111375	knob dial plate water ø 24 mm black	301138	indicator lamp 30x22mm 230 V red/brown
111049	knob dial plate water	111271	cone handle ø 25 mm M8x1,25 black	111376	knob dial plate for water filling	301140	rocker switch 30x22mm black 2 -poles 2CO
111051	handle L 45 mm W 46 mm ø 26 mm	111272	turning handle ø 42,5 mm L 53 mm Tr18x2	111377	knob ø 41 mm L 50 mm Tr18x2 black	301148	rocker switch 30x22mm red/green
111052	mushroom cap handle M10 handle ø 44 mm	111273	cotter pin ø 1,3 mm L 25 mm	111378	knob water ø 53 mm L 53 mm	301188	rocker switch 30x22mm blue 2 -poles
111055	knob ø 50 mm shaft ø 8 x7mm black	111274	turning handle ø 41 mm M18 black	111379	knob steam ø 53 mm L 53 mm	301190	press-button switch 19x13mm black
111056	cylindrical handle M10 ø 19 mm L 54 mm	111275	symbol steam ø 32 mm L 28 mm	111381	knob ø 55 mm L 56 mm shaft ø 8,3 mm	301191	momentary push switch 19x13mm black
111060	knob ø 50 mm shaft ø 8x6,5mm black	111276	symbol water ø 32 mm L 28 mm	111382	turning handle ANIMO ø 45 mm L 50 mm	301245	rocker switch 25x25mm clear 2 -poles 2NO
111061	knob steam/water tap ø 45 mm	111277	nut for knob M24x1,5mm ED ø 38 mm	111389	knob ø 40 mm L 42 mm black	301246	rocker switch 20 mm black 2 -poles 2NO
111062	button spring L 20 mm W 10 mm H 11,5 mm	111278	turning handle ø 48,5 mm hexagon	111390	knob ø 25,5 mm L 38 mm black	301247	rocker switch 30x22mm red 2 -poles 2NO
111063	knob ø 50 mm black	111279	button spring ø 29 mm L 5 mm	111391	knob ø 45 mm L 40 mm anthracite	301248	press-button switch mounting ø 16 mm
111064	knob dial plate steam	111280	knob ø 51 mm Tr18x4 black	111392	knob steam ø 54 mm shaft ø 8 mm black	301254	rocker switch 30x22mm green 2 -poles 2NO
111065	knob ø 43 mm shaft ø 8x8mm black	111281	symbol water ø 44 mm chrome	111393	handle M10x1,5 ø 27,5 mm L 38 mm	301260	rocker switch 30x11mm yellow 1 -poles
111066	button spring	111282	symbol steam ø 44 mm chrome	111394	knob water ø 54 mm black	301261	rocker switch 30x22mm blue 2 -poles 2NO
111067	knob dial plate water	111283	symbol steam ø 44 mm black	111934	knob thermostat t.max. 90 °C ø 50 mm	301262	rocker switch yellow 1 -poles 1NO 250 V
111070	knob ø 40 mm shaft ø 6,5x4,7mm black	111284	symbol water ø 44 mm black	112005	knob switch zero mark ø 45 mm	301263	frame for switch
111071	knob ø 41 mm shaft ø 6,5x4,7mm black	111285	turning handle ø 44,3 mm shaft ø 9,5 mm	112006	button spring L 8,8 mm W 5 mm H 7,7 mm	301264	rocker switch 30x22mm green 2 -poles 2NO
111076	knob special characters ø 45 mm	111286	button spring L 20,3 mm W 9,5 mm	112009	knob switch zero mark ø 27 mm	301266	rocker switch 30x22mm green 2 -poles 2NO
111078	slide	111287	spacer ring for knob ½" ID ø 29 mm	112010	knob switch zero mark ø 41 mm shaft 5x5	301267	rocker switch 30x22mm green 2 -poles 2NO
111079	knob ø 48 mm shaft ø 8 x 6mm claret	111288	pressure spring ø 33 mm L 33 mm	112013	knob ø 43 mm shaft ø 6x4,6mm	301268	rocker switch 30x22mm red 2 -poles 2NO
111083	slide	111289	ring for spring ID ø 29,3 mm ED ø 27 mm	112015	filter holder suitable for BRASILIA	301269	rocker switch 30x22mm red 2 -poles 2NO
111089	mushroom cap handle M6 handle ø 30 mm	111290	knob selector switch 1/0/arrow ø 47 mm	112016	knob universal ø 49 mm shaft ø 8x6,5mm	301276	momentary rocker switch 30x22mm black
111090	knob ø 55 mm shaft ø 10x8mm	111291	knob ø 47 mm shaft ø 8,2 mm black	112017	push button mounting ø 19 mm	301716	rocker switch 30x22mm white 2NO 250 V
111091	knob steam ø 40 mm shaft ø 10x8mm	111292	cylindrical handle M8 ø 18 mm L 54 mm	112607	buttons strip buttons 4 L 70 mm W 10 mm	301717	momentary rocker switch 30x22mm white
111092	cone handle M8 ø 25 mm L 41 mm black	111293	knob ø 40 mm M16 black	112608	buttons strip buttons 4 L 70 mm W 10 mm	301718	momentary rocker switch 30x22mm white
111093	handle black	111294	knob shaft 5x5 black	112610	buttons strip buttons 4 L 114 mm	305004	micro switch 1NO/1NC
111100	knob switch zero mark ø 28 mm	111295	knob ø 51 mm shaft ø 6x4,6mm black	112611	buttons strip buttons 5 L 132 mm	345002	rocker switch 26,5x25,6mm black 2 -poles
111101	mushroom cap handle M6 handle ø 25 mm	111296	symbol water ø 51 mm L 21 mm	112612	buttons strip buttons 1 L 32 mm W 37 mm	345003	rocker switch 26,5x25,6mm green 2 -poles
111102	knob switch zero mark ø 42 mm	111297	symbol steam ø 51 mm L 21 mm	112613	knob ø 42 mm shaft intake 5x5mm	345004	rotary switch 4 -poles
111103	knob dial plate water t.max. 12 °C	111298	knob ø 43 mm shaft ø 6x4,6mm grey	112614	cone handle M10 ø 20 mm L 40 mm plastic	345013	rocker switch 26,5x25,6mm red 2 -poles
111104	knob	111299	knob ø 40 mm shaft ø 6x4,6mm black	112615	knob zero mark black shaft intake 8x7mm	345019	rotary switch 2 -poles
111105	lever handle steam/water plastic black	111300	symbol ø 32 mm L 28 mm	112948	knob switch zero mark ø 30 mm	345032	micro switch with pressure pin M10x1
111106	actuator	111301	sign ø 38 mm	300092	micro switch with pressure pin 2 -poles	345033	press-button switch lighted 27,2x22,2mm
111107	lever handle for water filling plastic	111302	knob ø 42 mm W 25 mm grey	300125	rocker switch 30x22mm green 2 -poles	345035	press-button switch lighted 27,2x22,2mm
111109	knob ø 46 mm shaft ø lead: 2mm black	111303	knob ø 42 mm W 25 mm black	300158	micro switch with lever 1CO 8 A	345037	press-button switch mounting ø 25 mm red
111110	lid	111304	knob zero mark ø 42 mm L 24 mm black	300161	press-button switch mounting ø 25 mm	345038	momentary push switch mounting ø 25 mm
111111	knob ø 46 mm shaft ø lead: 2mm claret	111305	knob ø 42 mm shaft ø 6x5mm	300169	press-button switch mounting ø 25 mm	345039	protecting cover round
111112	knob ø 47 mm shaft ø lead: 2mm black	111306	rosette for filling valve knob ø 42 mm	300232	potentiometer rotation angle 310 °	345041	micro switch with handle with a switch

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
345042	micro switch 250 V 16 A 1CO	346002	momentary push switch mounting ø 25 mm	346167	rocker switch 19x13mm black 1 -poles 1NO	347194	symbol label 1-0-2 ø 58 mm bore ø 10 mm
345043	micro switch 5-piece accessories	346003	momentary push switch mounting ø 25 mm	346169	micro switch with lever	347196	toggle switch M6x0,75 1CO 250 V 3 A
345044	micro switch with lever	346004	rotary switch 2 -poles	346170	toggle switch M6x0,75 250 V 3 A	347198	rotary switch 4 -poles
345045	micro switch with handle with a switch	346006	micro switch with lever	346316	press-button switch mounting ø 25 mm	347199	rotary switch 2 -poles
345056	rocker switch 30x22mm black 2 -poles 2NO	346007	micro switch with pressure pin	346361	rocker switch 30x22mm white 2 -poles 2CO	347202	rocker switch 30x22mm yellow 2 -poles
345074	micro switch with lever	346009	switching element	346368	momentary rocker switch 30x22mm white	347204	momentary rocker switch 30x22mm red
345090	momentary push switch 27,2x22,2mm	346011	rotary switch 2 operating positions	346370	micro switch with roller plunger M12	347205	press-button switch 20,6x16,4mm
345094	press-button switch lighted 27,2x22,2mm	346013	rotary switch 2 -poles	346377	rocker switch 30x22mm black 2 -poles 2NO	347206	press-button switch mounting ø 24 mm
345098	momentary push switch 27,2x22,2mm	346014	rotary switch 25 A 3 -poles	346397	rotary switch 6 -poles	347207	rocker switch 30x22mm white 2 -poles 2NO
345103	micro switch with lever 1CO 20 A	346015	rotary switch 4 -poles	346417	momentary push switch 27,2x22,2mm red	347208	rotary switch 6 -poles 20 A
345104	micro switch with roller plunger	346016	rotary switch 6 -poles	346423	rocker switch 30x11mm green	347209	rotary switch 6 -poles 25 A
345105	micro switch 250 V 21 A 1CO	346017	rocker switch 30x22mm red 2 -poles 2NO	346450	rocker switch 19x13mm red 2 -poles 2NO	347210	rotary switch 6 -poles 30 A
345107	micro switch with lever	346019	press-button switch 28,5x28,5mm black	346456	micro switch with pressure pin M10x0,75	347211	micro switch with pressure pin M10x0,75
345111	rotary switch 6 -poles 16 A shaft 5x5mm	346022	press-button switch 27,2x22,2mm yellow	346474	dummy element external size 30x22mm	347212	frame for rocker switch oval
345112	rotary switch 20 A	346023	rotary switch 40 A 6 -poles	346487	signal unit white connection 85-264VAC	347214	lever complete mounting ø 22 mm
345113	rotary switch 2 -poles	346024	float	346496	press-button switch mounting ø 25 mm red	347215	lever complete mounting ø 22 mm
345114	rotary switch 32 A 5 -poles 1-0-2	346025	magnet ED ø 12 mm H 15 mm	346497	press-button switch mounting ø 25 mm red	347216	micro switch with pressure pin M10x0,75
345125	micro switch with lever	346030	magnetic switch L 65 mm W 20 mm	346502	press-button switch 28,5x28,5mm black	347218	momentary rocker switch 30x22mm black
345130	monetary switch unit 1NO 250 V 16 A	346036	rocker switch 36,5x22mm red 2 -poles 2NO	346503	press-button switch 28,5x28,5mm black	347219	micro switch 250 V 0,1 A 1NO
345138	micro switch with pressure pin M12x1	346037	switch	346504	press-button switch mounting ø 25 mm red	347220	micro switch 250 V 0,1 A 1NC
345141	switching element 2NO 2 -poles 250 V	346039	press-button switch black	346505	press-button switch mounting ø 25 mm red	347221	rotary switch 3 operating positions
345142	press-button switch 28,5x28,5mm black	346040	momentary push switch mounting ø 25 mm	346519	toggle switch M12x0,75 2 -poles ON/OFF	347222	press-button switch mounting ø 25 mm
345145	rotary switch 0-1-2 6 -poles	346041	press-button switch 30x22mm white	346520	toggle switch M12x0,75 2 -poles 2CO	347223	dummy element black 19x13mm
345147	rotary switch 6 -poles	346044	momentary push switch mounting ø 25 mm	346529	toggle switch M12x0,75 2 -poles 2CO	347224	push button ø 11,9 mm shaft 3,7x3,7mm
345148	rotary switch 3 operating positions	346046	rocker switch 30x22mm red 2 -poles 2NO	346536	press-button switch 30x22mm black	347225	push button ø 12 mm shaft ø 6 mm
345149	rotary switch 8 -poles	346047	rocker switch 30x22mm red 2 -poles 2NO	346549	rocker switch 19x22mm black 2 -poles 2NO	347226	switch holder mounting ø 16 mm
345150	rotary switch 2 operating positions	346048	momentary push switch 30x22mm black	346550	rocker switch 19x22mm green 2 -poles 2NO	347227	push button external size 23,5 mm red
345151	press-button switch mounting ø 25 mm	346049	rocker switch 30x22mm red 2 -poles 2NO	346598	press-button switch 27,2x22,2mm green	347228	push button external size 23,5 mm grey
345152	momentary push switch mounting ø 25 mm	346050	momentary push switch 27,2x22,2mm red	346747	push button momentary ø 22 mm	347229	push button external size 12 mm
345153	press-button switch mounting ø 25 mm red	346051	momentary push switch 27,2x22,2mm red	346840	rocker switch 30x22mm pink 2 -poles 2NO	347230	button suitable for CONTI grey
345155	press-button switch mounting ø 25 mm red	346052	press-button switch 30x22mm black/green	346852	rocker switch 30x22mm black 2 -poles	347231	button suitable for CONTI
345156	micro switch with pressure pin M10x1	346060	press-button switch 27,2x22,2mm red	346872	micro switch with lever	347232	light guide suitable for CONTI
345160	press-button switch mounting ø 25 mm red	346066	rocker switch 30x22mm black 2 -poles 2NO	346874	micro switch with handle with a switch	347233	frame for push-button
345161	press-button switch mounting ø 25 mm	346068	momentary rocker switch 30x22mm black	346881	indicator lamp ø 10 mm 230 V red	347234	rubber pad for push-button ø 16 mm
345162	press-button switch mounting ø 25 mm	346069	rotary switch 2 operating positions	346893	rotary switch with handle with a switch	347241	rocker switch 20 mm 1 -poles 1NO 250 V
345163	momentary rocker switch 30x22mm yellow	346071	rotary switch 2 operating positions 16 A	346896	rocker switch 30x22mm black 2 -poles 2NO	347242	rocker switch 20 mm 1 -poles 1NO 250 V
345188	rocker switch 30x22mm red 2 -poles 2NO	346072	micro switch with lever	346899	rocker switch 30x22mm yellow 2 -poles	347243	rocker switch 20 mm
345190	rocker switch 26,5x25,6mm white 2 -poles	346074	rocker switch 36,5x22mm red 2 -poles 2NO	346908	micro switch with lever	347244	micro switch with lever
345191	momentary rocker switch 26,5x25,6mm	346079	rotary switch 40 A 3 -poles 0-1-2	346922	press-button switch mounting ø 30 mm	347245	micro switch with lever
345212	press-button switch mounting ø 25 mm	346081	rocker switch 30x22mm white 2 -poles 2NO	346923	press-button switch clear 2NO 230 V	347247	rocker switch anthracite 1NO 250 V 10 A
345214	micro switch 6 A 1CO connection cable	346082	rocker switch 30x22mm white 2 -poles 2NO	346936	momentary push switch mounting ø 25 mm	347250	micro switch with push button M10x0,75
345229	micro switch accessories	346083	rocker switch 30x22mm white 2 -poles 2NO	346937	momentary rocker switch 30x22mm black	347251	rotary switch 6 -poles
345235	press-button switch lighted 30x22mm	346084	press-button switch	346969	micro switch with lever	347252	rocker switch 30x22mm red 2 -poles 2NO
345236	press-button switch lighted 30x22mm	346085	push button	346978	momentary rocker switch 30x22mm black	347253	rotary switch 25 A 6 -poles 0-1-2
345237	momentary push switch lighted 30x22mm	346089	rotary switch 3 operating positions 16 A	346981	rocker switch 30x22mm green 2 -poles 2NO	347254	rotary switch 3NO 3 -poles 16 A
345238	momentary push switch lighted 30x22mm	346090	rotary switch	346982	rocker switch 30x22mm green 2 -poles 2NO	347255	push button ø 21 mm chrome-plated
345250	micro switch with handle with a switch	346091	press-button switch 28,5x28,5mm white	347006	micro switch with lever	347256	switch holder ø 25 mm chrome-plated
345251	micro switch with handle with a switch	346092	momentary push switch green	347009	micro switch with pressure pin M12x1	347257	switching element 19x13mm 2 -poles 2NO
345252	micro switch with handle with a switch	346093	momentary push switch red 2-hole fixing	347010	micro switch with lever	347258	monetary switch unit 1NO 250 V 16 A
345253	micro switch with handle with a switch	346097	rotary switch 3 operating positions	347021	micro switch lever length 15 mm 1CO 3 A	347259	monetary switch unit mounting ø 19x13mm
345254	micro switch with lever	346100	rotary switch 8 -poles	347024	momentary push switch 30x22mm white 1NO	347260	switching element 19x13mm 2 -poles 2NO
345255	micro switch with lever	346101	rotary switch 8 -poles	347026	micro switch with handle with a switch	347261	switch holder suitable for switch 19x13
345256	micro switch with lever	346104	rotary switch 3 -poles	347027	micro switch with push button 1 -poles	347262	indicator lamp 20x13mm 230 V green
345257	micro switch with lever	346105	rotary switch 3 -poles	347028	micro switch with handle with a switch	347265	symbol label 0-1-heating off ø 53 mm
345258	micro switch with pressure pin M12x1	346107	magnetic switch mounting ø 9 mm	347030	magnetic switch L 29 mm W 19 mm 1NO	347266	symbol label 0-1 ø 60 mm bore ø 7 mm
345266	micro switch with handle with a switch	346108	rocker switch 30x22mm yellow 2 -poles	347031	insulating mat for micro switch L 42 mm	347268	micro switch 400 V 16,5 A 2NO 2 -poles
345267	micro switch with handle with a switch	346109	rocker switch 30x22mm yellow 2 -poles	347043	micro switch 16 A 1NC 1 -poles	347269	micro switch 230 V 1NO 1 -poles
345268	micro switch with lever	346110	rocker switch 30x22mm yellow 2 -poles	347073	micro switch	347270	micro switch with lever
345269	micro switch with lever	346111	rocker switch 30x22mm yellow 2 -poles	347076	micro switch lever length 28 mm 1CO	347271	micro switch 400 V 3 A 1CO 1 -poles
345270	micro switch with lever	346113	dummy element	347079	press-button switch lighted 19x13mm	347272	micro switch lever length 20 mm 1CO
345271	micro switch with lever	346114	press-button switch 19x13mm	347081	rotary selector ø 22 mm silver latching	347273	micro switch at 250V 4 A 1CO
345277	rocker switch 26,5x25,6mm yellow	346115	momentary push switch 19x13mm black	347085	rotary switch 2 -poles	347274	rotary switch 6 -poles
345278	rocker switch 26,5x25,6mm green 2 -poles	346116	press-button switch 19x13mm black	347086	rotary switch 3 -poles	347275	rocker switch 19x22mm black 2 -poles
345280	rocker switch 26,5x25,6mm green 2 -poles	346117	push button	347087	lamp element 230 V AC blue	347276	switch holder mounting ø 16 mm silver
345281	rocker switch 26,5x25,6mm yellow	346119	press-button switch 27,2x22,2mm red	347095	momentary push switch mounting ø 25 mm	347277	monetary switch unit 1NO 1 -poles 250 V
345282	rocker switch 26,5x25,6mm red 2 -poles	346121	momentary push switch mounting ø 25 mm	347096	micro switch with roller plunger M12x1	347278	rocker switch 20 mm 1 -poles 1NO 250 V
345283	rocker switch 34x15mm black 1 -poles 1NO	346123	rotary switch 3 operating positions 16 A	347105	press-button switch unlighted 19x13mm	347281	blank cap external size 30x30mm black
345284	rocker switch 34x15mm clear 230 V	346128	momentary push switch 30x22mm red	347106	momentary push switch 19x13mm black	347282	push button ø 11,9 mm shaft 3,7x3,7mm
345289	frame suitable for BONAMAT grey	346129	momentary push switch 30x22mm yellow	347112	rocker switch 30x22mm green 2 -poles 2NO	347283	momentary push switch 19x13mm black
345326	micro switch 16 A 1NO 1 -poles	346130	press-button switch red	347113	rocker switch 30x22mm yellow 2 -poles	347284	micro switch 250 V 5 A 1NO
345345	micro switch with lever	346131	momentary push switch	347114	rocker switch 30x22mm red 2 -poles 2NO	347285	micro switch lever length 28 mm 1NO 16 A
345350	micro switch with pressure pin M12x0,75	346132	indicator lamp ø 9 mm 230 V yellow	347115	rocker switch 26,5x25,6mm clear 2 -poles	347287	rotary switch 2 -poles 16 A
345356	momentary rocker switch 30x22mm white	346133	rocker switch 19x22mm yellow 2 -poles	347116	momentary rocker switch 26,5x25,6mm red	347288	micro switch with pressure pin M10x0,75
345381	rocker switch 30x11mm green 1 -poles 1NO	346134	rocker switch 19x22mm red 2 -poles 2NO	347117	momentary rocker switch 26,5x25,6mm	347290	switch ø 22 mm 1NO
345485	micro switch L 47 mm 1CO 20 A	346135	indicator lamp 20x13mm 230 V yellow	347118	momentary rocker switch 26,5x25,6mm	347292	press-button switch 19x13mm red 2 -poles
345512	rocker switch 30x22mm yellow 2 -poles	346136	toggle switch M6x0,75 250 V 3 A	347119	momentary rocker switch 26,5x25,6mm	347293	press-button switch mounting ø 25 mm
345530	line circuit breaker 1-pole-poles	346137	micro switch with handle with a switch	347120	rocker switch 26,5x25,6mm red 2 -poles	347294	press-button switch mounting ø 25 mm red
345536	switch holder mounting ø 16,1 mm black	346139	micro switch with pressure pin	347121	rocker switch 26,5x25,6mm yellow	347295	push button mounting ø 25 mm black
345538	push button ø 11,9 mm black	346140	micro switch 250 V 16 A 1CO	347122	rocker switch 26,5x25,6mm clear 2 -poles	347296	rotary switch with cable 25 A 6 -poles
345575	rocker switch 30x11mm black 1 -poles	346141	micro switch with handle with a switch	347123	rocker switch 26,5x25,6mm red 2 -poles	347297	rotary switch 3 -poles 16 A
345597	indicator lamp ø 9 mm 400 V green	346142	rocker switch 30x22mm yellow 2 -poles	347124	rocker switch 26,5x25,6mm yellow	347300	push button external size 17x13mm
345599	rocker switch 30x22mm yellow 2x1-poles	346144	press-button switch 30x22mm white	347125	rocker switch 26,5x25,6mm green 2 -poles	347302	rotary switch 2 operating positions
345639	micro switch with roller plunger	346145	micro switch 250 V 10 A 1CO 1 -poles	347126	rocker switch 26,5x25,6mm clear 2 -poles	347303	rotary switch 2 operating positions
345641	rocker switch 30x22mm red 2 -poles 2NO	346147	rotary switch 3 -poles	347127	momentary rocker switch 26,5x25,6mm red	347306	momentary rocker switch 30x22mm black
345645	rocker switch 30x22mm green 2 -poles 2NO	346148	rotary switch 4 -poles	347128	momentary rocker switch 26,5x25,6mm	347308	switch holder mounting ø 16 mm black
345647	rocker switch 30x22mm red 2x1-poles	346149	toggle switch hole distance 47 mm	347129	momentary rocker switch 26,5x25,6mm	347309	push button ø 11,9 mm shaft 3,7x3,7mm
345648	rocker switch 30x22mm white 2 -poles 2NO	346151	micro switch upper	347130	momentary rocker switch 26,5x25,6mm	347310	push button ø 11,9 mm shaft 3,7x3,7mm
345679	micro switch with pressure pin	346152	micro switch with handle with a switch	347131	rocker switch 26,5x25,6mm white 2 -poles	347315	push button ø 12 mm light black
345694	micro switch with pressure pin M12x1	346153	rocker switch yellow 2 -poles 250 V 16 A	347162	micro switch 0,1 A 1CO	347317	micro switch 12x15mm
345720	switching element 2NO 250 V 16 A	346154	momentary push switch mounting ø 15,2 mm	347175	push button 30x22mm 1 -poles 1NO	347319	press-button switch 28,5x28,5mm switch
345722	switching element 1NO 250 V 16 A	346155	momentary push switch mounting ø 15,2 mm	347179	rotary switch 2 operating positions	347320	push button 20,6x16,4mm black 1 -poles
345742	micro switch with lever	346156	micro switch connection cable	347181	push button size 13x17mmmm chrome-plated	347321	push button 1 -poles 1NO 20 V 1 A
345773	micro switch with lever	346157	momentary rocker switch 30x22mm yellow	347182	switch holder 20,6x16,4mm chrome-plated	347322	rotary switch 2 operating positions 0-1
345793	symbol label 0 up to 1 L 58,5 mm	346158	micro switch 250 V 5 A 1CO 1 -poles	347183	push button mounting ø 14,3 mm	347323	rotary switch 2 operating positions 0-1
345794	symbol label 1-0-2 L 58,5 mm W 58,5 mm	346159	micro switch with lever	347184	push button mounting ø 14,3 mm	347324	rotary switch 2 operating positions 0-1
345896	O-rings EPDM thickness 1,5 mm ID ø 37 mm	346160	magnetic switch mounting ø 7 mm L 34 mm	347187	rotary switch 0-1 momentary switch	347325	rotary switch 3 operating positions
345908	O-rings EPDM thickness 1,5 mm	346161	toggle switch 3 -poles 3NO 400 V 15 A	347188	micro switch lever length 26 mm NO 16 A	347326	rotary switch 2 operating positions 0-1
345961	momentary push switch mounting ø 25 mm	346164	rocker switch 30x22mm yellow 2 -poles	347189	micro switch 250 V 3 A NC	347327	rocker switch ø 20 mm 1 -poles 1NO 250 V
345962	momentary push switch mounting ø 25 mm	346165	switching element 2NO 250 V 16 A	347192	press-button switch 2NO 250 V 16 A	347328	float switch 1 -poles
345963	momentary push switch 30x22mm black	346166	press-button switch	347193	momentary push switch 1NO 250 V 16 A	347329	float switch 1 -poles



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
347330	magnetic switch mounting ø 6,6 mm	358032	fine fuse size ø10x38mm 25 A	359199	indicator lamp 230 V red	359529	indicator lamp ø 10 mm 400 V clear
347331	protecting cover ED ø 24 mm H 8 mm	358075	fuse holder for for fuse ø10x38mm	359202	indicator lamp ø 25 mm 250 V red	359530	signal bulb socket ø13mm clear round
347334	push button external size 28x40mm black	358121	line circuit breaker 1-pole-poles	359203	indicator lamp ø 25 mm 250 V yellow	359565	indicator lamp ø 10 mm 250 V red
347337	float switch 1/8" 1 -poles 1NC ø 28 mm	358293	thermal fuse 60 °C nominal power 10 A	359204	indicator lamp ø 25 mm 250 V green	359566	indicator lamp ø 9 mm 24 V red
347339	magnetic switch L 25 mm W 14 mm NO	358294	thermal fuse 84 °C nominal power 10 A	359209	indicator lamp 230 V red	359568	indicator lamp ø 6 mm 230 V red
347342	symbol label CE 0-1-2 L 67 mm W 50,5 mm	358295	thermal fuse 104 °C nominal power 10 A	359216	indicator lamp ø 10 mm 24 V green	359569	lamp ø 6 mm 230 V yellow
347343	rocker switch 30x22mm black 2 -poles	358296	thermal fuse 109 °C nominal power 10 A	359218	indicator lamp 14x11mm 230 V yellow	359573	indicator element 230 V
347345	micro switch 400 V 16,5 A 2NO 2 -poles	358297	thermal fuse 117 °C nominal power 10 A	359219	indicator lamp ø 10 mm 24 V red	359574	indicator lamp ø 16 mm 220 V yellow
347349	push button 2 -poles 2NO 250 V 16 A	358298	thermal fuse 128 °C nominal power 10 A	359225	signal bulb socket ø13mm clear	359576	indicator lamp ø 9 mm 230 V blue
347350	rocker switch 30x11mm black 1 -poles 1NO	358299	thermal fuse 141 °C nominal power 10 A	359227	indicator lamp ø 10 mm 24 V clear	359598	light bulb Ba15d 230 V 5-7W
347351	push button suitable for ROLD	358300	thermal fuse 152 °C nominal power 10 A	359229	indicator lamp LED	359747	indicator element 110-250V green
347352	momentary rocker switch 30x22mm white	358301	thermal fuse 98 °C nominal power 10 A	359230	indicator lamp ø 10 mm 230 V green	359748	indicator element 110-250V red
347353	momentary rocker switch 30x22mm white	358302	thermal fuse 167 °C nominal power 10 A	359231	indicator lamp ø 10 mm 230 V yellow	359791	indicator lamp ø 10 mm 230 V green
347354	rocker switch 30x22mm white 2 -poles 2NO	358303	thermal fuse 184 °C nominal power 10 A	359232	indicator lamp ø 10 mm 230 V clear	359803	lens green
347357	press-button switch with frame	358304	thermal fuse 192 °C nominal power 10 A	359237	indicator lamp ø 10 mm 230 V red	359805	lens orange
347358	rocker switch 21x44mm 2NO 0-1	358305	thermal fuse 216 °C nominal power 10 A	359238	indicator lamp ø 10 mm 230 V green	359806	lens clear ø 6 mm
347359	rotary switch 32 A 2 -poles 0-1	358306	thermal fuse 228 °C nominal power 10 A	359240	frame gold	359814	indicator element 230 V clear
347360	rocker switch 33x39mm white 2 -poles 2NO	358307	thermal fuse 240 °C nominal power 10 A	359242	frame chrome-plated	359815	signal bulb socket ø10mm clear round
347361	rotary switch 40 A 2 -poles 0-1-2	358391	terminal blocks 2 -poles max. 24 A	359260	signal bulb socket ø12mm orange round	359816	signal bulb socket ø10mm green round
347362	push button grey suitable for FAEMA	358393	terminal blocks 4 -poles max. 24 A	359262	signal bulb socket ø12mm green round	359834	indicator lamp ø 16 mm 230 V yellow
347364	rotary switch 3 -poles	358509	fine fuse size 5x20mm 0,05 A slow-acting	359270	indicator lamp 14x11mm 230 V green	359867	indicator lamp ø 10 mm 230 V clear
347365	symbol label OFF-FILL-RUN L 49 mm	358532	fine fuse size 5x20mm 2 A fast-acting	359276	signal bulb socket ø12mm red	359870	indicator lamp ø 10 mm 230 V green
347368	indicator lamp ø 12 mm 250 V green	358533	fine fuse size 5x20mm 6,3 A fast-acting	359277	signal bulb socket ø12mm green	359871	indicator lamp
347370	push button LUX gold suitable for FAEMA	358593	fine fuse size 5x20mm 0,125 A	359278	signal bulb socket ø12mm orange	359872	indicator lamp ø 10 mm 230 V red
347371	rocker switch 27,4x12,4mm green 2 -poles	358596	fine fuse size 5x20mm 0,25 A slow-acting	359279	indicator element	359896	glow lamp Ba9s 230 V green ø 9 mm
347372	monetary switch unit 1NO 250 V 16 A	358597	fine fuse size 5x20mm 0,5 A slow-acting	359281	signal bulb socket ø13mm orange round	359911	indicator lamp 27,2x22,2mm 230 V yellow
347373	switching element 1NO 250 V 16 A	358599	fine fuse size 5x20mm 0,8 A slow-acting	359282	signal bulb socket ø13mm green round	359943	indicator element 230 V red ø 8 mm
347375	switching element 2NO 250 V 16 A	358601	fine fuse size 5x20mm 1,25 A slow-acting	359283	signal bulb socket ø13mm red round	359949	signal bulb socket ø9mm orange round
347377	momentary push switch 19x13mm red	358605	fine fuse size 5x20mm 3,15 A slow-acting	359284	indicator lamp ø 6 mm 24 V green	359950	signal bulb socket ø9mm green round
347378	rotary switch 4 operating positions	358607	fine fuse size 5x20mm 6,3 A slow-acting	359285	indicator lamp ø 6 mm 24 V yellow	359951	signal bulb socket ø9mm red round
347379	rotary switch 0-1-2 4 -poles bridged	358608	fine fuse size 5x20mm 10 A slow-acting	359286	indicator lamp ø 9 mm 230 V green	359952	signal bulb socket ø9mm clear round
347380	rotary switch 3 operating positions	358661	fine fuse size 5x20mm 0,1 A fast-acting	359287	indicator lamp ø 9 mm 230 V red	359953	signal bulb socket ø9mm yellow square
347381	float switch 1 -poles ø 20 mm L 40 mm	358669	fine fuse size ø5x20mm 0,63 A	359290	indicator lamp ø 12 mm 400 V yellow	359954	signal bulb socket ø9mm green square
347382	float switch 1/8" 1 -poles ø 20 mm	358676	fine fuse size ø5x20mm 3,15 A	359291	indicator lamp ø 12 mm 400 V green	359955	signal bulb socket ø9mm red square
347387	magnetic switch mounting ø 6 mm L 45 mm	358677	fine fuse size ø5x20mm 4 A fast-acting	359292	indicator lamp ø 12 mm 400 V red	359956	signal bulb socket ø9mm clear square
347388	magnetic switch mounting ø 6 mm L 45 mm	358832	fuse holder suitable for ø5x20mm	359312	indicator lamp ø 10 mm 230 V green	359957	signal bulb socket ø10mm red round
347389	press-button switch mounting ø 24,5 mm	358851	fine fuse size 6,3x32mm 15 A	359318	indicator lamp ø 9 mm 24 V green	359958	signal bulb socket ø10mm yellow round
347390	p.c.b. with micro switch	358852	fuse holder ø 16 mm	359319	indicator lamp ø 9 mm 24 V yellow	359959	signal bulb socket ø10mm green round
347391	float switch 6 -poles ø 41 mm L 230 mm	358853	thermal fuse 167 °C cable length 460 mm	359332	flat gasket PTFE D1 ø 21 mm D2 ø 16,8 mm	359960	signal bulb socket ø10mm red round
347392	micro switch with pressure pin 2 -poles	358854	thermal fuse 167 °C cable length 830 mm	359333	indicator lamp ø 10 mm 12 V green	359961	signal bulb socket ø10mm clear round
347393	micro switch with push button 1 -poles	359004	indicator lamp ø 6 mm 230 V green	359334	indicator lamp ø 10 mm 24 V yellow	359962	signal bulb socket ø10mm screwed socket
347395	rocker switch 30x22mm green 2NO 250 V	359005	indicator lamp ø 6 mm 230 V yellow	359350	indicator element 230 V blue	359963	signal bulb socket ø10mm screwed socket
347402	push button external size 11x21mm	359009	indicator lamp ø 6 mm 230 V red	359357	indicator lamp 24 V green LED	359964	signal bulb socket ø10mm screwed socket
347403	frame for pressure switch black	359019	indicator lamp ø 10 mm 400 V green	359378	indicator lamp ø 10 mm 230 V green	359965	signal bulb socket ø10mm screwed socket
347405	magnetic switch L 29 mm W 19 mm 1NO	359020	indicator lamp ø 10 mm 400 V red	359379	indicator lamp ø 10 mm 230 V yellow	359966	signal bulb socket ø10mm screwed socket
347407	micro switch with lever	359021	indicator lamp ø 12 mm 230 V clear	359380	indicator lamp ø 10 mm 230 V red	359967	signal bulb socket ø10mm screwed socket
347408	magnetic switch double L 29 mm W 19 mm	359023	indicator lamp ø 12 mm 24 V green	359382	indicator lamp 230 V green LED	359968	signal bulb socket ø10mm screwed socket
347409	magnetic switch mounting ø 10 mm L 40 mm	359024	indicator lamp ø 12 mm 24 V red	359397	indicator lamp ø 10 mm 230 V yellow AC	359969	signal bulb socket ø10mm screwed socket
347411	micro switch 10 A 1CO	359025	indicator lamp ø 12 mm 24 V yellow	359398	indicator lamp ø 10 mm 230 V red AC	359970	signal bulb socket ø12mm orange round
347412	rocker switch 30x22mm red 2 -poles 2NO	359026	indicator lamp ø 12 mm 230 V red	359400	indicator lamp ø 10 mm 230 V green	359971	signal bulb socket ø12mm green round
347413	momentary rocker switch 30x22mm 1 -poles	359027	indicator lamp ø 12 mm 250 V green	359401	indicator lamp ø 10 mm 230 V red	359972	signal bulb socket ø12mm red round
347415	float switch 1/8" 1 -poles 1NC ø 28 mm	359034	indicator lamp ø 10 mm 400 V yellow	359402	indicator lamp 24 V yellow LED	359973	signal bulb socket ø12mm clear round
347416	frame external size 15x35mm	359035	indicator lamp ø 10 mm 400 V clear	359403	indicator lamp 24 V red LED	359974	signal bulb socket ø13mm yellow round
347417	press-button switch 19x13mm 2 -poles 2NO	359036	intake lancette ø 10 mm 230 V clear	359411	indicator element 230 V	359975	signal bulb socket ø13mm green round
347418	float switch M10x1,5 1 -poles 1NO	359037	indicator lamp ø 6 mm 230 V clear	359412	lens yellow	359976	signal bulb socket ø13mm red round
347419	magnetic switch set 12x48mm NO 100 V DC	359040	indicator lamp ø 10 mm 230 V red	359413	indicator lamp ø 10 mm 230 V red	359977	signal bulb socket ø13mm clear round
347421	rotary switch with cable harness	359041	indicator lamp ø 12 mm 230 V green	359414	signal bulb socket ø10mm orange round	359978	signal bulb socket ø13mm orange square
347432	micro switch front fixing M12x0,8	359042	indicator lamp ø 12 mm 230 V yellow	359420	indicator lamp ø 6 mm 6 V green	359979	signal bulb socket ø13mm green square
347448	push button mounting ø 16 mm silver	359043	indicator lamp ø 12 mm 230 V red	359421	indicator lamp ø 9 mm 230 V red	359980	signal bulb socket ø13mm red square
347449	contact block momentary 2CO 3 -poles	359044	indicator lamp ø 12 mm 230 V clear	359422	indicator lamp ø 10 mm 12 V green	359981	signal bulb socket ø13mm clear square
347451	push button suitable for FAEMA	359045	indicator lamp ø 13 mm 230 V clear	359430	indicator element	359982	indicator element 230 V clear
347452	safety switch 230 V	359046	indicator lamp ø 13 mm 230 V clear	359431	indicator element 230 V green	359983	indicator element 230 V green
347453	rotary switch 0-1-2-3	359047	indicator lamp ø 12 mm 24 V clear	359435	indicator element 400 V	359984	indicator element 230 V clear
347454	momentary push switch	359048	indicator lamp ø 12 mm 230 V yellow	359452	indicator lamp 33,1x10,3mm 400 V green	359985	indicator element 230 V green
347456	micro switch with lever	359049	indicator lamp ø 13 mm 400 V green	359459	lamp ø 6 mm 230 V red	359987	indicator element 230 V green
347462	toggle switch	359050	indicator lamp ø 13 mm 400 V yellow	359460	lamp ø 12 mm 250 V orange	359994	indicator lamp ø 12 mm 400 V clear
347463	micro switch type NR6X5	359052	indicator lamp ø 12 mm 230 V yellow	359461	lamp ø 12 mm 250 V green	359995	indicator lamp ø 10 mm 230 V clear
347464	rotary switch	359053	indicator lamp ø 12 mm 230 V red	359464	signal bulb socket ø12mm green	360354	timer operation time 50 s
347473	rocker switch 30x22mm green 2 -poles	359057	indicator lamp ø 12 mm 24 V red	359465	signal bulb socket ø12mm yellow	360458	timer operation time 15 min
347474	float switch 1/8" 1 -poles 1NC ø 26 mm	359059	indicator lamp ø 9 mm 230 V yellow	359466	indicator element 240 V orange	360466	timer operation time 4 min
350020	timer operation time 4 min 2 -poles 2NO	359119	indicator lamp ø 13 mm 24 V green	359467	indicator element 240 V green	360468	time relay 0,1 s 1CO at 250V 6 A
350042	timer impulse electric 230 V	359123	signal bulb socket ø10mm green round	359471	indicator lamp ø 12 mm 250 V red	360479	indicator lamp ø 10 mm 6 V green
350048	timer operation time 75 min	359124	signal bulb socket ø10mm orange round	359472	indicator lamp ø 16 mm 230 V red	360480	indicator lamp ø 10 mm 6 V yellow
350110	timer operation time 50 s	359125	signal bulb socket ø10mm red round	359473	indicator lamp ø 16 mm 230 V orange	360489	indicator lamp ø 10 mm 110/250V red LED
350119	timer operation time 60 s	359126	signal bulb socket ø13mm green	359474	indicator lamp ø 16 mm 230 V green	360490	LED
350121	timer operation time 5 min	359127	signal bulb socket ø13mm orange	359475	indicator lamp ø 10 mm 125 V green	360491	indicator lamp red
350122	timer operation time 5 min 2NO	359128	signal bulb socket ø13mm red	359476	indicator lamp ø 10 mm 125 V red	360494	indicator lamp red
350137	relay	359129	indicator element 24 V clear model TP40L	359477	indicator lamp ø 8 mm 230 V green	360495	indicator lamp green
350138	lid for coffee beans container ø 164 mm	359130	indicator element 230 V clear	359478	indicator lamp ø 8 mm 230 V red	360499	timer operation time 60 min
35014	indicator lamp ø 10 mm 250 V red	359131	indicator element 400 V clear	359479	indicator lamp ø 8 mm 230 V green	361080	O-rings EPDM thickness 2 mm ID ø 16 mm
35015	indicator lamp ø 13 mm 250 V green	359132	indicator element 230 V green	359480	indicator lamp ø 8 mm 230 V red/green	361085	O-rings EPDM thickness 2 mm ID ø 8 mm
35016	indicator lamp ø 6 mm 230 V green	359133	indicator element 400 V green	359482	indicator lamp ø 10 mm 400 V green	361181	nut 1/8" H 4,5 mm nickel-plated brass
35017	indicator lamp ø 6 mm 230 V red	359134	indicator lamp ø 9 mm 230 V clear	359484	indicator lamp ø 9 mm 240 V blue	361182	nut 1/4" H 5 mm nickel-plated brass WS 17
35018	indicator lamp ø 13 mm 250 V yellow	359135	indicator lamp ø 9 mm 230 V red	359485	indicator lamp 230 V	361184	nut 1/2" H 6 mm nickel-plated brass WS 24
35022	indicator lamp 30x22mm 250 V orange	359136	indicator lamp ø 9 mm 230 V green	359486	indicator lamp ø 10 mm 250 V red	361304	O-rings EPDM thickness 1,78 mm
35024	fluorescent lamp G23 5 W	359137	indicator lamp ø 9 mm 230 V yellow	359487	indicator lamp ø 10 mm 250 V red	361311	O-rings EPDM thickness 2 mm ID ø 6 mm
35025	socket for fluorescent lamps G23	359138	indicator lamp ø 10 mm 230 V red	359489	lens red ø 10,5 mm	361490	t-fitting connection 1 10 mm
35026	indicator lamp ø 8 mm 230 V red	359139	indicator lamp ø 10 mm 230 V green	359490	indicator element 230 V clear	361491	t-fitting connection 1 12 mm
35027	indicator lamp ø 8 mm 230 V green	359140	indicator lamp ø 10 mm 230 V yellow	359491	indicator lamp ø 9 mm clear	361492	t-fitting connection 1 12 mm
358008	fuse holder for coffee machine	359141	indicator lamp ø 13 mm 230 V red	359493	indicator lamp ø 12 mm 250 V green	361494	hose connector connection 1 4 mm
358011	fuse holder suitable fuse 5x20 L 35 mm	359142	indicator lamp ø 13 mm 230 V green	359494	indicator lamp ø 12 mm 400 V green	361495	hose connector connection 1 6 mm
358012	thermal fuse 167 °C cable length 160 mm	359143	indicator lamp ø 13 mm 230 V yellow	359520	indicator element 400 V green	361496	hose connector connection 1 8 mm
358013	overload switch 1 -poles	359144	indicator lamp ø 13 mm 230 V red	359521	indicator element 400 V clear	361497	hose connector connection 1 4 mm
358014	overload switch 1 -poles	359145	indicator lamp ø 13 mm 230 V yellow	359522	indicator element 400 V green	361498	hose connector connection 1 4 mm
358015	fuse holder ø 19 mm suitable fuse 5x20	359146	indicator lamp ø 13 mm 230 V yellow	359523	indicator element 400 V clear	361499	hose connector connection 1 6 mm
358017	thermal fuse 167 °C cable length 500 mm	359155	indicator lamp 30x22mm 230 V red	359524	indicator lamp ø 10 mm 230 V yellow	361567	O-rings silicone thickness 2 mm
358018	thermal fuse 167 °C cable length 750 mm	359157	indicator lamp 30x22mm 230 V clear	359525	indicator lamp ø 10 mm 230 V clear	361568	O-rings silicone thickness 2 mm
358022	fine fuse size ø10x38mm 4 A	359158	indicator lamp 30x11mm 230 V red	359526	indicator lamp ø 10 mm 400 V yellow	361609	silicone hose ID ø 5 mm ED ø 8 mm L 5 m
358027	fine fuse size ø10x38mm 16 A	359159	indicator lamp 30x11mm 230 V yellow	359527	indicator lamp ø 10 mm 400 V green	361621	O-rings silicone thickness 56,74 mm
358031	fine fuse size ø10x38mm 10 A	359160	indicator lamp 30x11mm 230 V green	359528	indicator lamp ø 10 mm 400 V red	361643	O-rings EPDM thickness 2,62 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
361679	hose connector connection 11 mm	370086	solenoid valve 2 -ways 24 V AC	370541	solenoid valve brass 3 -ways 230 V AC	371093	power socket plug type compact
361680	hose connector connection 12 mm	370087	solenoid valve 2 -ways 24 V AC	370549	solenoid valve 2 -ways 208-230VAC	371095	O-rings Viton thickness 1,78 mm
361681	hose connector connection 11 13 mm	370088	solenoid valve brass 2 -ways 230 V	370550	solenoid valve 3 -ways 220-230V	371098	solenoid coil 230 V 14 W
361682	hose connector connection 11 19 mm	370089	solenoid valve 3 -ways 230 V DN 2,5 mm	370552	solenoid valve 2 -ways 230 V AC	371099	solenoid coil SIRAI 24 V DC
361683	hose connector connection 10x10mm elbow	370093	solenoid valve 2 -ways 230 V AC	370553	solenoid valve brass 2 -ways 230 V AC	371100	O-rings silicone thickness 1,78 mm
361684	hose connector connection 12x12mm elbow	370094	solenoid valve 2-fold 230 V inlet ¾"	370555	solenoid valve 2 -ways inlet 1/8"	371122	solenoid valve filter ø 19 mm H 10 mm
361685	doser without control 3 l/h detergent	370095	solenoid valve 230 V outlet 1/8"	370556	solenoid valve 2-way stainless steel	371140	solenoid valve single straight 230 V
361823	doser without control 18 l/h type PE 18	370096	solenoid valve 2 -ways 230 V	370557	solenoid valve 3-way stainless steel	371141	solenoid valve single elbow 240 V
361824	pump hose ø 6x10mm hose connector ø 6 mm	370097	solenoid valve 2 -ways 24 V AC	370558	solenoid valve 2-way stainless steel	371150	solenoid coil ODE 230 V 8 VA
361833	gear motor CROUZET type 82524413 5 W	370098	solenoid valve 2 -ways 230 V	370559	solenoid valve brass 2 -ways 220-230V AC	371151	solenoid coil 24 V AC
361834	gear motor type MTR8cU 11,5 W 230 V	370099	solenoid valve 2 -ways 24 V AC	370560	solenoid valve brass 2 -ways 220 V AC	371152	solenoid coil ODE 24 V DC 8 VA
365004	operating capacitor capacity 8 µF 400 V	370100	solenoid valve 2 -ways 230 V	370561	solenoid valve brass 2 -ways 230 V AC	371158	solenoid coil SIRAI 24 V AC 10 VA
365012	operating capacitor capacity 6,3 µF 250 V	370101	solenoid valve 2 -ways 24 V AC	370562	solenoid valve 2 -ways 230 V AC	371159	solenoid coil SIRAI 230 V 10 VA
365013	operating capacitor capacity 8 µF 450 V	370104	solenoid valve 2 -ways 24 V DC	370563	solenoid valve 3 -ways 230 V AC	371176	solenoid coil SIRAI 230 V 14 VA
365014	operating capacitor capacity 12,5 µF	370108	solenoid valve 3 -ways 24 V AC	370564	solenoid valve brass 2 -ways 220/230V AC	371177	solenoid coil SIRAI 24 V AC 14 VA
365015	operating capacitor capacity 10 µF 450 V	370109	solenoid valve 2-fold elbow 24 V	370565	solenoid valve brass 2 -ways 230 V AC	371178	solenoid coil SIRAI 24 V AC 24 VA
365019	operating capacitor capacity 20 µF 450 V	370110	solenoid valve 2-fold 24 V AC inlet ¾"	370566	solenoid valve brass 2 -ways 230 V	371191	solenoid coil ODE 230 V 5 VA 50 Hz
365020	operating capacitor 450 V	370111	solenoid valve 2-fold 24 V AC inlet ¾"	370568	solenoid valve body PARKER 2 -ways	371192	solenoid valve body ø 13 mm
365021	operating capacitor capacity 16 µF	370112	solenoid valve 2-fold 24 V AC inlet ¾"	370571	solenoid valve brass 2 -ways 230 V AC	371193	valve insert L 30 mm ø 12 mm Viton
365022	operating capacitor 450 V	370113	solenoid valve triple 24 V AC inlet ¾"	370572	solenoid valve brass 3 -ways 230 V	371194	solenoid valve body ø 10 mm
365077	interference suppression filter	370114	solenoid valve AC	370573	solenoid valve brass 2 -ways 230 V	371195	valve insert L 24 mm ø 9 mm Viton
365105	operating capacitor capacity 25 µF 450 V	370115	solenoid valve triple 24 V AC inlet ¾"	370574	solenoid valve brass 2 -ways 230 V	371196	O-rings for valve body
365106	starting capacitor capacity 100 µF 250 V	370116	solenoid valve triple 24 V AC inlet ¾"	370575	solenoid valve nickel-plated brass	371200	reducer MÜLLER type MR04
365107	starting capacitor capacity 50 µF 250 V	370117	solenoid valve single 230 V inlet ¾"	370576	solenoid valve brass 2 -ways 230 V	371201	reducer MÜLLER type MR04
365110	operating capacitor capacity 9 µF 450 V	370118	solenoid valve single straight 24 V DC	370577	solenoid valve single straight 230 V AC	371202	reducer MÜLLER type MR04
365111	starting capacitor capacity 108-130µF	370125	solenoid valve 3 -ways 24 V DC DN 2,5 mm	370578	solenoid valve single straight 230 V AC	371203	reducer MÜLLER type MR04
365113	operating capacitor capacity 6 µF 450 V	370139	solenoid valve 2 -ways 24 V AC	370579	solenoid valve double straight 230 V AC	371204	reducer MÜLLER type MR04
365114	operating capacitor capacity 6 µF	370140	solenoid valve brass 2-way-ways 230 V	370580	solenoid valve single straight 230 V AC	371205	reducer MÜLLER type MR04
365115	operating capacitor capacity 6 µF	370141	solenoid valve 2-way SS 230 V inlet ¼"xmm	370581	solenoid valve triple straight 230 V AC	371206	reducer MÜLLER type MR04
365116	operating capacitor capacity 8 µF	370145	solenoid valve 2 -ways 230 V	370582	solenoid valve brass 2 -ways 24 V AC	371207	reducer MÜLLER type MR04
365117	operating capacitor capacity 14 µF	370149	solenoid valve 2-fold straight	370583	solenoid valve brass 3 -ways 24 V AC	371208	reducer MÜLLER type MR04
365118	operating capacitor capacity 30 µF 400 V	370155	solenoid valve brass 2 -ways 230 V	370584	solenoid valve SS 220/240V inlet 1/8"mm	371210	reducer MÜLLER type MR06
365119	operating capacitor capacity 8 µF 450 V	370156	solenoid valve single straight	370587	solenoid valve brass 3 -ways 230 V AC	371211	reducer MÜLLER type MR06
365120	operating capacitor capacity 6 µF	370157	solenoid valve 2-fold straight 230 V	370590	solenoid valve 2 -ways 230 V AC	371212	reducer MÜLLER type MR06
365121	operating capacitor capacity 16 µF	370158	solenoid valve 2-fold 230 V inlet ¾"	370591	solenoid valve brass 3 -ways 230 V AC	371213	reducer MÜLLER type MR06
365122	operating capacitor capacity 16 µF	370165	solenoid valve brass 2 -ways 230 V	370592	solenoid valve nickel-plated brass	371214	reducer MÜLLER type MR06
365123	operating capacitor capacity 12,5 µF	370166	solenoid valve brass 3 -ways 24 V DC	370593	solenoid valve nickel-plated brass	371215	reducer MÜLLER type MR06
365124	operating capacitor capacity 8 µF	370167	solenoid valve 2 -ways 24 V DC	370594	solenoid valve nickel-plated brass	371216	reducer MÜLLER type MR06
365125	operating capacitor capacity 8 µF	370168	solenoid valve	370595	solenoid valve brass 3 -ways 220-240V	371217	reducer MÜLLER type MR06
365126	operating capacitor capacity 16 µF	370169	solenoid valve 2 -ways 230 V	370598	solenoid valve brass 2 -ways 230/240V	371220	reducer flow rate 3 l/min tolerance ±15%
365127	operating capacitor capacity 70 µF 250 V	370170	electronic magnet 24 V AC 50 Hz	370599	solenoid valve brass 2 -ways 240 V	371221	reducer flow rate 5,5 l/min
365128	operating capacitor capacity 16 µF 450 V	370172	solenoid valve triple 230 V inlet ¾"	370600	solenoid valve 2-way SS 220-240V AC	371222	reducer flow rate 6 l/min tolerance ±15%
365129	starting capacitor capacity 88-106µF	370173	solenoid valve 230 V inlet ¾" ET	370601	solenoid valve single straight 220-240V	371223	reducer flow rate 10 l/min
365131	operating capacitor capacity 5 µF 450 V	370180	solenoid valve single straight 230 V	370602	solenoid valve 2-fold straight 220-240V	371224	reducer flow rate 12 l/min
365132	operating capacitor capacity 16 µF	370181	solenoid valve 2-fold straight 230 V	370603	solenoid valve brass 2 -ways 230 V	371225	reducer flow rate 16 l/min
365133	operating capacitor capacity 5 µF	370182	solenoid valve 3-fold straight 230 V	370604	solenoid valve brass 3 -ways 230 V AC	371226	reducer flow rate 20 l/min
365134	operating capacitor capacity 16 µF 450 V	370183	solenoid valve 2-fold straight 230 V	370605	solenoid valve nickel-plated brass	371230	reducer flow rate 0,25 l/min
365135	operating capacitor capacity 7 µF 450 V	370184	solenoid valve 2-fold straight 230 V	370606	solenoid valve single straight 220-240V	371231	reducer flow rate 0,35 l/min
370000	solenoid valve triple 230 V inlet ¾"	370185	solenoid valve 3-fold straight 230 V	370607	solenoid valve 3-way brass 230 V	371232	reducer flow rate 0,45 l/min
370001	solenoid valve single 230 V inlet ¾"	370201	solenoid valve 2 -ways 230 V DN 3,5 mm	370608	solenoid valve single straight 230 V AC	371233	reducer type TP flow rate 0,8 l/min
370002	solenoid valve single 230 V inlet ¾"	370202	solenoid valve 2 -ways 230 V DN 2,5 mm	370609	solenoid valve 2-fold straight 230 V AC	371234	reducer flow rate 1 l/min
370003	solenoid valve 2-fold 230 V inlet ¾"	370203	solenoid valve brass 3 -ways 230 V AC	370610	solenoid valve brass 230 V M&M	371235	reducer flow rate 1,2 l/min
370004	solenoid valve 2-fold 230 V inlet ¾"	370204	solenoid valve 3 -ways 24 V AC DN 2,5 mm	370612	solenoid valve 3-fold straight 230 V AC	371236	reducer flow rate 1,5 l/min
370005	solenoid valve 230 V inlet ¾" outlet ¾"	370206	solenoid valve 2 -ways 230 V	370613	solenoid valve single straight 230 V AC	371237	reducer flow rate 2,5 l/min
370007	solenoid valve 230 V inlet ¾" outlet ¾"	370207	solenoid valve 3 -ways 230 V DN 1,5 mm	370614	solenoid valve 2-fold straight 230 V AC	371238	reducer flow rate 3,4 l/min
370008	solenoid valve triple 230 V inlet ¾"	370208	solenoid valve 2 -ways 230 V AC/DC	370615	solenoid valve brass 2 -ways 230 V AC	371239	reducer flow rate 5 l/min
370015	solenoid valve single elbow 230 V	370209	solenoid valve 2 -ways 24 V AC	370616	solenoid valve brass 3 -ways 230 V AC	371240	reducer flow rate 8 l/min tolerance ±20%
370016	solenoid valve single 230 V inlet ¾"	370210	solenoid valve brass 3 -ways 230 V AC	370617	solenoid valve brass 2 -ways 220 V AC	371270	reducer MÜLLER type MR05
370017	solenoid valve single straight 230 V	370211	solenoid valve brass 2 -ways 230 V	370618	solenoid valve single straight 230 V AC	371271	reducer MÜLLER type MR05
370018	solenoid valve single straight 230 V	370212	solenoid valve 3 -ways 230 V	370624	solenoid valve single straight 230 V AC	371272	reducer MÜLLER type MR05
370019	solenoid valve 2-fold elbow 230 V	370213	solenoid valve 3 -ways 230 V DN 1,5 mm	370626	solenoid valve nickel-plated brass	371273	reducer MÜLLER type MR05
370020	solenoid valve 2-fold elbow 230 V	370214	solenoid valve 3 -ways 230 V	370638	solenoid valve triple 230 V inlet ¾"	371274	reducer MÜLLER type MR05
370021	solenoid valve 2-fold straight	370218	solenoid valve 2 -ways 24 V DC	371002	solenoid valve holder flange support	371275	reducer MÜLLER type MR05
370022	solenoid valve 2-fold 230 V inlet ¾"	370219	solenoid valve 3 -ways 24 V AC DN 2 mm	371009	spring	371276	reducer MÜLLER type MR05
370023	solenoid valve triple 230 V inlet ¾"	370220	solenoid valve 2 -ways 230 V L 30 mm	371011	spare parts kit	371277	reducer MÜLLER type MR05
370024	solenoid valve triple 230 V inlet ¾"	370221	solenoid valve 2 -ways 24 V DC	371013	solenoid coil 230 V	371278	reducer MÜLLER type MR05
370025	solenoid valve triple 230 V inlet ¾"	370222	solenoid valve 3 -ways 230 V	371017	solenoid coil MÜLLER 230 V	371279	reducer MÜLLER type MR05
370026	solenoid valve triple 230 V inlet ¾"	370223	solenoid valve 3 -ways 220/240V	371022	solenoid coil M&M 230 V 10 10 VA 50 Hz	371280	reducer type MR07 flow rate 0,5 l/min
370029	solenoid valve single straight 24 V AC	370224	solenoid valve 2 -ways 24 V AC	371023	solenoid coil M&M 24 V AC 10 VA	371282	reducer MÜLLER type MR07
370030	solenoid valve single 24 V AC inlet ¾"	370225	solenoid valve 2 -ways 24 V DC	371024	solenoid coil M&M 230 V 12 VA	371283	reducer MÜLLER type MR07
370031	solenoid valve single 24 V AC inlet ¾"	370226	solenoid valve 2 -ways 24 V AC	371025	solenoid coil M&M 24 V AC 12 VA 50 Hz	371284	reducer MÜLLER type MR07
370032	solenoid valve single 24 V AC inlet ¾"	370227	solenoid valve 3 -ways 24 V DC DN 1,6 mm	371026	solenoid coil M&M 230 V 18 VA 50 Hz	371285	reducer MÜLLER type MR07
370034	solenoid valve 2 -ways 24 V AC	370228	solenoid valve 2 -ways 230 V	371027	solenoid coil M&M 24 V AC 18 VA	371286	reducer MÜLLER type MR07
370037	solenoid valve 2 -ways inlet 1/8" IT	370229	solenoid valve brass 2 -ways 24 V AC	371029	solenoid coil 230 V 9 VA coil type ZB09	371287	reducer MÜLLER type MR07
370050	solenoid valve 3 -ways 24 V AC	370230	solenoid valve 2 -ways 24 V DC	371030	solenoid coil 24 V DC 12 VA	371288	reducer MÜLLER type MR07
370051	solenoid valve 3 -ways 24 V DC DN 2,5 mm	370231	solenoid valve 3 -ways 230 V DN 1,5 mm	371031	solenoid coil LUCIFER 230 V 9 VA	371289	reducer MÜLLER type MR07
370053	solenoid valve 3 -ways 230 V DN 2,5 mm	370232	solenoid valve brass 2 -ways 230 V	371032	solenoid coil LUCIFER 24 V AC 9 VA	372214	solenoid valve 2-fold straight 230 V
370054	solenoid valve 3 -ways 24 V AC DN 2,5 mm	370233	solenoid valve brass 2 -ways 230 V	371033	solenoid coil 230 V 9 VA	372216	solenoid valve with pressure switch
370055	solenoid valve 3 -ways 230 V	370234	solenoid valve 3 -ways 230 V	371035	solenoid coil 24 V AC	373003	solenoid valve single straight 230 V
370056	solenoid valve 3 -ways 24 V AC	370235	solenoid valve brass 2 -ways 230 V	371036	solenoid coil 24 V AC 9 VA	373004	solenoid valve single straight 230 V
370057	solenoid valve brass 3 -ways 230 V	370236	solenoid valve 2 -ways 230 V inlet ¾"	371037	solenoid coil 24 V AC 50/60Hz	373005	solenoid valve with non return valve
370058	solenoid valve 3 -ways 24 V DC	370237	solenoid valve 3 -ways 230 V DN 2,5 mm	371038	solenoid coil 230 V	373006	solenoid valve with non return valve
370059	solenoid valve 3 -ways 230 V	370239	solenoid valve 2 -ways 230 V	371043	solenoid coil LUCIFER 24 V DC 9 VA	375007	thermostat t.max. 110 °C
370060	solenoid valve 3 -ways 230 V	370253	solenoid valve single elbow 230 V	371047	solenoid coil SIRAI 230 V AC 14 VA	375020	
370061	solenoid valve body LUCIFER 3 -ways	370263	solenoid valve 2 -ways 230 V inlet ¾"	371048	solenoid coil SIRAI 24 V AC 14 VA	375048	safety thermostat 132 °C 1 -poles 16 A
370062	solenoid valve body PARKER 3 -ways	370274	solenoid valve 2 -ways 230 V	371049	solenoid coil SIRAI 24 V DC 12 W	375160	bimetal thermostat 110 °C 1NC 1 -poles
370063	solenoid valve body PARKER 3 -ways	370284	solenoid valve 3 -ways 230 V DN 1,5 mm	371067	solenoid coil SIRAI 230 V 14 VA	375242	bimetal thermostat 92 °C 1NC 1 -poles
370064	solenoid valve 2 -ways 24 V AC	370285	solenoid valve 3 -ways 24 V AC DN 1,5 mm	371068	solenoid coil SIRAI 24 V AC 14 VA	375294	surface safety thermostats 190 °C 1NC
370066	solenoid valve 2 -ways 24 V AC	370303	solenoid valve 2 -ways 230 V	371069	solenoid coil SIRAI 24 V DC 6 W	375410	thermostat temperature range 95-180°C
370067	solenoid valve 2 -ways 230 V	370349	solenoid valve 2-way stainless steel	371070	solenoid coil SIRAI 230 V AC 10 VA	375454	safety thermostat 154 °C 3 -poles
370068	solenoid valve 2 -ways 230 V DN 1,5 mm	370473	solenoid valve nickel-plated brass	371071	solenoid coil SIRAI 230 V 10 VA	375480	safety thermostat 169 °C 1 -poles 16 A
370069	solenoid valve 2 -ways inlet 1/8" IT	370474	solenoid valve brass 2 -ways 230 V AC	371074	solenoid coil SIRAI 230 V 14 VA	375482	thermostat t.max. 95 °C
370071	solenoid valve 2 -ways 230 V	370477	solenoid valve 5-way brass 230 V	371077	solenoid coil SIRAI 230 V AC 24 VA	375493	surface safety thermostats 230 °C 1NC
370072	solenoid valve 2 -ways 230 V	370484	solenoid valve brass 2 -ways 230 V AC	371078	solenoid coil SIRAI 24 V DC 13 W	375494	safety thermostat 155 °C 2 -poles 2NC
370074	solenoid valve single 230 V inlet ¾"	370497	solenoid valve brass 2 -ways 230 V	371080	solenoid coil M&M 24 V DC 10 W	375495	safety thermostat 160 °C
370080	solenoid valve 3 -ways 230 V DN 2,3 mm	370498	solenoid valve 3-way plastic 230 V	371082	solenoid coil 110 V AC 9 VA 60 Hz	375496	safety thermostat 150 °C
370081	solenoid valve 3 -ways 24 V AC DN 2,3 mm	370521	solenoid valve brass 2 -ways 230 V	371083	solenoid coil LUCIFER 24 V AC 9 VA	375501	safety thermostat 1 -poles 16 A
370082	solenoid valve 2 -ways 230 V	370522	solenoid valve 2-fold 230 V inlet ¾"	371090	power socket plug type DIN large	375502	safety thermostat 177 °C 3 -poles
370083	solenoid valve 2 -ways 230 V	370523	solenoid valve brass 230 V M&M	371091	power socket plug type compact small	375511	thermostat 130 °C 3 -poles 3NC
370084	solenoid valve 2 -ways 230 V	370528	solenoid valve brass 3 -ways 230 V AC	371092	power socket plug type DIN	375513	safety thermostat 106 °C 1 -poles 20 A



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
375515	safety thermostat 160 °C 1 -poles 1NC	380887	start relay MTRP0017 250 V 8 A	390367	surface safety thermostats 130 °C 2NC	400039	keypad unit
375728	bimetal thermostat 105 °C 1NC 1 -poles	380889	power contactor 230 V	390368	rod thermostat	400048	level relay 1CO 230 V AC type 27434
375730	surface safety thermostats 115 °C 1NC	380890	start relay 230 V Faston 6,3mm	390369	surface safety thermostats 175 °C 1NC	400056	keypad unit buttons 7
375732	surface safety thermostats 150 °C 1NC	380891	power contactor 400 V	390370	surface safety thermostats 145 °C 1NC	400057	keypad unit black buttons 7
375749	bimetal thermostat 75 °C 1NC 1 -poles	380894	start relay MTRP0048 115 V	390371	surface safety thermostats 152 °C 1NC	400058	transformer 15 VA primary 230 V
375750	bimetal thermostat 85 °C 1NC 1 -poles	380895	power contactor 400 V	390372	surface safety thermostats 165 °C 1NC	400059	keypad unit 230 V brown buttons 7
375751	surface safety thermostats 85 °C 1NC	380896	power contactor 230 V	390373	union screw	400080	membrane keypad
375753	surface safety thermostats 120 °C 1NC	380898	start relay 230 V Faston 6,3mm	390376	surface safety thermostats 130 °C 1NC	400081	membrane keypad
375754	surface safety thermostats 125 °C 1NC	380899	auxiliary contactor 400 V AC15 3 A	390377	surface safety thermostats 135 °C 1NC	400082	temperature sensor NTC 10KOhm
375755	surface safety thermostats 105 °C 1NC	380900	power relays AC 2 -poles 1NO/1NC 20 A	390378	surface safety thermostats 140 °C 1NC	400083	temperature sensor cable length 0,12 m
375757	surface safety thermostats 100 °C 1NC	380901	start relay 230 V Faston 6,3mm	390379	surface safety thermostats 150 °C 1NC	400086	level relay 230 V AC 50/60Hz 11 -poles
375847	thermostat t.max. 90 °C	380902	power contactor 400 V	390380	surface safety thermostats 155 °C 1NC	400087	level relay 24 V AC 50/60Hz 2NO
375895	safety thermostat 132 °C 1 -poles 16 A	380903	start relay 230 V Faston 6,3mm	390390	bimetal thermostat 2NC 2 -poles 16 A	400088	casing cover GICAR nickel-plated brass
375898	safety thermostat 140 °C 1 -poles	380905	power contactor 230/400V	390391	safety thermostat 165 °C 2 -poles 20 A	400092	push button set 6-piece
375903	safety thermostat 145 °C 3 -poles 20 A	380906	start relay 1 -poles flat plug 6,3mm	390392	surface safety thermostats 115 °C 1NC	400097	keypad unit
375905	bimetal thermostat 140 °C 1NC 1 -poles	380907	power relays 230 V AC 3CO 10 A 250 V	390393	safety thermostat 165 °C 2 -poles 25 A	400120	level electrode ¼" overall length 83 mm
375910	safety thermostat 115 °C 1 -poles 1NC	380909	relay socket 8 -poles 250 V 10 A	390394	surface safety thermostats 130 °C 1NC	400121	level electrode ¼" overall length 121 mm
379241	temperature sensor NTC	380910	relay socket 5 -poles 250 V 10 A	390395	thermostat t.max. 110 °C	400130	level electrode M14x1,25
379445	thermostat type 9.3.00.41G	380911	contactor 230 V resistive load 25 A	390398	bimetal thermostat 127 °C 1NC 1 -poles	400193	flowmeter ¼" stainless steel DIGMESA
379450	temperature sensor steam pipe	380912	start relay MTRP 4620 W309 250 V 8 A	390399	thermostat t.max. 90 °C 1 -poles 1CO	400199	photo cell
379452	temperature sensor NTC	380913	start relay MTRP3920 743 250 V 8 A	390410	surface safety thermostats 200 °C 1NC	400209	flowmeter ¼" brass plug-in connection
379453	temperature sensor NTC	380919	power contactor 230 V	390411	bimetal thermostat 130 °C 2NC 2 -poles	400212	level electrode ¼" overall length 120 mm
379461	temperature sensor NTC cable silicone	380920	power relays 400 V AC 3 -poles 3CO 10 A	390412	surface safety thermostats 80 °C 1NC	400213	level electrode ¼" overall length 125 mm
379464	temperature sensor NTC cable silicone	380922	power contactor 230 V	390413	bimetal thermostat 100 °C 1NC 1 -poles	400214	level electrode ¼" overall length 140 mm
379465	temperature sensor set PTC	380923	power contactor 220 V	390414	bimetal thermostat 140 °C	400215	level electrode ½"
379467	temperature sensor set PTC	380924	power contactor 230 V	390431	surface safety thermostats 120 °C 2NC	400222	flowmeter ¼" stainless steel
379470	sensor Pt1000 cable silicone	380927	power contactor 1 -poles	390432	surface safety thermostats 120 °C 3NC	400223	keypad unit
379474	temperature sensor cable length 0,3 m	380928	time relay 70/150s 2CO 230 V AC 5 A	390433	safety rod thermostat	400224	electronic box for coffee machine 230 V
379475	temperature sensor Pt1000	380929	power relays 12 V DC 1NO 25 A 240 V	390434	surface safety thermostats 145 °C 2NC	400225	central unit for coffee machine 3-group
379480	temperature sensor NTC	380930	power contactor 230 V	390435	bimetal thermostat 170 °C 1NC 1 -poles	400226	keypad unit buttons 5
379481	temperature sensor NTC	380934	time relay 400-580s 2CO 230 V AC 5 A	390436	bimetal thermostat 100 °C 1NC 1 -poles	400227	keypad unit W 60 mm L 88 mm buttons 6
379482	temperature sensor NTC	380964	power contactor 230 V	390447	bimetal thermostat 130 °C NC 1 -poles	400228	ribbon cable 16 -poles L 600 mm
379490	temperature sensor PTC cable silicone	380969	power contactor 230 V	390455	surface safety thermostats 100 °C 2NC	400229	ribbon cable 16 -poles L 800 mm
379499	sensor Pt1000 cable length 1500 m	380976	power contactor 230 V	390456	surface safety thermostats 85 °C 2NC	400230	level relay 230 V AC 50/60Hz 11 -poles
379500	temperature sensor NTC cable length 30 m	380979	power contactor 230 V	390459	surface safety thermostats 200 °C 1NC	400231	level relay 230 V AC 50/60Hz 11 -poles
379506	sensor sensor length 410 mm with plug	381017	power contactor 230 V	390461	surface safety thermostats 95 °C 1NC	400234	level relay 230 V AC 50/60Hz 11 -poles
379519	temperature sensor NTC cable length 50 m	381031	auxiliary contact contacts 1NO/1NC	390463	bimetal thermostat 90 °C 1NC 1 -poles	400237	level relay 230 V AC 50/60Hz 8 -poles
379697	temperature sensor PTC	381115	power contactor 230 V	390476	safety thermostat 165 °C 2 -poles 16 A	400238	level relay 230 V AC
379706	temperature sensor NTC	390007	thermostat t.max. 120 °C	390480	surface safety thermostats 105 °C 1NC	400239	level relay 230 V AC 50/60Hz 5 A
380052	power relays 2 -poles 2NO 25 A 230 V	390026	surface safety thermostats 70 °C 1NC	390483	bimetal thermostat 65 °C 1NO 1 -poles	400240	level relay 230 V AC 50/60Hz 8 -poles
380064	start relay 400 V AC 16 A 1NC	390100	surface safety thermostats 110 °C 1NC	390503	bimetal thermostat 135 °C 1NC 1 -poles	400241	level relay 230 V AC 50/60Hz 10 A
380092	power contactor 230 V	390104	bimetal thermostat 95 °C 1NC 1 -poles	390509	surface safety thermostats 210 °C 1NC	400244	level relay 230 V AC 50/60Hz
380100	power contactor 230 V	390105	surface safety thermostats 130 °C 2NC	390511	bimetal thermostat 78 °C 1NC 1 -poles	400245	level relay 230 V AC 50/60Hz
380104	power contactor 230-240V	390107	bimetal thermostat 86 °C 1NC 1 -poles	390518	bimetal thermostat	400246	level relay 230 V AC 50/60Hz 10 A
380110	power contactor 400 V	390109	thermostat temperature range 75-120°C	390531	surface safety thermostats 150 °C 2NC	400247	keypad unit
380121	small relay switch 230 V	390114	thermostat t.max. 110 °C	390533	bimetal thermostat 160 °C 1NC 1 -poles	400248	keypad unit
380130	power relays 230 V AC 3NO 16 A	390115	surface safety thermostats 115 °C NC	390570	bimetal thermostat 160 °C 1NC 1 -poles	400249	level relay 230 V AC 50/60Hz
380131	power relays 230 V AC 3CO 16 A	390123	bimetal thermostat 50 °C 1NC 1 -poles	390580	bimetal thermostat 60 °C 1 -poles M4	400254	door catch connection cable
380132	power relays 230 V AC 11 -poles 3CO 10 A	390125	bimetal thermostat 130 °C 1NC 1 -poles	390592	bimetal thermostat 100 °C 1NC 1 -poles	400255	flowmeter 1/8" stainless steel with LED
380134	power relays 230 V AC 2CO 10 A 250 V	390128	bimetal thermostat 95 °C 1NC 1 -poles	390612	bimetal thermostat 110 °C	400256	plug GICAR for flowmeter
380136	relay socket 11 -poles	390129	bimetal thermostat 125 °C 1NC 1 -poles	390613	bimetal thermostat 150 °C	400257	impeller GICAR H 15 mm D1 ø 26,7 mm
380137	relay socket 8 -poles	390138	surface safety thermostats 112 °C 1NC	390624	surface safety thermostats 125 °C 2NC	400258	O-rings for flowmeter
380138	power relays AC 2CO 16 A 24 V	390152	bimetal thermostat 107 °C 1NC 1 -poles	390625	thermal fuse 110 °C	400259	impeller for DIGMESA
380139	power relays AC 2CO 16 A 230 V	390153	bimetal thermostat 135 °C 1NC 1 -poles	390627	bimetal thermostat 110 °C 1NC	400260	level electrode ¼" overall length 220 mm
380151	time relay	390154	safety thermostat 165 °C 2 -poles 25 A	390633	bimetal thermostat 125 °C NC 1 -poles	400262	keypad unit
380185	power relays AC 1NO 30 A 230 V	390157	safety thermostat	390634	bimetal thermostat 145 °C 1NC 1 -poles	400264	level relay 230 V AC
380212	power contactor 230 V	390158	bimetal thermostat 140 °C connection M4	390652	bimetal thermostat 170 °C 1NC	400265	level relay 230 V AC 3 A type FE-MBC1G
380213	power contactor 230 V	390160	bimetal thermostat 90 °C 1NO 1 -poles	390681	surface safety thermostats 105 °C	400266	electronic box for coffee machine
380244	power contactor 230 V	390166	safety thermostat 150 °C 3 -poles 20 A	390684	surface safety thermostats 120 °C NC	400267	electronic box for coffee machine
380245	power contactor 230 V	390187	surface safety thermostats 180 °C 2NC	390685	bimetal thermostat 55 °C NC 1 -poles	400268	relay plate
380261	power contactor 230 V	390197	surface safety thermostats 135 °C 1NC	390688	surface safety thermostats 130 °C 2NC	400269	relay plate
380307	power relays 230 V strap fixing	390230	surface safety thermostats 130 °C 2NC	390689	surface safety thermostats 200 °C	400270	relay plate
380309	power relays 16 A 2 -poles	390233	surface safety thermostats 110 °C 1NC	390690	bimetal thermostat 200 °C 1NC 1 -poles	400271	keypad unit
380312	power relays AC 3CO 10 A 230 V	390235	surface safety thermostats 165 °C 1NC	390691	thermostat t.max. 180 °C 1 -poles 1CO	400275	front foil
380348	print relay 12 V DC 1CO at 250V 16 A	390295	surface safety thermostats	390692	bimetal thermostat 85 °C 1NC 1 -poles	400276	front foil
380349	print relay 24 V DC 2CO at 250V 8 A	390301	bimetal thermostat 60 °C 1NC 1 -poles	390693	surface safety thermostats 160 °C 1NC	400282	relay plate
380352	power contactor 230 V	390305	safety thermostat 165 °C 1 -poles 16 A	390694	surface safety thermostats 120 °C 1NC	400283	electronic box for coffee machine
380353	auxiliary contact	390308	screw connection	390695	safety thermostat 170 °C 3 -poles 3NC	400284	electronic box for coffee machine
380355	power relays 400 V AC 3CO 10 A 250 V	390311	surface safety thermostats 135 °C 1NC	390696	safety thermostat 153 °C 1 -poles 1NCA	400285	keypad unit
380357	power relays 230 V AC 3NO 16 A	390313	screw connection	390697	bimetal thermostat 103 °C 1NC 1 -poles	400286	keypad unit
380365	power relays AC 2CO 12 A 230 V	390317	double nipple	390698	thermal fuse 110 °C	400287	keypad unit
380366	power relays AC 2CO 16 A 230 V	390319	bimetal thermostat 80 °C 1NC 1 -poles	390702	safety thermostat 177 °C 3 -poles 3NC	400288	keypad unit
380377	power relays 230 V AC 2CO 10 A 250 V	390320	bimetal thermostat 90 °C 1NC 1 -poles	390705	bimetal thermostat 80 °C 1NC 1 -poles	400289	keypad unit
380379	power relays 230 V 2CO 25 A	390322	bimetal thermostat 100 °C 1NC 1 -poles	390706	safety thermostat 90 °C 3 -poles	400291	keypad unit
380400	power relays DC 3CO 16 A 12 V	390323	bimetal thermostat 145 °C 1NC 1 -poles	390707	thermostat t.max. 130 °C 1 -poles NC	400292	keypad unit
380401	power contactor supply 12 VDC	390324	safety thermostat 169 °C 3 -poles 20 A	390709	surface safety thermostats 180 °C 1NC	400294	keypad unit
380403	power relays AC 3CO 16 A 250 V	390325	bimetal thermostat 115 °C 2NC 2 -poles	390711	surface safety thermostats 127 °C 1NC	400296	keypad unit
380404	power relays DC 3CO 16 A 24 V	390326	bimetal thermostat 130 °C 1NC 1 -poles	390715	bimetal thermostat 130 °C NC 1 -poles	400297	key switch 1 group M12x1 1NO
380405	power contactor 12 V resistive load 20 A	390327	bimetal thermostat 150 °C 1NC 1 -poles	390716	thermostat 1 -poles 1CO 16 A	400298	key switch
380413	power contactor 400 V	390328	bimetal thermostat 152 °C 1NC 1 -poles	390717	surface safety thermostats 110 °C 1NC	400299	key switch mounting ø 11,6 mm 3-group
380458	power contactor 230 V	390329	bimetal thermostat 165 °C 1NC 1 -poles	390722	bimetal thermostat 180 °C 1NC 1 -poles	400300	display p.c.b. mounting pos. left
380460	start relay MTRP4211 250 V 8 A	390339	thermostat temperature range 30-120°C	390725	surface safety thermostats set NC	400301	display p.c.b. mounting pos. centre
380461	start relay MTRP H 4920 250 V 8 A 1NO	390346	surface safety thermostats 106 °C 1NC	390739	bimetal thermostat 128 °C 1 -poles	400302	display p.c.b. mounting pos. right
380475	power relays 230 V AC 2 -poles 2CO 12 A	390347	bimetal thermostat 115 °C 1NC 1 -poles	390740	bimetal thermostat 165 °C	400303	buttons strip mounting pos. left
380476	relay socket measures 78x27x33,5mm 250 V	390348	safety thermostat 98 °C 1 -poles 16 A	390743	bimetal thermostat 300 °C 1 -poles 10 A	400304	buttons strip mounting pos. centre
380479	power contactor 230 V	390350	bimetal thermostat 110 °C 1NC 1 -poles	400004	flowmeter ¼" stainless steel with LED	400305	buttons strip
380497	power contactor 230 V	390351	bimetal thermostat 120 °C 1NC 1 -poles	400005	flowmeter ¼" brass with connecting line	400307	push button dark grey suitable for FAEMA
380523	power contactor 230 V	390352	bimetal thermostat 125 °C 1NC 1 -poles	400010	level relay 230 V AC 50/60Hz 8 -poles	400308	push button black suitable for FAEMA
380526	power contactor 230 V	390354	bimetal thermostat 135 °C 1NC 1 -poles	400017	level relay 230 V AC 50/60Hz 11 -poles	400310	level relay 230 V AC
380528	power contactor 203 V	390355	bimetal thermostat 140 °C 1NC 1 -poles	400018	level relay 230 V AC type RL30/3ES/F/G	400312	keypad unit
380638	relay socket 8 -poles	390356	bimetal thermostat 145 °C 1NC 1 -poles	400019	level relay 230 V AC 2NO	400313	keypad foil
380662	print relay 250 V AC 1CO at 250V 10 A	390358	bimetal thermostat 155 °C 1NC 1 -poles	400020	level electrode ¼" overall length 150 mm	400314	thermometer 93x52mm
380687	power relays AC 2NO 30 A 230 V	390359	bimetal thermostat 160 °C 1NC 1 -poles	400028	level relay 230 V AC 2NO 8 -poles	400315	transformer
380692	time relay	390360	bimetal thermostat 165 °C 1NC 1 -poles	400029	level relay 230 V AC 11 -poles	400316	electronic box for coffee machine
380702	power relays AC 3 -poles 3NO 16 A 230 V	390361	bimetal thermostat 120 °C 1NC 1 -poles	400032	Triac	400317	electronic box for coffee machine
380705	power contactor 230 V	390362	bimetal thermostat 132 °C 1NC 1 -poles	400034	rotary switch 6 operating positions	400319	adapter for flowmeter
380713	power contactor 230 V	390363	bimetal thermostat 140 °C 1NC 1 -poles	400035	electronic box for coffee machine	400320	ribbon cable 5 -poles
380808	power relays AC 3CO 16 A 250 V	390364	bimetal thermostat 155 °C 1NC 1 -poles	400036	electronic box for coffee machine	400321	membrane keypad L 149 mm W 36 mm
380815	power relays AC 2NO 230 V	390365	bimetal thermostat 165 °C 1NC 1 -poles	400037	electronic box for coffee machine	400322	electronic box for coffee machine
380886	start relay MTRP0026 250 V AC 8 A 1NO	390366	bimetal thermostat 128 °C 1NC 10 A	400038	keypad unit W 57 mm L 85 mm buttons 6	400323	membrane keypad with housing

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
400324	spacer	400462	display p.c.b.	400591	display p.c.b.	401258	level electrode ¼" overall length 120 mm
400325	keypad housing	400463	keypad unit	400592	display p.c.b. with display	401299	p.c.b. FAEMA series E97, E98 NA32
400326	lid for keypad housing	400464	keypad unit	400594	p.c.b. with display	401363	level electrode ¼" overall length 110 mm
400327	electronic box for coffee machine	400466	p.c.b.	400598	level electrode ½" overall length 132 mm	401365	level electrode ¼" overall length 172 mm
400328	p.c.b.	400467	p.c.b.	400600	level relay level regulator	401431	keypad unit buttons 3
400329	p.c.b. level regulator	400471	electronic box for coffee machine	400601	level relay	401432	keypad foil L 80 mm W 44 mm buttons 5
400330	p.c.b. dosing	400472	electronic box for coffee machine	400602	level relay	401433	keypad foil L 80 mm W 44 mm buttons 5
400331	p.c.b. dosing	400473	electronic box 3-4-group	400603	electronic box	401434	keypad foil L 92 mm W 26 mm buttons 5
400332	ribbon cable 8 -poles L 1400 mm	400475	electronic box for coffee machine 230 V	400604	level relay	401443	membrane keypad buttons 5
400334	membrane keypad	400477	keypad unit W 40 mm L 122 mm buttons 5	400605	membrane keypad	401455	keypad unit with buttons aluminium
400335	membrane keypad	400479	keypad unit W 57 mm L 66 mm buttons 1	400606	temperature sensor NTC 4,8kOhm	401456	keypad unit with keypad foil W 43 mm
400336	membrane keypad	400480	keypad foil	400608	display p.c.b.	401457	keypad unit W 59 mm L 87 mm buttons 5
400337	membrane keypad	400481	keypad unit	400610	p.c.b.	401548	level electrode overall length 175 mm
400338	heating cartridge 80 W 240 V ø 12,7 mm	400482	keypad unit	400611	display p.c.b. with display	401636	keypad unit buttons 5
400343	keypad foil	400483	electronic box for coffee machine	400612	p.c.b.	401638	level relay 24 V type RL30/3ES/F/G
400346	keypad unit	400484	p.c.b.	400613	display p.c.b.	401643	power semiconductor 50 A supply 3-32VDC
400347	keypad unit	400485	ribbon cable 8 -poles L 1100 mm	400614	p.c.b.	401645	keypad foil L 110 mm W 16,5 mm black
400348	bezel for keypad	400486	membrane keypad	400615	display p.c.b.	401646	display p.c.b. L 135 mm W 44 mm
400349	flowmeter	400487	membrane keypad	400616	p.c.b. suitable for BONAMAT	401647	display p.c.b. L 135 mm W 43 mm
400350	keypad unit	400488	keypad unit 1-group	400617	display p.c.b.	401648	keypad unit buttons 6
400351	level relay 250 V AC 50/60Hz 5/5A	400489	keypad unit 2-4-group	400620	p.c.b.	401649	keypad unit RENEKA buttons 6
400352	keypad unit W 49 mm L 68 mm buttons 5	400490	display p.c.b. mounting pos. right	400621	p.c.b.	401650	display blue W 45 mm L 117 mm
400353	keypad unit	400491	display p.c.b. mounting pos. left	400622	keypad unit	401651	electronic box for coffee machine
400354	keypad unit buttons 5	400494	display p.c.b.	400623	p.c.b.	401652	electronic box for coffee machine
400355	keypad unit buttons 6	400495	push button set 7-piece coffee	400624	display p.c.b.	401653	central unit 4-group 230 V type Viva S
400356	keypad unit W 31 mm L 37 mm buttons 1	400496	display p.c.b. water	400625	display p.c.b.	401654	level electrode ¼" IT
400357	keypad unit 230 V blue buttons 7	400497	push button set 4-piece water	400626	p.c.b.	401655	level electrode ¼" IT
400360	membrane keypad	400498	display p.c.b. tea with display W 40 mm	400627	p.c.b.	401656	temperature sensor NTC 47kOhm cable PTFE
400361	keypad unit	400499	keypad foil L 110 mm W 38 mm buttons 5	400629	p.c.b.	401692	level relay 1CO 8 -poles 115 V AC 10 A
400362	keypad unit	400500	keypad foil L 110 mm W 38 mm buttons 5	400630	keypad foil	401711	display p.c.b. suitable for WEGA
400363	electronic box for coffee machine	400501	display p.c.b.	400631	display p.c.b.	401712	keypad foil L 135 mm W 60 mm buttons 5
400364	electronic box for coffee machine	400502	keypad foil	400634	electronic box	401724	membrane keypad L 105 mm W 27 mm
400365	membrane keypad L 74 mm W 44 mm	400503	keypad foil	400637	electronic box for coffee machine	401802	p.c.b.
400367	electronic box for coffee machine	400504	membrane keypad	400639	key switch	401830	p.c.b.
400369	display p.c.b.	400506	keypad unit buttons 6	400640	pin strip 4 -poles	401846	p.c.b. for dishwasher
400370	display p.c.b.	400507	keypad unit	400641	key switch	401870	ribbon cable 8 -poles L 1400 mm
400371	display p.c.b.	400508	keypad unit	400642	flowmeter ¼ plastic plug-in connection	401871	cabl e 8 -poles L 900 mm
400372	display p.c.b.	400509	membrane keypad L 103 mm W 27 mm	400643	membrane keypad	401872	level electrode 1/4"
400373	display p.c.b.	400510	keypad unit	400644	membrane keypad	401876	electronic box
400374	display p.c.b.	400511	keypad unit	400645	bezel for keypad	401878	p.c.b.
400376	membrane keypad	400512	keypad unit	400646	bezel for keypad	401879	p.c.b.
400378	keypad unit	400513	keypad unit	400647	membrane keypad	401880	p.c.b.
400379	electronic box 1-3-group	400514	keypad unit	400648	pin strip 7 -poles	401881	p.c.b.
400380	p.c.b. 1-group	400515	keypad unit chrome-plated W 51 mm	400649	pin strip 8 -poles	401882	p.c.b. level
400381	p.c.b.	400516	electronic box for coffee machine	400652	keypad unit black W 45 mm L 117 mm	401883	level electrode 1/8"
400382	keypad foil	400517	keypad unit	400653	keypad unit W 46 mm L 117 mm buttons 5	401884	transformer 140 VA
400383	keypad foil	400518	p.c.b.	400655	keypad unit black W 45 mm L 117 mm	401894	time relay 230 V 11 -poles 9.2.21.04G
400384	keypad foil	400519	p.c.b.	400657	keypad foil 1d5 buttons 5	401905	level relay 230 V
400385	level relay 230 V AC 50/60Hz 5 A	400520	electronic box for coffee machine	400669		401906	ribbon cable 4 -poles L 1100 mm
400386	keypad foil	400521	power semiconductor supply 10-30VDC	400672	membrane keypad	401908	ribbon cable 2x7-poles L 1000 mm
400388	electronic box	400524	level relay 230 V AC	400673	membrane keypad L 177 mm W 49 mm	401909	ribbon cable 14 -poles L 1100 mm
400389	keypad unit	400525	p.c.b.	400674	membrane keypad L 58 mm W 68 mm	401911	ribbon cable 4 -poles L 800 mm
400390	keypad unit	400526	p.c.b.	400675	membrane keypad L 68 mm W 58 mm	401914	flowmeter ¼" brass with LED
400391	electronic box 2-group	400527	relay plate	400679	central unit 2 groups 230 V AC + tea	401920	flowmeter ¼" stainless steel with LED
400392	electronic box for coffee machine 230 V	400528	p.c.b.	400680	p.c.b.	401922	p.c.b. for coffee grinder 400V 230 V
400393	membrane keypad	400530	central unit for coffee machine 230 V	400681	p.c.b.	401923	p.c.b. for coffee grinder 230 V L 62 mm
400395	keypad unit	400531	electronic box	400682	p.c.b.	401925	level electrode ¼"
400396	keypad unit	400532	keypad unit buttons 5	400683	p.c.b.	401928	display p.c.b. W 115 mm L 170 mm
400398	electronic box for coffee machine	400534	electronic box 1-3-group	400684	p.c.b.	401941	electronic box for coffee machine
400399	central unit for coffee machine 3-group	400535	membrane keypad	400685	p.c.b. FAEMA E91 series DIPLOMAT	402062	power semiconductor 25 A supply 4-32VDC
400400	level relay 230 V AC 8 -poles	400536	membrane keypad	400686	level controller	402076	sensor for coffee grinder complete
400404	level electrode ¼" overall length 240 mm	400537	level relay 230 V AC 50/60Hz 8 A	400700	ribbon cable 8 -poles L 600 mm	402078	temperature sensor NTC 10KOhm
400405	level electrode ¼" overall length 345 mm	400538	indicator lamp red LED	400701	ribbon cable 8 -poles L 800 mm	402088	control p.c.b. for boiler
400406	electronic box for coffee machine 230 V	400539	electronic box for coffee machine	400702	ribbon cable 10 -poles L 600 mm	402089	display p.c.b. for coffee machine
400407	electronic box for coffee machine 230 V	400540	keypad unit buttons 5	400703	ribbon cable 10 -poles L 800 mm	402090	display for coffee machine
400408	level relay 230 V AC 50/60Hz 8 -poles	400541	keypad unit buttons 6	400704	ribbon cable 10 -poles L 1100 mm	402091	p.c.b. for coffee machine 16Bit
400409	level relay	400542	keypad unit	400705	ribbon cable 10 -poles L 1400 mm	402101	electronic box for coffee machine
400415	transformer 75 VA	400543	keypad unit	400706	ribbon cable 16 -poles L 1100 mm	402103	level controller 230/240V AC 50/60Hz
400416	temperature sensor PTC 2kOhm	400544	electronic box 1-3-group	400707	ribbon cable 16 -poles L 1400 mm	402104	electrode bloc
400417	level relay 230 V AC 50/60Hz 5 A	400545	keypad unit 2-fold	400710	electronic controller	402105	temperature sensor PTC
400418	level relay 230 V AC 50/60Hz 5 A	400546	keypad unit 2-fold	400753	central unit	402106	electrode sensor length 6 mm
400419	keypad unit	400547	keypad unit single	400760	central unit 230 V AC 50/60Hz	402107	control p.c.b.
400422	level relay	400548	keypad unit 2-fold	400774	keypad unit	402108	control p.c.b.
400423	level relay type RL30/1E/F	400549	keypad unit 3-fold	400775	flowmeter ¼" brass with LED	402109	control p.c.b.
400430	keypad unit buttons 5 type DOS 3D	400552	display p.c.b.	400776	electronic box for coffee machine	402110	push button set 8-piece transparent
400431	membrane keypad L 60 mm W 40 mm	400553	keypad foil	400778	flowmeter ¼" stainless steel with LED	402111	push button L 60 mm W 11 mm H 9 mm grey
400432	membrane keypad L 130 mm W 40 mm	400555	keypad foil	400779	flowmeter ¼" with LED	402133	temperature sensor NTC 10KOhm cable PVC
400433	membrane keypad L 130 mm W 40 mm	400556	electronic box for coffee machine	400782	flowmeter hose connector ø 6 mm plastic	402161	electronic box 3-group 230 V
400434	membrane keypad L 130 mm W 40 mm	400557	level relay 230 V AC	400789	keypad unit W 43 mm L 66 mm buttons 5	402167	p.c.b.
400439	keypad unit	400560	transformer 150 VA primary 230 V	400790	level electrode ½" overall length 125 mm	402171	electronic box for coffee machine 230 V
400441	keypad unit W 51 mm L 91 mm buttons 5	400561	display p.c.b.	400796	electronic box for coffee machine	402172	temperature sensor NTC sensor ø 5,5 mm
400442	keypad foil L 80 mm W 44 mm buttons 5	400562	keypad foil	400817	ribbon cable 14 -poles L 800 mm	402173	display coffee machine W 70 mm L 150 mm
400443	p.c.b.	400563	p.c.b.	400933	display p.c.b.	402174	keypad unit black W 32 mm L 170 mm
400444	p.c.b.	400564	level relay 230 V AC 3 A	400934	electronic timer	402181	keypad unit mounting pos. 95x58 W 102 mm
400445	electronic box for coffee machine	400565	flowmeter hose connector ø 6 mm plastic	400950	p.c.b.	402182	keypad unit mounting pos. 95x58 W 102 mm
400446	toggle switch M6x0,75	400566	power p.c.b. for doser 230 V	400981	central unit 230 V AC type 3d5 3GRCT LC	402183	keypad unit mounting pos. 95x58 W 80 mm
400447	membrane keypad	400567	p.c.b.	401015	assortment box O-ring service kit	402184	keypad unit mounting pos. 95x58 W 80 mm
400448	membrane keypad	400568	p.c.b.	401025	assortment box O-ring glue set	402185	keypad unit W 49 mm L 165 mm buttons 1
400449	membrane keypad	400570	display p.c.b. with display	401026	assortment box O-ring glue set	402186	display W 94 mm L 57 mm
400450	keypad unit	400573	level electrode overall length 130 mm	401066	level relay 230 V AC 50/60Hz	402187	keypad unit L 62 mm W 40 mm buttons 1
400451	membrane keypad	400574	display p.c.b. buttons 3	401109	electronic box	402188	keypad unit 50 tables of 60g L 34 mm
400452	keypad unit lighting LED	400575	buttons strip buttons 3 L 77 mm W 59 mm	401138	level relay	402190	keypad unit W 40 mm L 62 mm buttons 1
400453	keypad unit type DOS MICRO	400580	display p.c.b.	401156	level electrode ½" overall length 150 mm	402203	keypad foil L 98 mm W 29 mm buttons 4
400454	display p.c.b.	400581	buttons strip buttons 1 L 52 mm W 22 mm	401157	level electrode ½" overall length 150 mm	402204	p.c.b. for doser 230 V L 98 mm W 72 mm
400455	display p.c.b.	400582	push button dark grey/chrome	401161	level electrode ½" overall length 210 mm	402205	display p.c.b. for doser W 60 mm L 95 mm
400456	display p.c.b.	400585	display p.c.b. mounting pos. left	401162	level electrode ½" overall length 129 mm	402206	p.c.b. for doser 220/240V L 98 mm
400457	keypad foil	400587	keypad foil	401173	level relay	402209	keypad unit W 75 mm L 125 mm
400458	keypad foil 3 groups	400588	keypad foil	401224	level relay 230 V	402210	keypad unit W 42 mm L 90 mm buttons 7
400459	p.c.b. dosing	400589	keypad foil	401242	level electrode ½" overall length 155 mm	402211	keypad unit W 75 mm L 120 mm buttons 7
400461	display p.c.b.	400590	keypad foil	401254	level electrode ½" overall length 74 mm	402212	switch panel complete L 158 mm W 70 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
402213	electronic box coffee machine 3-group	402332	level controller 230 V AC 50/60Hz	402441	transformer 40 VA primary 230 V	402548	central unit 3-group 230 V AC
402214	electronic box for coffee machine	402333	level controller 230 V 50/60Hz	402442	display level ø 40 mm	402549	level electrode 1/4" overall length 125 mm
402215	electronic box for coffee machine 115 V	402334	central unit 2-group 230 V AC	402443	p.c.b. for coffee grinder	402550	Hall sensor L 16 mm W 16 mm H 10 mm
402216	level relay 115 V AC 50/60Hz 8 A	402335	central unit 4-group 230 V AC	402444	keypad unit set chrome-plated buttons 5	402551	temperature sensor NTC
402217	electronic box for coffee machine 230 V	402336	central unit 3-group 230 V AC	402445	level controller 230 V AC 50/60Hz 8 A	402553	level electrode 1/4"
402218	keypad unit W 48 mm L 96 mm buttons 3	402337	central unit 2-group 230 V AC	402446	keypad unit grey W 34 mm L 164 mm	402554	level electrode 1/4"
402219	key switch 1 group M12x1 1NO	402338	display p.c.b.	402447	display p.c.b. L 125 mm W 35 mm	402555	level electrode 1/4"
402220	key switch 1 group M12x1 1NO	402339	potentiometer cable length 250 mm	402448	keypad unit W 60 mm L 88 mm buttons 2	402556	level electrode ø 3 mm
402222	power semiconductor 25 A	402340	keypad unit round buttons 5	402449	keypad unit W 60 mm L 88 mm buttons 6	402557	level controller 230 V 50/60Hz 5 A
402223	power semiconductor 25 A supply 3-32VDC	402341	keypad unit oval buttons 5	402450	keypad foil L 164 mm W 34 mm grey	402561	keypad unit black/white W 45 mm L 115 mm
402224	display W 44 mm L 117 mm	402342	keypad unit round buttons 2	402451	keypad foil L 79 mm W 54 mm buttons 2	402562	keypad unit switch black/silver W 47 mm
402228	electronic box for coffee machine	402343	potentiometer cable length 250 mm	402452	keypad foil L 79 mm W 54 mm buttons 6	402565	transformer 75 VA primary 2x115V
402231	dosing electronics 3-group 230 V AC	402344	keypad unit buttons 5	402453	front foil L 132 mm W 42 mm	402566	power semiconductor 25 A supply 4-32VDC
402232	electronic box for coffee machine	402345	keypad unit buttons 5	402454	central unit 3-group 230 V	402567	membrane keypad L 134 mm W 39 mm
402233	electronic box for coffee machine	402347	keypad unit ø 120 mm grey buttons 3	402455	dosing electronics 230 V 50/60Hz	402568	ribbon cable 16 -poles L 550 mm
402234	level controller 230 V AC	402348	display p.c.b. with display 18 V	402456	central unit 3-group 230 V	402569	p.c.b. for coffee grinder
402235	display W 45 mm L 117 mm	402349	display p.c.b. for dosing unit	402457	level electrode 1/4"	402570	keypad unit W 44 mm L 106 mm buttons 5
402236	keypad unit W 60 mm L 88 mm buttons 5	402351	keypad unit oval buttons 5	402458	level electrode 1/4"	402571	keypad unit buttons 5 lighting LED
402237	keypad unit W 60 mm L 88 mm buttons 2	402353	level electrode 1/4"	402459	central unit 240 V AC	402572	keypad unit buttons 5 lighting LED
402238	keypad unit W 44 mm L 135 mm buttons 4	402354	keypad unit 230 V black W 58 mm L 98 mm	402460	central unit 230 V AC	402573	keypad unit with display buttons 6
402239	keypad unit W 44 mm L 135 mm buttons 6	402355	level controller 230 V AC	402461	central unit 240 V AC	402574	keypad unit programmable buttons 6
402240	keypad unit with holder W 44 mm L 135 mm	402356	central unit 2-group 230 V	402462	central unit 230 V AC	402575	keypad unit Standard buttons 6
402241	electronic box for coffee machine	402357	central unit 230 V	402463	level controller 230 V type RLC302CF	402576	keypad unit buttons 1
402242	level relay 230 V type RL30/3ES/F/G	402358	central unit 3-4-group 230 V	402464	electronic box	402577	display W 44 mm L 135 mm
402243	level relay 230 V	402359	central unit 3-group 230 V	402465	electronic box	402578	keypad unit buttons 5
402244	keypad unit W 60 mm L 88 mm buttons 6	402360	central unit 4-group 230 V	402466	electronic box	402580	p.c.b. for central unit
402245	central unit 230 V 50/60Hz type 30µZ R/E	402361	central unit 230 V	402467	electronic box	402581	central unit 4-group 230 V AC type GB5
402246	display W 44 mm L 135 mm	402362	central unit 3-group 230 V	402468	central unit	402582	central unit 230 V AC type Manuale GB5
402247	dosing electronics with level controller	402363	display with keypad W 106 mm L 128 mm	402469	electronic box	402583	central unit 230 V AC
402248	display coffee machine W 36 mm L 80 mm	402364	keypad unit W 70 mm L 185 mm buttons 5	402470	central unit 240 V AC	402584	central unit edition old edition
402249	central unit coffee machine 2 groups	402365	keypad unit ECONOMY W 70 mm L 185 mm	402471	electronic box	402585	keypad unit yellow/grey buttons 5
402250	central unit for coffee machine 3 groups	402366	keypad unit red W 76 mm L 106 mm	402472	electronic box	402590	electronic box for coffee machine
402251	keypad unit with LED W 35,5 mm L 113 mm	402367	keypad unit white W 76 mm L 106 mm	402474	electronic box	402592	display p.c.b. L 116 mm W 44 mm
402252	membrane keypad L 133 mm W 40,5 mm	402368	central unit temperature 24 V	402475	keypad unit W 40 mm L 133 mm buttons 6	402593	p.c.b. for coffee grinder 230 V L 90 mm
402253	central unit 3 groups	402369	display with keypad W 48 mm L 106 mm	402476	keypad unit W 42 mm L 146 mm buttons 6	402595	buttons for buttons 1 L 42 mm W 37 mm
402254	central unit 2 groups 230 V AC	402370	power semiconductor 40 A supply 4-15VDC	402477	keypad unit W 46 mm L 146 mm buttons 2	402596	buttons strip mounting pos. left
402255	dosing electronics 1 group 230 V AC	402371	keypad unit red W 76 mm L 106 mm	402478	keypad unit W 50 mm L 142 mm buttons 6	402597	buttons strip mounting pos. centre
402257	keypad unit W 44 mm L 135 mm buttons 6	402372	keypad unit W 50 mm L 106 mm buttons 2	402479	keypad unit W 50 mm L 120 mm buttons 5	402598	buttons strip mounting pos. right
402258	keypad unit W 44 mm L 135 mm buttons 6	402373	keypad unit W 50 mm L 125 mm buttons 5	402480	keypad unit W 50 mm L 120 mm buttons 5	402599	buttons strip buttons 1 L 30 mm W 42 mm
402259	display W 44 mm L 135 mm	402374	keypad unit W 50 mm L 106 mm buttons 5	402481	display for coffee machine W 36 mm	402600	buttons strip buttons 1 L 30 mm W 42 mm
402260	keypad unit white W 26 mm L 35 mm	402375	keypad unit W 50 mm L 106 mm buttons 1	402482	display for coffee machine W 26 mm	402601	buttons strip buttons 1 L 38 mm W 42 mm
402261	central unit 230 V AC 50/60Hz 5/10A	402376	keypad unit W 50 mm L 106 mm buttons 5	402483	display for coffee machine W 26 mm	402602	push button dark blue/chrome
402262	dosing electronics 2-group 230 V 50/60Hz	402378	keypad unit black W 62 mm L 142 mm	402484	display p.c.b. for coffee machine	402603	push button dark blue/chrome
402263	keypad foil L 76 mm W 32 mm buttons 2	402379	keypad unit grey W 62 mm L 142 mm	402485	display p.c.b. for coffee machine	402605	push button chrome suitable for FAEMA
402264	p.c.b. for coffee grinder 230 V 12 V 2 A	402380	keypad unit W 39 mm L 110 mm buttons 5	402486	display p.c.b. for coffee machine	402606	p.c.b. level regulator 230 V L 90 mm
402265	keypad foil for dosing unit L 76 mm	402381	transformer 80 VA primary 220 V	402490	power semiconductor 50 A 530 VAC	402607	display for coffee machine model E92 C
402266	electronic box 2-group 230 V 50/60Hz	402382	keypad unit W 46 mm L 50 mm buttons 1	402491	p.c.b. L 135 mm W 130 mm	402608	p.c.b. LED 3-fold green E92 A
402267	electronic box 3-group 230 V 50/60Hz	402383	keypad unit W 46 mm L 50 mm buttons 1	402492	p.c.b. L 196 mm W 145 mm for ANIMO	402609	p.c.b. LED 3-fold green
402268	electronic box for coffee machine	402384	keypad unit Spezial W 46 mm L 50 mm	402493	p.c.b. for display p.c.b. supply 230 VAC	402610	display p.c.b. mounting pos. left
402269	electronic box 2-group 230 V 50/60Hz	402385	display with keypad W 47 mm L 131 mm	402494	p.c.b. L 115 mm W 60 mm for ANIMO	402611	display p.c.b. mounting pos. centre
402270	electronic box 3-group 230/240V 50/60Hz	402386	keypad foil L 80 mm W 44 mm grey	402495	p.c.b. 230 V L 74 mm W 64 mm	402612	display p.c.b. mounting pos. right
402271	electronic box for coffee machine	402387	keypad foil L 80 mm W 44 mm silver	402496	p.c.b. W 35 mm L 100 mm buttons 1	402613	display p.c.b. mounting pos. left
402272	electronic box for coffee machine	402388	keypad foil L 80 mm W 44 mm buttons 5	402497	display p.c.b. L 83 mm W 48 mm	402614	display p.c.b. mounting pos. centre
402273	electronic box for coffee machine	402389	front foil L 112 mm W 36 mm with keypad	402498	p.c.b. supply 230 VAC L 140 mm W 80 mm	402615	display p.c.b. mounting pos. right
402274	electronic box for coffee machine	402392	level controller 230 V AC 50/60Hz 10 A	402499	p.c.b. supply 230 VAC L 140 mm W 80 mm	402616	display p.c.b. 1 group buttons 6
402275	electronic box for coffee machine	402393	dosing electronics 2-group 230 V 50/60Hz	402500	central unit 240 V AC	402617	p.c.b. for sensor series E92 RESTYLING A
402276	electronic box for coffee machine	402394	display p.c.b. L 136 mm W 37 mm	402501	central unit 240 V AC	402618	keypad unit black W 26 mm L 35 mm
402277	display p.c.b. L 140 mm W 40 mm	402395	display p.c.b. L 160 mm W 37 mm	402502	keypad unit black/silver W 83 mm L 88 mm	402620	p.c.b. FAEMA E92 A series ELITE
402278	p.c.b. suitable for OPUS 230 V L 175 mm	402396	display p.c.b. L 210 mm W 15 mm	402503	keypad unit black/silver W 83 mm L 88 mm	402621	p.c.b. FAEMA E92 A / EMBLEMA RESTYLING
402279	electronic box for coffee machine	402397	display p.c.b. L 84 mm W 33 mm	402504	p.c.b. L 116 mm W 60 mm for ANIMO	402623	level controller 230 V AC 50/60Hz
402280	keypad unit W 90 mm L 100 mm buttons 6	402398	display p.c.b. L 160 mm W 34 mm	402505	p.c.b. supply 230 VAC L 200 mm W 100 mm	402624	keypad unit 230 V black/silver
402281	keypad unit W 90 mm L 100 mm buttons 5	402399	display p.c.b. L 135 mm W 34 mm	402506	p.c.b. supply 230 VAC L 135 mm W 100 mm	402625	keypad unit 230 V black/silver W 45 mm
402283	keypad unit dark grey W 57 mm L 85 mm	402400	display p.c.b. L 182 mm W 34 mm	402507	p.c.b. L 116 mm W 60 mm for ANIMO	402626	keypad unit 230 V black/silver W 46 mm
402284	keypad unit grey W 57 mm L 85 mm	402401	display with keypad W 47 mm L 100 mm	402508	p.c.b. with button supply 240 VAC	402627	keypad unit 230 V with jumpers
402285	keypad unit grey/pink W 57 mm L 85 mm	402402	p.c.b. supply 230 VAC 12 V L 160 mm	402509	p.c.b. L 140 mm W 78 mm with display	402628	keypad unit 230 V black W 50 mm L 120 mm
402286	keypad unit W 59 mm L 87 mm buttons 5	402403	p.c.b. supply 230 VAC 12 V L 160 mm	402510	p.c.b. supply 24 VAC L 80 mm W 55 mm	402629	keypad unit 230 V W 50 mm L 120 mm
402287	keypad unit chrome-plated W 45 mm	402404	p.c.b. supply 230 VAC 12 V L 162 mm	402511	p.c.b. supply 24 VAC L 80 mm W 55 mm	402630	keypad unit 230 V with jumper W 50 mm
402288	keypad unit chrome-plated W 45 mm	402405	p.c.b. supply 230 VAC 12 V L 132 mm	402512	central unit with display	402631	keypad unit 230 V black/yellow W 64 mm
402289	display W 45 mm L 117 mm	402406	p.c.b. supply 230 VAC 12 V L 132 mm	402513	display W 98 mm L 150 mm	402632	keypad unit 230 V with jumper
402290	keypad unit mounting pos. grey/pink	402407	p.c.b. supply 230 VAC 12 V L 132 mm	402514	keypad unit W 48 mm L 70 mm buttons 1	402633	keypad unit temperature controller
402291	keypad unit grey W 43 mm L 165 mm	402408	p.c.b. supply 230 VAC 12 V L 122 mm	402515	membrane keypad L 183 mm W 78 mm	402634	membrane keypad L 110 mm W 55 mm
402292	keypad unit W 60 mm L 88 mm buttons 5	402409	p.c.b. supply 230 VAC 12 V L 164 mm	402516	keypad unit W 43 mm L 118 mm buttons 5	402635	membrane keypad L 110 mm W 30 mm
402294	power semiconductor 25 A	402410	p.c.b. supply 230 VAC 12 V L 118 mm	402517	control p.c.b. with display W 35 mm	402636	keypad unit 230 V with jumper
402295	keypad unit chrome-plated W 25 mm	402411	p.c.b. supply 230 VAC 12 V L 75 mm	402518	keypad unit W 43 mm L 118 mm buttons 5	402638	transformer 40 VA primary 240 V
402296	central unit set edition ESSIKA	402412	display p.c.b. L 100 mm W 37 mm	402520	display p.c.b. L 31 mm W 27 mm	402639	p.c.b. 240 V L 155 mm W 100 mm
402300	display with housing W 41 mm L 159 mm	402413	display p.c.b. L 135 mm W 37 mm	402521	display p.c.b. L 94 mm W 64 mm	402640	p.c.b. 240 V L 130 mm W 125 mm
402301	display W 44 mm L 135 mm	402414	level controller 220 V	402522	display p.c.b. L 154 mm W 49 mm	402641	display p.c.b. with housing W 100 mm
402302	keypad unit with LED W 50 mm L 187 mm	402415	key for key switch no. 104	402523	membrane keypad L 108 mm W 48 mm	402642	display p.c.b. with display W 110 mm
402303	keypad unit with LED W 50 mm L 187 mm	402416	level controller 220 V	402524	membrane keypad L 135 mm W 100 mm	402643	p.c.b. 240 V L 160 mm W 125 mm
402304	keypad unit complete buttons 5	402417	electronic box for coffee machine 230 V	402525	buttons strip buttons 5 L 88 mm W 64 mm	402644	power semiconductor 25 A supply 3-32VDC
402305	keypad unit with LED W 44 mm L 107 mm	402418	electronic box for coffee machine 230 V	402526	buttons strip buttons 5 L 156 mm	402645	level electrode overall length 130 mm
402306	keypad unit with LED W 61 mm L 51 mm	402419	control p.c.b. L 117 mm W 90 mm	402527	buttons strip buttons 5 L 154 mm	402646	buttons strip W 107 mm L 112 mm
402307	keypad unit with LED W 61 mm L 51 mm	402420	control p.c.b. L 90 mm W 117 mm	402528	buttons strip buttons 5 L 154 mm	402647	level electrode with holder
402308	keypad unit blue buttons 5 ESSIKA	402421	control p.c.b. with keys L 117 mm	402529	keypad foil L 193 mm W 60 mm buttons 5	402648	display p.c.b. with housing W 100 mm
402309	keypad unit black buttons 5 ESSIKA	402422	display W 42 mm L 117 mm	402530	keypad foil L 193 mm W 59 mm buttons 1	402649	p.c.b. 240 V L 155 mm W 100 mm
402310	p.c.b. LED 2 groups blue	402423	control p.c.b. with button L 117 mm	402531	keypad foil L 110 mm W 38 mm buttons 5	402650	display p.c.b. W 65 mm L 82 mm
402311	p.c.b. LED 3 groups blue	402425	control p.c.b. with display L 360 mm	402532	level controller 230 V	402651	display p.c.b. with display W 40 mm
402312	central unit 2/3 groups type TS2	402426	control p.c.b. L 360 mm W 90 mm	402533	dosing electronics 230 V 50/60Hz 8 A	402652	p.c.b. 230 V L 120 mm W 65 mm
402313	central unit CONTICLUB 2 groups 220 V AC	402429	ribbon cable 4 -poles L 1000 mm	402534	dosing electronics 230 V 50/60Hz 5-10A	402653	display p.c.b. W 65 mm L 80 mm
402314	central unit 230 V AC	402430	p.c.b. for coffee grinder 230 V 12 V	402535	level controller 230 V 50/60Hz	402654	buttons strip mounting pos. left
402315	central unit 230 V AC type SDE3P CO2A	402431	p.c.b. for coffee grinder with display	402536	p.c.b. doser supply 230 VAC L 178 mm	402655	buttons strip mounting pos. centre
402316	power semiconductor unit	402432	EPROM type CP-A for coffee grinder	402537	level controller 230 V 50/60Hz 10 A	402656	buttons strip mounting pos. right
402317	p.c.b. transformer supply 230 VAC 9 V DC	402433	central unit 240 V AC	402538	central unit 24 V 5 A	402657	keypad foil L 44 mm W 20 mm to adherence
402325	central unit 3 relays 230 V AC	402434	central unit 240 V AC	402539	flowmeter hose connector ø 8 mm plastic	402658	keypad foil L 32,5 mm W 19,5 mm
402326	central unit 6 relays 230 V AC	402435	central unit 4-group 230 V	402540	flowmeter hose connector ø 8 mm plastic	402659	keypad foil L 118 mm W 19,5 mm
402327	level controller 230 V AC	402436	central unit	402542	flowmeter 1/4" brass	402660	push button small black
402328	level electrode 1/8"	402437	keypad unit grey/white W 44 mm L 116 mm	402543	display p.c.b. L 38 mm W 20 mm	402661	push button large black
402329	level electrode 1/8"	402438	keypad unit RENEKA black buttons 5	402544	level electrode M10 sensor length 40 mm	402662	display p.c.b. buttons 1
402330	dosing electronics 2-group 230 V AC	402439	keypad foil L 104 mm W 27 mm ON/OFF	402546	central unit 3-group 230 V AC	402663	display p.c.b. buttons 2
402331	level controller 230 V AC 50/60Hz 5 A	402440	keypad foil L 130 mm W 40 mm RENEKA	402547	central unit 2-group 230 V AC	402664	display p.c.b. buttons 5

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
402665	display suitable for S.V. ITALIA	402788	keypad unit black/white buttons 5	417046	heating element 2000 W 230 V	417208	instantaneous water heater 6540 W 240 V
402666	keypad unit silver/blue W 50 mm L 120 mm	402789	keypad unit chrome/black/white	417047	heating element 3000 W 230 V	417209	instantaneous water heater 9810 W 240 V
402667	keypad unit silver/black W 50 mm	402790	level controller 230 V AC 50/60Hz	417048	heating element 2400 W 230 V	417210	instantaneous water heater 13065 W 240 V
402668	level controller 230 V AC 50/60Hz	402791	level controller 230 V AC	417049	heating element 1350 W 220 V	417213	heating element 5000 W 230 V
402669	central unit 230 V AC 2 groups	402792	central unit 230 V AC type ET405 50/60Hz	417050	heating element 2000 W 230 V	417214	instantaneous water heater 1000 W 220 V
402670	central unit 230 V AC 3 groups	402793	central unit 240 V AC	417051	heating element 3300 W 240 V	417228	heating element INCOLLOY 2600 W 230 V
402671	central unit 230 V AC type SDE3D SV3A	402794	central unit 230 V AC	417052	heating element 1800 W 230 V	417230	heating element 6000 W 230 V
402672	central unit 230 V AC 3 groups	402795	central unit 230 V AC	417053	heating element 3000 W 230 V	417231	heating element 2350 W 230 V
402673	central unit 230 V 50/60 3 groups	402796	programmer for coffee machine	417054	heating element 1400 W 230 V	417233	heating element 3000 W 230/400V
402674	keypad foil buttons 5	402797	programmer for coffee machine	417055	heating element 2000 W 230 V	417234	heating element 6000 W 230 V
402686	display p.c.b. with display W 38 mm	402798	p.c.b. for BONAMAT for BFT321-011	417056	heating element 2500 W 230 V	417237	heating element 1600 W 230 V
402688	display p.c.b. W 39 mm L 84 mm	402799	p.c.b. L 160 mm W 130 mm for BONAMAT	417059	heating element 3000 W 230 V	417238	heating element 2700 W 230 V
402689	p.c.b. 230 V L 120 mm W 65 mm	402801	central unit 230 V AC	417060	heating element 4000 W 230 V	417239	heating element 4500 W 230 V
402690	keypad unit with display buttons 5	402802	central unit 240 V AC	417061	heating element 950 W 230 V	417240	heating element 5400 W 230 V
402691	detector for coffee pot for ANIMO	402803	central unit 250 V AC	417062	heating element 3000 W 230 V	417241	heating element 2200 W 230 V
402692	p.c.b. suitable for EUREKA MCI	402819	p.c.b. for dishwasher L 99 mm W 70 mm	417063	heating element 4500 W 230 V	417242	heating element 3500 W 230 V
402693	level electrode overall length 175 mm	402829	display p.c.b. 2 groups L 469 mm W 44 mm	417064	heating element 3700 W 230 V	417243	heating element 4500 W 230 V
402694	level electrode overall length 235 mm	402830	p.c.b. 240 V L 140 mm W 70 mm	417075	heating element 2500 W 240 V	417244	heating element 1350 W 110 V
402697	p.c.b. 240 V L 110 mm W 60 mm	402831	p.c.b. 230 V L 135 mm W 48 mm	417080	heating element 2400 W 220 V	417246	heating element 2850 W 230 V
402698	potentiometer with p.c.b.	402832	level electrode thread M3	417081	heating element 1350 W 230 V	417247	heating element 2700 W 230 V
402699	EPROM type MC M505-2	402834	p.c.b. 230 V L 135 mm W 48 mm	417083	heating element 1500 W 230 V	417248	heating element 4000 W 230 V
402700	electrode bloc flange with 2 holes	402835	p.c.b. 230 V L 135 mm W 48 mm	417086	heating element 4200 W 230 V	417249	heating element 7500 W 230 V
402701	p.c.b. 230 V L 120 mm W 80 mm	402837	level electrode thread M3	417088	heating element 3700 W 230 V	417250	heating element 2800 W 230 V
402702	keypad unit buttons 5 lighting LED	402838	membrane keypad L 330 mm W 50 mm	417089	heating element 1300 W 230 V	417251	heating element 3500 W 230 V
402703	p.c.b. 230 V L 180 mm W 175 mm	402839	membrane keypad L 67 mm W 40 mm	417090	heating element 1450 W 230 V	417252	heating element 4500 W 230 V
402705	keypad unit black buttons 5 MARKUS	402843	electronic box for coffee machine	417091	heating element 4000 W 230 V	417253	heating element 4500 W 230 V
402706	keypad unit brown buttons 5 MARKUS	402844	electronic box for coffee machine	417094	heating element 5000 W 230 V	417254	heating element 2500 W 230 V
402707	electronic box for pump control 24 V AC	402846	keypad unit 250 V yellow/grey W 43 mm	417095	heating element 3500 W 230 V	417255	heating element 3400 W 230 V
402708	membrane keypad L 135 mm W 60 mm	402847	membrane keypad	417096	heating element 5000 W 230 V	417256	heating element 4500 W 230 V
402709	membrane keypad L 190 mm W 60 mm	402848	electronic box for coffee machine	417098	heating element 5000 W 220/380V	417257	heating element 3660/4355W 220/240V
402710	membrane keypad L 135 mm W 60 mm	402849	electronic box	417099	heating element 5790 W 230 V	417258	heating element 1800/1960W 230/240V
402711	membrane keypad L 205 mm W 73 mm	402850	level controller 240 V AC 50/60Hz 2 A	417100	heating element 2800 W 230 V	417259	heating element 3800 W 230 V
402712	membrane keypad L 147 mm W 73 mm	402852	dosing electronics 230 V	417101	heating element 5000 W 230 V	417260	heating element 2600 W 230 V
402713	keypad foil L 142 mm W 68 mm	402853	keypad unit buttons 6	417103	heating element 2600 W 230 V	417261	heating element 3700 W 230 V
402714	relay plate Giada, Sara	402854	keypad unit buttons 6 with LED	417104	heating element 3700 W 230 V	417262	heating element 2000 W 230/400V
402716	p.c.b. with transformer	402855	dosing electronics 230 V	417106	heating element 5000 W 230 V	417263	heating element 4000 W 230/400V
402717	keypad unit with display buttons 5	402856	dosing electronics 230 V	417107	heating element 2600 W 230 V	417264	heating element 6000 W 230/400V
402718	plug for pcb 26 -poles series EKO	402857	display	417108	heating element 3500 W 230 V	417265	heating element 5500 W 230/400V
402719	plug for pcb 26 -poles	402858	display	417109	heating element 3700 W 230 V	417266	heating element 1200 W 230 V
402720	EPROM 2-piece CODE SC51 V.436 2.04.09	402859	central unit	417110	heating element 5000 W 230 V	417267	heating element 4500 W 230 V
402721	plug for pcb 20 -poles series EKO	402860	display	417112	heating element 4500 W 230 V	417268	heating element 6000 W 230 V
402722	keypad unit 230 V black/white/silver	402861	keypad unit	417113	heating element 1000 W 230 V	417269	heating element 5500 W 230 V
402723	central unit 230 V AC	402862	membrane keypad L 333 mm W 52 mm	417114	heating element 1000 W 230 V	417270	heating element 4000 W 230 V
402724	level controller 230 V AC 8 -poles	402864	p.c.b. for dishwasher L 85 mm W 70 mm	417115	heating element 850 W 230 V	417271	heating element 4500 W 230 V
402725	level electrode 1/8"	402868	dosing electronics 1-2 group 230 V	417116	heating element 1800 W 230 V	417272	heating element 3500 W 230 V
402727	temperature sensor NTC cable silicone	402869	dosing electronics 3-group 230 V	417117	heating element 3700 W 230 V	417273	heating element 2400 W 230 V
402728	EPROM type M600-1 suitable for MELITTA	402870	keypad unit buttons 5	417118	heating element 1750 W 230 V	417274	heating element 3300 W 230 V
402729	Triac 25 A 800 W	402871	keypad unit buttons 2	417119	heating element 5000 W 220 V	417275	heating element 2500 W 230 V
402730	display L 58 mm W 32 mm for MELITTA	402872	keypad unit buttons 1	417120	heating element 1500 W 230 V	417276	heating element 2000 W 230 V
402731	EPROM type 6610-1 suitable for MELITTA	402873	display	417121	heating element 1000 W 230 V	417277	heating element 1300 W 230 V
402732	EPROM type 6620-1 suitable for MELITTA	402874	p.c.b.	417122	heating element 1500 W 230 V	417280	heating element 1000 W 230 V
402733	electrode bloc flange with 2 holes	402875	level controller 230 V AC 50/60Hz	417123	heating element 1250 W 230 V	417281	heating element 500 W 230 V
402734	electrode bloc flange with 2 holes	402876	level electrode sensor length 130 mm	417124	heating element 2500 W 230 V	417282	heating element 5000 W 230 V
402735	keypad unit buttons 5 black/yellow/red	402877	p.c.b. for coffee machine L 180 mm	417125	heating element 2000 W 220 V	417283	heating cartridge ø 10 mm L 51 mm
402736	programmer for coffee machine	402878	level electrode thread M3 ø 3 mm	417126	heating element 1300 W 230 V L 215 mm	417284	heating cartridge 100 W 230 V ø 6.5 mm
402737	display p.c.b. buttons 4	402881	p.c.b. for dishwasher W 63 mm L 126 mm	417128	heating element 4000 W 220 V	417285	heating element 4500 W 230/400V
402738	level electrode sensor length 125 mm	402887	keypad unit W 46 mm L 137 mm buttons 6	417129	heating element 1600 W 230 V	417287	heating element 4370 W 230 V
402739	flowmeter hose connector ø 10,5 mm	402889	flowmeter hose connector ø 6 mm plastic	417130	heating element 5000 W 230 V	417289	heating element 4600 W 230 V
402740	p.c.b.	402890	flowmeter hose connector ø 6 mm plastic	417131	heating element 2700 W 230 V	417290	heating element 3000 W 230 V
402741	display p.c.b. buttons 2	402891	flowmeter 1/4" plastic nominal-ø 1,15 mm	417132	heating element 1200 W 230 V ø 88 mm	417294	heating element 2700 W 230 V
402745	keypad foil L 74 mm W 55 mm	402892	keypad unit W 26 mm L 35 mm buttons 1	417133	heating element 1300 W 230 V	417296	heating element 5500 W 230 V
402746	front foil L 73 mm W 55 mm	402893	display W 44 mm L 135 mm	417137	heating element 3100 W 230 V	417297	heating element 3500 W 230 V
402747	keypad foil L 74 mm W 55 mm buttons 2	402894	central unit 3-group 230 V	417142	heating element 1850 W 230 V	417298	heating element 3100 W 230 V
402748	level electrode sensor length 75 mm long	402895	dosing electronics 3-group 240 V AC	417150	heating element 2600 W 230 V	417299	heating element 3100/4700W 230/400V
402749	level electrode sensor length 45 mm	402897	flowmeter 1/4" plastic with LED	417151	heating element 1300 W 230 V	417300	heating element 4500 W 220 V
402750	level electrode sensor length 35 mm	402898	flowmeter 1/4" plastic with LED	417152	heating element 1900 W 230 V	417301	hot plate 82 W 230 V heating circuits 1
402751	level electrode sensor length 70 mm	402899	ribbon cable 4 -poles L 1100 mm	417153	heating element 1900 W 400 V	417302	heating element 1600 W 230 V
402752	level electrode sensor length 50 mm	402911	central unit universal 230 V AC 50/60Hz	417155	heating element 3000 W 230 V	417304	heating element 2400 W 220 V
402753	level electrode sensor length 96 mm	415315	heating element 2000 W 230 V L 327 mm	417157	heating element 5000 W 230 V	417305	heating element 160 W 230 V
402754	level electrode sensor length 107 mm	417001	heating element 2600 W 230 V	417159	heating element 4000 W 400 V	417309	heating element 275 W 230 V
402755	level electrode overall length 67 mm	417002	heating element 1500 W 230 V	417163	heating element 2300/2732W 220/240V	417311	heating element 385 W 230 V
402756	level electrode sensor length 120 mm	417003	heating element 1800 W 230 V	417168	heating element 1300 W 240 V	417313	heating element 1500 W 230 V L 123 mm
402757	level electrode sensor length 120 mm	417004	heating element 2400 W 230 V	417169	heating element 3000 W 230 V	417315	heating element 3200 W 230 V
402758	p.c.b. for BONAMAT for RLX	417008	heating element 2600 W 230 V	417170	heating element 2000 W 230 V	417316	heating element 4500 W 230/400V
402759	p.c.b. for BONAMAT for RLX	417011	heating element 1800 W 230 V	417171	heating element 3500 W 230 V	417317	heating element 5465 W 230 V
402760	p.c.b. for BONAMAT for BFT321-001	417012	heating element 3750 W 220 V	417172	heating element 5500 W 230 V	417318	heating cartridge 35 W 230 V ø 6 mm
402761	p.c.b. control for MARCO for FILTRO	417013	heating element 2850 W 230 V	417173	heating element 1700 W 230 V	417319	hot plate L 150 mm W 150 mm H 20 mm
402762	p.c.b. for display for MARCO for FILTRO	417014	heating element 1300 W 230 V	417174	heating element 2000 W 230 V	417320	heating element 2160 W 240 V ø 82 mm
402763	relay plate for MARCO	417015	heating element 2700 W 230 V	417176	heating element 3000 W 230 V	417321	heating element 1710 W 240 V ø 82 mm
402764	display p.c.b. L 62 mm W 22 mm	417016	heating element 4000 W 230 V	417178	heating element 4300 W 230 V	417322	heating element 2750 W 240 V ø 82 mm
402765	p.c.b. edition 2004 for MARCO	417017	heating element 750 W 230 V	417180	heating element 1700 W 230 V	417324	PTC element 100-240V L 75 mm W 54 mm
402766	p.c.b. for pump control for MARCO	417018	heating element 1250 W 230 V	417181	heating element 2100 W 230 V	417325	hot plate 230 V heating circuits 1
402767	display p.c.b. suitable for MARCO	417019	heating element 2000 W 230 V	417182	heating element 3400 W 230 V	417326	heating element 2160 W 230 V
402768	p.c.b. timer with cable edition 200312	417020	heating element 4000 W 230 V	417184	heating element 4500 W 230 V	417327	heating element 1710 W 240 V
402769	level electrode flange with 4 holes	417021	heating element 1500 W 230 V	417185	heating element 2000 W 230 V	417328	heating element 3415 W 240 V
402770	ballast 5, 7, 9, 11W 230 V	417022	heating element 2000 W 220 V	417187	heating element 3700 W 230 V	417329	heating element 1250 W 240 V
402771	p.c.b. 230 V L 134 mm W 48 mm	417026	heating element 1000 W 230 V	417189	heating element 1800 W 230 V	417330	tension strap L 32.5 mm W 10 mm H 14 mm
402772	front foil suitable for MARCO	417027	heating element 1250 W 220 V	417190	heating element 1800 W 220 V	417331	boiler gasket D1 ø 180 mm D2 ø 175 mm
402773	membrane keypad L 125 mm W 41 mm	417029	heating element 3000 W 230 V	417192	heating cartridge 12 W 230 V ø 12 mm	417337	heating element 4500 W 230 V
402774	keypad foil L 160 mm W 95 mm buttons 5	417030	heating element 1800 W 230 V	417194	heating cartridge 600 W 230 V	417345	heating element 5000 W 230 V
402776	level electrode overall length 40 mm	417031	heating element 3000 W 230 V	417195	heating element 1200 W 230 V	417350	instantaneous water heater 1800 W 230 V
402777	level electrode overall length 140 mm	417032	heating element 2000 W 230 V	417196	heating element 2400 W 220 V	417351	heating element 1700 W 230 V
402778	level electrode overall length 180 mm	417033	heating element 3200 W 230 V	417200	instantaneous water heater 2100 W 230 V	417352	heating element 4000 W 230/400V
402779	level electrode overall length 190 mm	417034	heating element 1400 W 230 V	417201	instantaneous water heater 1600 W 230 V	417353	heating element 3500 W 230/400V
402780	level electrode overall length 210 mm	417035	heating element 1200 W 230 V	417202	heating element 3780 W 220 V	417354	heating element 2700 W 230 V
402781	level electrode overall length 245 mm	417038	heating element 2700 W 230 V	417203	instantaneous water heater 2160 W 240 V	417355	heating element 2700 W 230 V
402782	level electrode overall length 290 mm	417039	heating element 2000 W 230 V	417204	instantaneous water heater 1710 W 240 V	417356	heating element 3200 W 230 V
402783	display suitable for QUALITY ESPRESSO	417040	heating element 2600 W 230 V	417205	O-rings silicone thickness 3 mm	417357	heating element 4500 W 230 V
402784	central unit 2-group 230 V 50/60Hz	417043	heating element 1800 W 230 V	417206	instantaneous water heater 2750 W 240 V	417358	heating element 3300 W 230 V
402785	keypad unit black/white buttons 6	417045	heating element 1800 W 230 V	417207	instantaneous water heater 3270 W 240 V	417359	heating element 4500 W 230 V

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
417361	instantaneous water heater 9000 W	417490	heating element 2300 W 230 V	501344	O-rings EPDM thickness 1,5 mm ID ø 45 mm	510179	flat gasket fiber D1 ø 18 mm D2 ø 13 mm
417362	instantaneous water heater 3000 W	417491	heating element 180 W 230 V	501347	O-rings EPDM thickness 1,5 mm ID ø 49 mm	510213	gasket rubber D1 ø 7 mm D2 ø 3 mm
417363	instantaneous water heater 6000 W	417492	heating element 2000 W 230 V L 160 mm	501352	O-rings EPDM thickness 3,53 mm	510243	O-rings Viton thickness 3,53 mm
417364	instantaneous water heater 2100 W 230 V	417493	heating element 2000 W 230 V	501362	flat gasket fiber D1 ø 22 mm	510245	O-rings Viton thickness 3,53 mm
417365	instantaneous water heater 1600 W 230 V	417494	heating element 2800 W 230 V L 280 mm	501369	hexagonal nut M11x1,75 H 6 mm brass	510273	gasket rubber D1 ø 36 mm D2 ø 26 mm
417366	instantaneous water heater 2100 W 230 V	417495	heating element 1800 W 245 V	501370	countersunk screw M6 L 50 mm Qty 1 pc	510302	O-rings EPDM thickness 1,78 mm
417367	heating element 2100 W 230 V	417496	heating element 2600 W 220 V	501378	pump 28/35W 220/240V 50 Hz inlet ø 15 mm	510303	O-rings EPDM thickness 1,78 mm
417368	heating element 1600 W 230 V	417497	heating element 3500 W 245 V	501379	gear motor BCZ type 509 CC 24 V 5 rpm	510322	O-rings EPDM thickness 1,78 mm
417369	heating element 2200 W 230 V	417501	hot plate 90 W 230 V ø 120 mm	501380	pump set type M42x30/1 24 V FLUID-O-TECH	510355	gasket fiber D1 ø 24 mm D2 ø 17 mm
417370	hot plate 120-240V ø 150 mm PTC	417502	heating element 3000 W 230 V	501381	pump 33 W 230 V 60 Hz inlet ø 14 mm	510371	O-rings EPDM thickness 1,78 mm
417371	hot plate ø 153 mm black	417503	heating element 2200 W 230 V	502031	O-rings EPDM thickness 4 mm ID ø 28 mm	510380	flat gasket fiber D1 ø 25 mm D2 ø 21 mm
417374	foil heating element 35 W 115/230V	417505	instantaneous water heater 800 W 230 V	502033	O-rings EPDM thickness 1,5 mm ID ø 18 mm	510381	flat gasket fiber D1 ø 30 mm D2 ø 27 mm
417376	foil heating element ø 155 mm 70 W	417506	instantaneous water heater 1500 W 230 V	502073	O-rings EPDM thickness 4 mm ID ø 24 mm	510390	flat gasket rubber D1 ø 13 mm D2 ø 4 mm
417377	heating element 1950 W 230 V	417507	instantaneous water heater 4000 W 230 V	502076	O-rings EPDM thickness 4 mm ID ø 12 mm	510391	gasket rubber D1 ø 11,5 mm D2 ø 4 mm
417378	heating element 2700 W 230 V	417508	instantaneous water heater 1600 W 230 V	502134	O-rings EPDM thickness 2,5 mm ID ø 26 mm	510392	flat gasket rubber D1 ø 23 mm D2 ø 4 mm
417379	heating element 4500 W 230 V	417509	heating element 900 W 230 V	502144	flat gasket rubber D1 ø 36 mm D2 ø 26 mm	510395	flat gasket PTFE D1 ø 13 mm D2 ø 4,8 mm
417380	heating element 5100 W 230 V	417510	heating element 1500 W 230 V	502168	O-rings EPDM thickness 1,5 mm ID ø 7 mm	510396	flat gasket PTFE D1 ø 17 mm D2 ø 5 mm
417381	heating element 1500 W 230 V	417511	heating element 900 W 230 V	502169	gasket fiber D1 ø 24 mm D2 ø 19,5 mm	510397	flat gasket PTFE D1 ø 23 mm D2 ø 6 mm
417382	heating element 2870 W 230 V	417512	heating element 2400 W 230 V	503003	flat gasket FIBER D1 ø 27 mm D2 ø 21 mm	510402	flat gasket FIBER D1 ø 25 mm D2 ø 21 mm
417383	heating element 4370 W 230 V	417513	heating element 2400 W 230 V	503041	O-rings EPDM thickness 2,62 mm	510403	flat gasket fiber D1 ø 36,5 mm
417384	heating element 5465 W 230 V	418985	heating cartridge 80 W 240 V ø 12,7 mm	503042	nut 3/8" H 6 mm brass WS 22 Qty 1 pc	510404	flat gasket fiber D1 ø 44 mm D2 ø 34 mm
417385	heating element 920 W 230 V	490193	hot plate ø 110 mm 700 W 230 V	503089	flat gasket fiber D1 ø 24 mm	510405	flat gasket fiber D1 ø 56 mm D2 ø 42 mm
417386	heating element 3800 W 230 V	499042	pump motor ULKA type 90P 120 W 220 V	503106	flat gasket fiber D1 ø 32 mm D2 ø 26 mm	510406	flat gasket fiber D1 ø 60 mm D2 ø 48 mm
417387	heating element 2800 W 230 V	499054	vibration pump type 1108PAALM3N 220/240V	503121	tooth lock washer ID ø 8,4 mm ED ø 15 mm	510409	O-rings EPDM thickness 5,34 mm
417388	heating element 3500 W 230 V	499056	pump head PA1504 FLUID-O-TECH L 82 mm	503155	nut 1/2" H 7 mm WS 25 brass Qty 1 pc	510414	flat gasket copper D1 ø 18 mm D2 ø 14 mm
417389	heating element 3500 W 230 V	499088	pump head PA074 FLUID-O-TECH L 82 mm	504014	flat gasket rubber D1 ø 10 mm	510416	flat gasket fiber D1 ø 19 mm
417390	heating element 1250 W 220 V	500061	pump motor RPM type 11002755 165 W	504081	flat gasket FIBER D1 ø 28 mm D2 ø 20 mm	510417	flat gasket fiber D1 ø 20 mm D2 ø 14 mm
417391	heating element 1250 W 230 V	500062	pump motor RPM type 11039007 150 W	504162	ball-tap L 96 mm lever handle	510418	O-rings EPDM thickness 2,62 mm
417392	heating element 800 W 230 V	500064	pump head PO204 FLUID-O-TECH L 82 mm	504202	manifold connection 4-way	510420	gasket copper D1 ø 19,9 mm D2 ø 14,3 mm
417393	heating element 1250 W 230 V	500065	pump head PA204F FLUID-O-TECH L 82 mm	504206	manifold ø 11 mm connection 3-way	510421	gasket copper D1 ø 31,8 mm D2 ø 26,4 mm
417394	heating element 2700 W 230 V	500068	pump head PA311 FLUID-O-TECH L 82 mm	504209	flat gasket FIBER D1 ø 18,5 mm	510422	gasket copper D1 ø 37,7 mm D2 ø 32,5 mm
417395	heating element 1200 W 1400 V	500072	pump motor RPM type C013726 120 W 230 V	504238	pump RF140509E ROSSI L 82 mm 100 l/h	510459	flat gasket fiber D1 ø 50 mm D2 ø 40 mm
417396	heating element 800 W 220 V	500073	pump motor ULKA type 128PA 180 W 110 V	504276	pump head PA104Z FLUID-O-TECH L 82 mm	510535	flat gasket FIBER D1 ø 15 mm D2 ø 10 mm
417397	heating element 1200 W 220 V	500076	pump motor AF type SEC10256/A 170 W	504544	O-rings EPDM thickness 1,78 mm	510563	O-rings EPDM thickness 3 mm ID ø 28 mm
417398	heating element 3000 W 220 V	500077	pump motor AF type SEC10256/B 170 W	504561	O-rings EPDM thickness 2,62 mm	510564	O-rings silicone thickness 3 mm
417399	heating element 3000 W 220 V	500078	pump head FA204 FLUID-O-TECH L 75 mm	504574	O-rings EPDM thickness 1,78 mm	510575	flat gasket silicone D1 ø 14,5 mm
417400	heating element 1900 W 220 V	500080	pump motor ULKA type 128P 180 W 230 V	504580	O-rings EPDM thickness 3,53 mm	510577	flat gasket Viton D1 ø 7,5 mm D2 ø 1 mm
417401	heating element 3400 W 230 V	500081	pump motor RPM type 11039007 150 W	504582	cross fitting hose connector ø 11 mm	510579	O-rings Viton thickness 2,62 mm
417402	heating element 2600 W 230 V	500123	vibration pump type 1106PAALM1N 230 V	504590	O-rings EPDM thickness 2,62 mm	510597	flat gasket fiber D1 ø 34 mm D2 ø 24 mm
417404	instantaneous water heater 1300 W 240 V	500124	vibration pump type EX 5 230 V 48 W	504623	O-rings EPDM thickness 2,62 mm	510625	O-rings EPDM thickness 5,7 mm ID ø 34 mm
417405	instantaneous water heater 3270 W 240 V	500173	vibration pump type EP 5 230 V 48 W	504692	O-rings EPDM thickness 2,62 mm	510650	gasket copper D1 ø 28 mm D2 ø 22 mm
417406	instantaneous water heater 9810 W 240 V	500174	pump head PA104 FLUID-O-TECH L 82 mm	505152	O-rings EPDM thickness 3,53 mm	510730	flat gasket fiber D1 ø 25 mm D2 ø 12 mm
417407	instantaneous water heater 6540 W 240 V	500176	pump head PO104X FLUID-O-TECH L 82 mm	505192	O-rings EPDM thickness 2,62 mm	510733	O-rings EPDM thickness 2,62 mm
417408	heating element stainless steel 1200 W	500177	pump head PA204X FLUID-O-TECH L 82 mm	505199	flat gasket rubber D1 ø 24 mm D2 ø 14 mm	510761	flat gasket rubber D1 ø 25 mm D2 ø 38 mm
417409	instantaneous water heater 16132 W 240 V	500178	vibration pump type EP 5 24 V 48 W	505225	slide ring PTFE D1 ø 30 mm D2 ø 10 mm	510764	flat gasket rubber D1 ø 24 mm D2 ø 12 mm
417410	hot plate 100 W 240 V ø 95 mm H 8 mm	500179	vibration pump type EX 5 24 V 48 W	505246	flat gasket FIBER D1 ø 17 mm	510769	O-rings EPDM thickness 2,62 mm
417411	hot plate 240 V heating circuits 1	500211	pump head PO054 FLUID-O-TECH L 82 mm	506025	flat gasket FIBER D1 ø 31 mm D2 ø 21 mm	510842	t-fitting ø 13 mm plastic
417412	PTC element 100-240V heating circuits 1	500217	vibration pump type 1106PAALB2N 230 V	506042	flat gasket FIBER D1 ø 27 mm D2 ø 17 mm	510877	flat gasket rubber D1 ø 18 mm D2 ø 10 mm
417413	hot plate 100-240V heating circuits 1	500219	vibration pump type CP.3A.98.1/S 120 V	506046	flat gasket FIBER D1 ø 19,5 mm	510878	gasket rubber D1 ø 23,5 mm D2 ø 14 mm
417414	instantaneous water heater 1600 W 230 V	500220	vibration pump SAECO 230 V 70 W	506051	flat gasket rubber D1 ø 25 mm D2 ø 16 mm	510886	flat gasket rubber D1 ø 21 mm
417415	heating element 1800 W 230 V	500225	pump motor RPM type C042200 330 W 230 V	506054	O-rings EPDM thickness 1,78 mm	510890	flat gasket rubber D1 ø 9,5 mm D2 ø 5 mm
417416	heating element 2500 W 230 V	500226	pump motor ZECCHIN 230 V 50/60Hz	506058	gasket PTFE D1 ø 15 mm D2 ø 12,2 mm	510895	O-rings EPDM thickness 3,53 mm
417417	heating element 3000 W 230 V	500227	vibration pump type NME Typa 230 V 16 W	506071	flat gasket FIBER D1 ø 25 mm D2 ø 18 mm	510898	O-rings EPDM thickness 3,53 mm
417418	heating element 5000 W 230 V	500230	pump head V6105 PROCON L 82 mm 180 l/h	506072	flat gasket fiber D1 ø 38 mm D2 ø 27 mm	510899	O-rings EPDM thickness 3,53 mm
417419	instantaneous water heater 1400 W 240 V	500232	vibration pump type 1106PAAM1N 24 V	506175	hexagonal screw M8 thread length 14 mm	510901	O-rings EPDM thickness 2 mm ID ø 13 mm
417420	instantaneous water heater 2000 W 230 V	500233	pump motor ULKA type 90P 120 W 230 V	506226	flat gasket copper D1 ø 15 mm	510902	O-rings EPDM thickness 2 mm ID ø 9,5 mm
417421	instantaneous water heater 2300 W 230 V	500235	gear motor LIP type 51 24 V DC 9 rpm	506329	flat gasket copper D1 ø 18 mm	510951	O-rings EPDM thickness 3,53 mm
417422	heating element SS 1100 W 230 V	500236	gear motor CIARAMELLA 230 V shaft ø 8 mm	506342	flat gasket copper D1 ø 32,7 mm	510955	O-rings EPDM thickness 3 mm ID ø 6 mm
417433	heating element 3000 W 240 V	500237	gear motor CROUZET type 80881002 12 V	506352	flat gasket copper D1 ø 23 mm D2 ø 17 mm	510989	flat gasket rubber D1 ø 18 mm
417434	hot plate 100-240V ø 95 mm H 8 mm	500238	motor 230 V 50 Hz phases 1 ø 110 mm	506355	flat gasket PTFE D1 ø 25 mm D2 ø 17 mm	511180	flat gasket rubber D1 ø 24 mm D2 ø 16 mm
417435	PTC element 100-240V L 75 mm W 49 mm	500239	motor 230 V 50 Hz phases 1 ø 100 mm	506367	flat gasket rubber D1 ø 40 mm D2 ø 28 mm	511191	O-rings EPDM thickness 2,21 mm
417436	PTC element 100-240V L 75 mm W 49 mm	500240	motor 0,3 kW 230 V 50/60Hz phases 1	506377	O-rings EPDM thickness 3,53 mm	511209	gasket D1 ø 32 mm D2 ø 22 mm
417437	heating element 1300 W 240 V ø 80 mm	500242	motor 0,2 kW 230 V 50/60Hz phases 1	506398	flat gasket rubber D1 ø 37,5 mm	511283	flat gasket rubber D1 ø 30 mm D2 ø 20 mm
417438	heating element 4000 W 230 V	500243	motor 230 V 50 Hz phases 1	506400	flat gasket rubber D1 ø 24 mm	511287	O-rings EPDM thickness 2,62 mm
417443	heating element 3000 W 230 V	500290	pump head V3797 PROCON L 82 mm 100 l/h	506411	flat gasket copper D1 ø 32,9 mm	511472	nut 3/8" H 4 mm brass WS 21 Qty 1 pc
417444	heating element 95 W 230 V ED ø 100 mm	500291	pump head PROCON L 82 mm 100 l/h	507011	door catch complete door locking catch	511476	flat gasket rubber D1 ø 40 mm D2 ø 18 mm
417449	heating element 2100 W 230 V	500292	pump head PROCON L 82 mm 180 l/h	507015	retaining ring E D1 ø 7 mm D2 ø 14 mm	511481	plain washers ID ø 8,4 mm ED ø 16 mm
417450	heating element 3800 W 230 V	500293	pump head T1039 PROCON L 82 mm 180 l/h	507074	flat gasket rubber D1 ø 14 mm D2 ø 10 mm	511490	flat gasket fiber D1 ø 15 mm D2 ø 8 mm
417451	heating element 5500 W 230 V	500294	pump head V6076 PROCON L 82 mm 300 l/h	507075	flat gasket rubber D1 ø 15 mm D2 ø 10 mm	511500	O-rings EPDM thickness 1,78 mm
417453	heating element 1000 W 220 V	500314	coupling ø 40 mm	507078	flat gasket rubber D1 ø 25 mm	511501	O-rings EPDM thickness 1,78 mm
417454	heating element 2000 W 230 V	500316	gear motor LIP type 066C 73 W 230 V	507080	flat gasket rubber D1 ø 39 mm D2 ø 25 mm	511502	O-rings EPDM thickness 1,78 mm
417455	hot plate 90 W 240 V ø 99 mm	500317	pump motor RPM type C004320 120 W 230 V	507081	flat gasket rubber D1 ø 38 mm D2 ø 26 mm	511503	O-rings EPDM thickness 1,78 mm
417456	hot plate 70 W 230 V heating circuits 1	500438	vibration pump type 1106PAALM1N 208/240V	507113	flat gasket rubber D1 ø 24 mm D2 ø 11 mm	511504	O-rings EPDM thickness 1,78 mm
417457	instantaneous water heater 1300 W 230 V	500442	motor RPM type 11002708 165 W 230 V	507174	t-fitting plastic	511505	O-rings EPDM thickness 1,78 mm
417461	heating element 3810 W 230 V	500452	pump motor RPM type C004311 100 W 230 V	507311	O-rings EPDM thickness 2,62 mm	511506	O-rings EPDM thickness 2,62 mm
417462	heating element 2200 W 230 V	500454	pump head PA1504 FLUID-O-TECH L 82 mm	507332	flat gasket fiber D1 ø 18 mm D2 ø 12 mm	511507	O-rings EPDM thickness 2,62 mm
417463	heating element 3400 W 230 V	500458	pump motor RPM type 11002778 165 W	507360	flat gasket rubber D1 ø 30 mm D2 ø 21 mm	511508	O-rings EPDM thickness 2,62 mm
417464	heating cartridge 150 W 230 V ø 6,4 mm	500563	vibration pump type NME Typa 230 V 16 W	507404	gasket rubber D1 ø 12 mm D2 ø 8 mm	511509	O-rings EPDM thickness 2,62 mm
417465	heating cartridge 10 W 24 V ø 6,4 mm	500689	motor RPM type C021002 60 W 230 V	507447	flat gasket PTFE D1 ø 14 mm D2 ø 8 mm	511510	O-rings EPDM thickness 2,62 mm
417466	heating element 1800 W 230 V	500694	vibration pump 230 V 40 W 50 Hz	507463	nut 1/2" H 9,1 mm WS 23 brass	511511	O-rings EPDM thickness 2,62 mm
417467	heating element 1800 W 230 V	500765	pump head MA104 FLUID-O-TECH L 75 mm	507464	nut M16x1,5 H 7 mm WS 19 brass	511512	O-rings EPDM thickness 2,62 mm
417468	heating element 5000 W 230 V	500918	pump head CA104 FLUID-O-TECH L 60 mm	508031	flat gasket FIBER D1 ø 19 mm	511513	O-rings EPDM thickness 2,62 mm
417469	heating element 3500 W 230 V	500950	pump motor RPM type C013728 120 W 230 V	508049	flat gasket PTFE D1 ø 16 mm D2 ø 10 mm	511514	O-rings EPDM thickness 2,62 mm
417470	heating element 3000 W 400 V	500996	vibration pump type EX 5 230 V 48 W	508084	O-rings EPDM thickness 1,78 mm	511515	O-rings EPDM thickness 3,53 mm
417471	heating element 2000 W 400 V	500997	vibration pump type EP5GW 230 V 48 W	508204	O-rings EPDM thickness 3,53 mm	511516	O-rings EPDM thickness 3,53 mm
417472	hot plate 115 W 230 V L 132 mm W 132 mm	501001	flat gasket rubber D1 ø 24 mm D2 ø 17 mm	508215	flat gasket rubber D1 ø 40 mm D2 ø 27 mm	511517	O-rings EPDM thickness 3,53 mm
417473	hot plate 220 W 230 V L 210 mm W 132 mm	501006	O-rings EPDM thickness 2 mm ID ø 21 mm	510012	flat gasket PTFE D1 ø 16,5 mm	511518	O-rings EPDM thickness 3,53 mm
417474	hot plate 270 W 230 V L 210 mm W 132 mm	501007	O-rings EPDM thickness 1,5 mm ID ø 50 mm	510033	flat gasket FIBER D1 ø 30 mm D2 ø 21 mm	511519	O-rings EPDM thickness 3,53 mm
417475	PTC element 100-240V L 75 mm W 48 mm	501010	flat gasket rubber D1 ø 25 mm D2 ø 14 mm	510072	O-rings EPDM thickness 3,53 mm	511520	O-rings EPDM thickness 3,53 mm
417476	hot plate 165 W 240 V	501040	y-piece plastic	510074	flat gasket rubber D1 ø 36 mm D2 ø 26 mm	511521	O-rings EPDM thickness 3,53 mm
417477	heating element stainless steel 1020 W	501064	solenoid valve filter SS filter	510075	flat gasket rubber D1 ø 22 mm D2 ø 13 mm	511522	O-rings EPDM thickness 3,53 mm
417480	instantaneous water heater 2200 W 230 V	501075	ring gasket D1 ø 30 mm D2 ø 21 mm	510076	flat gasket FIBER D1 ø 33 mm D2 ø 21 mm	511523	O-rings EPDM thickness 3,53 mm
417482	hot plate 90 W 240 V heating circuits 1	501106	flat gasket rubber D1 ø 26 mm D2 ø 18 mm	510077	O-rings EPDM thickness 2,62 mm	511524	O-rings EPDM thickness 3,53 mm
417483	hot plate 95 W 230 V heating circuits 1	501161	for solenoid valve	510129	flat gasket fiber D1 ø 25 mm	511525	O-rings EPDM thickness 3,53 mm
417484	instantaneous water heater 32						



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
511908	flat gasket rubber D1 ø 30 mm	520079	hose clamp ø 9-14mm SS Qty 1 pc	520295	ball-tap IT 3/8" L 41 mm wing handle	520698	reducer IT 3/8" ET 1/2"
512070	flat gasket rubber D1 ø 17,5 mm	520080	hose clamp ø 12-17mm SS Qty 1 pc	520296	ball-tap IT 1/2" L 47 mm wing handle	520699	reducer IT 1/2" ET 1/2"
512071	O-rings EPDM thickness 2,62 mm	520081	hose clamp ø 14-19mm SS Qty 1 pc	520297	ball-tap IT 3/4" L 54 mm wing handle	520700	reducer IT 3/4" ET 1/2"
512073	flat gasket rubber D1 ø 31 mm D2 ø 22 mm	520082	hose clamp ø 16-21mm SS Qty 1 pc	520299	flex hose SS conical seal	520701	screw cap 1/8"
512276	O-rings EPDM thickness 1 mm ID ø 7 mm	520083	hose clamp ø 17-22mm SS Qty 1 pc	520330	holder rubber measures 69x44x4mm	520702	end cap 1/4" brass WS 16
512376	flat gasket rubber D1 ø 18 mm D2 ø 10 mm	520084	hose clamp ø 5-10mm SS Qty 1 pc	520333	hose connector 1/8" brass grommet ø 7 mm	520703	screw cap 3/8" WS 20
513016	O-rings EPDM thickness 3,53 mm	520085	hose clamp ø 20-25mm SS Qty 1 pc	520334	angle piece 1/8" hose connector ø 5 mm	520704	screw cap 1/2" WS 25
513018	gasket for thermostat ED ø 41 mm	520086	hose clamp ø 22-27mm SS Qty 1 pc	520340	t-fitting 3x 1/4" IT nickel-plated brass	520705	screw cap 1/8" WS 16
513023	flat gasket FIBER D1 ø 30 mm D2 ø 22 mm	520087	hose clamp ø 24-29mm SS Qty 1 pc	520341	t-fitting 3x 3/8" IT nickel-plated brass	520706	screw cap 1/4" WS 17
513024	flat gasket FIBER D1 ø 19 mm D2 ø 11 mm	520088	hose clamp ø 25-30mm SS Qty 1 pc	520342	t-fitting 3x 1/2" IT nickel-plated brass	520707	screw cap 3/8" thread length 8 mm brass
513057	O-rings EPDM thickness 1,78 mm	520089	hose clamp ø 28-33mm SS Qty 1 pc	520343	t-fitting 3x 1/4" ET nickel-plated brass	520708	screw cap 1/2" WS 21
513211	O-rings EPDM thickness 2,62 mm	520090	universal hose PVC ID ø 4 mm ED ø 6 mm	520344	t-fitting	520710	t-fitting 1/4" L 47 mm
513215	gasket fiber D1 ø 39 mm D2 ø 30 mm	520110	hose clamps ø 8-12mm SS Qty 10 pc	520345	t-fitting	520711	t-fitting 3/8"
513725	flat gasket PTFE D1 ø 21,2 mm D2 ø 19 mm	520111	hose clamps ø 10-16mm SS Qty 10 pc	520350	ball-tap L 49 mm lever handle	520712	t-fitting 1/2"
514017	O-rings silicone thickness 3,53 mm	520112	hose clamps ø 12-20mm SS Qty 10 pc	520351	ball-tap L 58 mm handle length 27 mm	520713	tap type DVA LT connection 3/4"
514186	tap suitable for MELITTA	520113	hose clamps ø 16-27mm SS Qty 10 pc	520352	ball-tap L 45 mm lever handle IT 1/2"	520715	lever type DVA LT
514222	O-rings Viton thickness 3,53 mm	520114	hose clamps ø 20-32mm SS Qty 10 pc	520353	ball-tap L 52 mm lever handle	520720	ball-tap IT 1/8" brass L 39 mm
514325	ball-tap L 83 mm lever handle IT 1"	520115	hose clamps ø 25-40mm SS Qty 10 pc	520354	ball-tap L 45 mm lever handle	520721	ball-tap IT 1/8" ET 1/8" brass L 39 mm
515018	flat gasket rubber D1 ø 32 mm D2 ø 21 mm	520116	hose clamps ø 32-50mm SS Qty 5 pc	520355	ball-tap L 52 mm lever handle	520722	ball-tap IT 1/4" ET 1/4" brass L 30 mm
516003	gasket graphite D1 ø 18,5 mm	520117	hose clamps ø 40-60mm SS Qty 5 pc	520356	lever extension for ball-tap B	520723	ball-tap IT 3/8" ET 3/8" brass L 40 mm
516026	O-rings EPDM thickness 2,62 mm	520118	hose clamps ø 50-70mm SS Qty 5 pc	520380	PVC hose PVC ID ø 5 mm ED ø 7 mm	520724	ball-tap IT 1/2" ET 1/2" chrome-plated brass
516082	t-fitting connection 1 1/2 mm	520119	hose clamps ø 60-80mm SS Qty 5 pc	520381	universal hose PVC ID ø 5 mm ED ø 8 mm	520726	ball-tap IT 1/2" ET 1/2" L 70 mm
516146	flat gasket rubber D1 ø 30 mm D2 ø 19 mm	520120	hose clamp ø 12-20mm SS Qty 1 pc	520384	universal hose PVC ID ø 4 mm ED ø 6 mm	520800	t-fitting 2x 1/8" ET + 1x 1/8" IT
516198	retaining ring E D1 ø 6 mm D2 ø 12 mm	520121	hose clamp ø 16-27mm SS Qty 1 pc	520385	t-fitting 3x 1/8" IT nickel-plated brass	520801	t-fitting 2x 1/8" ET + 1x 1/2" IT
516222	retaining ring shaft ø 12 mm	520126	clip for pump/motor	520388	silicone hose ID ø 5 mm ED ø 8 mm L 1 m	520802	t-fitting 2x 3/8" ET + 1x 3/8" IT
516258	flat gasket PTFE D1 ø 32,5 mm	520131	O-rings EPDM ID ø 77 mm thickness 6,5 mm	520390	flat gasket rubber D1 ø 21 mm D2 ø 16 mm	520803	t-fitting 2x 1/2" ET + 1x 1/2" IT
516261	flat gasket rubber D1 ø 33 mm D2 ø 25 mm	520133	tap type DVA LT connection 3/8"	520416	universal hose PVC ID ø 18 mm ED ø 24 mm	520804	t-fitting 2x 1/8" ET + 1x 1/8" IT
517004	O-rings EPDM thickness 2,62 mm	520136	ion-exchange resin type Dowex HCR-S/S	520439	universal hose PVC ID ø 8 mm ED ø 12 mm	520805	t-fitting 2x 1/2" ET + 1x 1/2" IT
517035	O-rings EPDM thickness 1,78 mm	520148	flex hose SS	520445	universal hose PVC ID ø 22 mm ED ø 30 mm	520806	t-fitting 3/8" 2x ET, 1x IT L 52,5 mm
517045	O-rings EPDM thickness 1,78 mm	520149	flex hose SS conical seal	520448	universal hose PVC ID ø 18 mm ED ø 24 mm	520807	t-fitting 2x 1/2" ET + 1x 1/2" IT
517056	O-rings EPDM thickness 2 mm ID ø 7 mm	520152	hose connector Santoprene grommet ø 7 mm	520470	hexagonal nut M12x1 H 8 mm WS 19	520808	t-fitting 2x 1/8" IT + 1x 1/8" ET
517087	O-rings EPDM thickness 3,53 mm	520158	coupling ø 40 mm rubber	520471	screw cap M18x1,5 L 18 mm	520809	t-fitting 2x 1/8" IT + 1x 1/2" ET
517101	Gasket PTFE D1 ø 16 mm D2 ø 10 mm	520160	double nipple T1 1/8" T2 1/8"	520474	ball-tap IT 1/4" ET 1/4" brass L 42 mm	520810	t-fitting 2x 3/8" IT + 1x 3/8" ET
517104	O-rings EPDM thickness 2,62 mm	520161	double nipple T1 1/8" T2 1/4"	520479	teflon hose ED ø 10 mm ID ø 8 mm	520811	t-fitting 2x 1/2" IT + 1x 1/2" ET
517166	y-piece ø 12 mm plastic	520162	double nipple T1 1/8" T2 3/8"	520483	protective cover for heating element	520812	t-fitting 2x 1/2" ET + 1x 1/8" ET
517173	flat gasket FIBER D1 ø 14 mm D2 ø 8 mm	520163	double nipple T1 1/4" T2 1/4"	520484	nut 3/8" H 5 mm WS 21 brass Qty 1 pc	520813	t-fitting 2x 1/4" IT + 1x 1/4" ET
517174	nut M8 H 6,5 mm SS WS 13 Qty 1 pc	520164	double nipple T1 1/4" T2 3/8"	520488	valve inlet 1/8" outlet 1/8" L 30 mm	520814	t-fitting 2x 3/8" IT + 1x 3/8" ET
518061	O-rings EPDM thickness 1,78 mm	520165	double nipple T1 1/4" T2 1/2"	520489	drain hose ID ø 14 mm ED ø 20 mm L 1,5 m	520815	t-fitting 2x 1/2" ET + 1x 1/2" ET
518180	flat gasket PTFE D1 ø 40 mm D2 ø 35 mm	520166	double nipple T1 3/8" T2 3/8"	520490	union nut 1/2" H 13,5 mm WS 28,5	520816	angle piece 1/8" ET
518227	O-rings EPDM thickness 2,62 mm	520167	double nipple T1 3/8" T2 1/2"	520491	hexagonal nut 1/2" H 6,5 mm WS 26 brass	520817	angle piece 1/4" ET
518240	flat gasket rubber D1 ø 33 mm D2 ø 17 mm	520168	double nipple T1 1/2" T2 1/2"	520567	flex hose SS L 1000 mm with loose gasket	520818	angle piece 3/8" ET
518275	O-rings EPDM thickness 2,62 mm	520169	double nipple T1 1/4" T2 3/4" brass	520568	flex hose SS L 750 mm with loose gasket	520819	angle piece 1/2" ET
518341	O-rings EPDM thickness 1,78 mm	520170	double nipple T1 1/4" T2 1" brass	520569	flex hose SS L 370 mm with loose gasket	520820	angle piece 1/8" IT
518346	flat gasket PTFE D1 ø 22 mm D2 ø 9,2 mm	520171	double nipple T1 1" T2 1" brass	520570	flex hose SS straight-curved, flat seat	520821	angle piece 1/4" IT
518347	t-fitting plastic	520172	sleeve 1/8" nickel-plated brass WS 14	520572	flex hose SS conical seal	520822	angle piece 3/8" IT
518349	O-rings EPDM thickness 2,62 mm	520173	sleeve 1/2" nickel-plated brass WS 17	520600	flex hose SS conical seal	520823	angle piece 1/2" IT
518393	flat gasket FIBER D1 ø 24 mm D2 ø 17 mm	520174	sleeve 3/8" nickel-plated brass WS 22	520601	flex hose SS straight connections 3/8"	520824	angle piece 1/2" IT - 1/4" ET
518446	O-rings EPDM thickness 1,78 mm	520175	sleeve 1/2" nickel-plated brass WS 26	520602	flex hose SS straight connections 3/8"	520825	angle piece 3/4" FT - 1/4" MT
518491	O-rings EPDM thickness 2,62 mm	520176	sleeve 3/4" nickel-plated brass WS 32	520603	flex hose SS straight connections 3/8"	520826	angle piece 3/8" FT - 3/8" MT
518541	flat gasket FIBER D1 ø 12 mm D2 ø 8 mm	520177	reducer IT 1/8" ET 1/4"	520604	flex hose SS braid curved	520827	angle piece 1/2" IT - 1/4" ET
518557	retaining ring E D1 ø 5 mm D2 ø 11 mm	520178	reducer IT 1/8" ET 3/8"	520605	flex hose SS curved connections 3/8"	520828	cross fitting
519113	flat gasket rubber D1 ø 28 mm D2 ø 19 mm	520179	reducer IT 1/4" ET 3/8"	520606	flex hose SS braid curved	520829	cross fitting IT 1/4"
519114	flat gasket rubber D1 ø 25 mm	520180	reducer IT 1/4" ET 1/2" nickel-plated brass	520607	flex hose SS braid curved	520830	cross fitting IT 3/8"
519125	flat gasket FIBER D1 ø 18 mm D2 ø 10 mm	520181	reducer IT 3/8" ET 1/4"	520610	flex hose SS	520831	cross fitting IT 1/2"
519126	gasket D1 ø 13 mm D2 ø 8 mm	520182	reducer IT 1/4" ET 1/4" nickel-plated brass	520611	flex hose SS	520832	cross fitting IT 3x 1/8" ET 1x 1/8"
519181	O-rings EPDM thickness 1 mm ID ø 5 mm	520183	reducer IT 1/4" ET 1" brass	520616	flex hose SS conical seal	520833	cross fitting IT 3x 1/4" ET 1x 1/4"
519182	O-rings EPDM thickness 3 mm ID ø 13,9 mm	520184	reducer IT 1/8" ET 1/8"	520617	flex hose SS straight connections 1/8"	520834	cross fitting IT 3x 3/8" ET 1x 3/8"
519209	flat gasket rubber D1 ø 26 mm	520185	reducer IT 1/4" ET 1/8"	520618	flex hose SS braid L 300 mm	520835	cross fitting IT 3x 1/2" ET 1x 1/2"
519216	t-fitting connection 12 mm	520186	reducer IT 1/4" ET 1/4" nickel-plated brass	520619	flex hose SS braid straight	520840	silicone hose ID ø 9 mm ED ø 13 mm L 1 m
519283	O-rings EPDM thickness 3,53 mm	520187	reducer IT 3/8" ET 1/4"	520620	flex hose SS braid straight	520841	silicone hose ID ø 6 mm ED ø 12 mm L 1 m
519304	terminal block 3 -poles max. 15 A	520188	reducer IT 3/8" ET 3/8"	520621	flex hose SS braid L 1000 mm	520842	silicone hose ID ø 3 mm ED ø 6 mm L 1 m
519318	O-rings EPDM thickness 5,34 mm	520189	reducer IT 1/2" ET 3/8"	520622	flex hose SS braid L 1500 mm	520843	silicone hose ID ø 5 mm ED ø 9 mm L 1 m
519341	flat gasket rubber D1 ø 40 mm	520190	reducer IT 1/4" ET 1/2" nickel-plated brass	520623	flex hose SS braid L 300 mm conical seal	520844	silicone hose ID ø 6 mm ED ø 9 mm L 1 m
519360	bus clamp 12 -poles max. 32 A	520191	sleeve T1 1/8" T2 3/8"	520624	flex hose SS braid L 1200 mm	520845	teflon hose ED ø 6 mm ID ø 3 mm
519361	plug-in terminal blocks 12 -poles	520192	sleeve T1 1/4" T2 3/8" nickel-plated brass	520634	flex hose SS braid L 500 mm	521110	flat gasket fiber D1 ø 20 mm D2 ø 13 mm
519440	flat gasket FIBER D1 ø 24 mm	520193	sleeve T1 1/2" T2 1/2" nickel-plated brass	520650	solder nipple conical ø 12 mm	521117	gasket copper D1 ø 15,9 mm D2 ø 10,3 mm
520018	PVC braided hose ID ø 4 mm ED ø 10 mm	520194	sleeve T1 3/8" T2 1/2" nickel-plated brass	520651	solder nipple ø 10 mm conical	521120	O-rings EPDM thickness 5,34 mm
520019	universal hose ID ø 6 mm ED ø 12 mm	520195	hose connector 1/8" grommet ø 7 mm	520652	solder nipple ø 8 mm conical	521122	flat gasket fiber D1 ø 31 mm
520022	PVC hose PVC ID ø 8 mm ED ø 12 mm	520196	hose connector 1/4" grommet ø 7 mm	520653	solder nipple ø 6 mm conical	521123	gasket copper D1 ø 23,9 mm D2 ø 20,3 mm
520023	silicone hose ID ø 6 mm ED ø 12 mm L 5 m	520197	hose connector 1/8" grommet ø 8 mm	520654	union nut 1/2" for pipe ø 12 mm	521137	flat gasket fiber D1 ø 20 mm D2 ø 18 mm
520026	universal hose PVC ID ø 4 mm ED ø 6 mm	520198	hose connector 1/8" ET grommet ø 9 mm	520655	union nut 3/8" for pipe ø 8/10mm	521138	flat gasket rubber D1 ø 14,5 mm
520027	universal hose PVC ID ø 4 mm ED ø 7 mm	520199	hose connector 1/4" grommet ø 9 mm	520656	union nut 1/4" tube ø 6/8mm	521144	gasket D1 ø 17 mm D2 ø 12,5 mm
520028	universal hose PVC ID ø 6 mm ED ø 8 mm	520200	hose connector 3/8" grommet ø 9 mm	520657	double nipple T1 1/2" T2 1/4" brass	523012	O-rings EPDM thickness 3,53 mm
520029	universal hose PVC ID ø 6 mm ED ø 9 mm	520201	hose connector 1/4" grommet ø 12 mm	520658	union nut 1/2" for pipe ø 12 mm	523013	deep-groove ball bearing type 6300-2Z
520030	PVC braided hose ID ø 6 mm ED ø 12 mm	520202	hose connector 3/8" grommet ø 12 mm	520659	union nut 3/8" for pipe ø 8 mm	523014	O-rings silicone thickness 2,2 mm
520034	drain hose ID ø 12 mm ED ø 18 mm L 1 m	520203	hose connector 1/2" grommet ø 12 mm	520660	union nut 1/4" for pipe ø 6 mm	523510	deep-groove ball bearing
520035	drain hose ID ø 14 mm ED ø 20 mm L 30 m	520204	hose connector 3/8" grommet ø 17 mm	520661	double nipple T1 1/8" T2 1/8" brass	523511	deep-groove ball bearing
520036	drain hose ID ø 16 mm ED ø 21 mm L 30 m	520205	hose connector 1/4" grommet ø 17 mm	520662	double nipple T1 1/4" T2 1/4" brass	524053	flat gasket rubber D1 ø 18 mm D2 ø 13 mm
520037	drain hose ID ø 18 mm ED ø 25 mm L 30 m	520206	hose connector 1/4" grommet ø 20 mm	520663	double nipple T1 3/8" T2 3/8" brass	524054	gasket PTFE D1 ø 15,5 mm D2 ø 10 mm
520038	drain hose ID ø 20 mm ED ø 27 mm L 30 m	520207	sleeve T1 1/8" T2 1/4" nickel-plated brass	520664	double nipple T1 1/2" T2 1/2" brass	524055	flat gasket rubber D1 ø 18 mm D2 ø 12 mm
520039	PVC hose ID ø 40 mm ED ø 32 mm PVC	520208	double nipple T1 1/2" T2 3/4" brass	520665	double nipple T1 1/4" T2 1/4" brass	524145	O-rings EPDM thickness 3 mm ID ø 32 mm
520046	universal hose PVC ID ø 5 mm ED ø 7 mm	520209	reducer IT 3/8" ET 3/4"	520672	hose connector 3/8" IT conical seal	524183	flat gasket rubber D1 ø 25 mm D2 ø 15 mm
520047	universal hose PVC ID ø 6 mm ED ø 12 mm	520213	reducer type DVA LT connection 3/8"	520673	hose connector 1/2" IT grommet ø 12 mm	524187	manifold connection 3-way
520048	PVC braided hose ID ø 6 mm ED ø 12 mm	520214	reducer type DVA LT connection 3/8"	520674	hose connector 3/8" grommet ø 8 mm	524323	O-rings EPDM thickness 1,78 mm
520054	flat gasket rubber D1 ø 23,5 mm	520218	double nipple T1 3/8" T2 1/4" L1 12 mm	520675	hose connector 3/8" grommet ø 9 mm brass	524418	flat gasket FIBER D1 ø 14 mm D2 ø 6,5 mm
520055	flat gasket rubber D1 ø 18,5 mm	520250	by-pass 1/8" IT	520676	hose connector 1/2" grommet ø 12 mm	524420	O-rings EPDM thickness 2,62 mm
520065	hose clamps ø 5-10mm SS/brass Qty 5 pc	520256	flex hose SS conical seal	520677	hose connector 3/8" grommet ø 13 mm	524421	O-rings EPDM thickness 1,78 mm
520066	hose clamps ø 7-12mm SS/brass Qty 5 pc	520265	pressure reduction valve connection 1/2"	520680	double nipple T1 1/8" T2 1/4" brass	525000	brewing unit complete COMPACT
520067	hose clamps ø 9-14mm SS/brass Qty 5 pc	520266	pressure reduction valve connection 3/4"	520681	double nipple T1 1/8" T2 3/8" brass	525001	brewing unit complete ARGENTA
520068	hose clamps ø 12-17mm SS/brass Qty 5 pc	520267	pressure reduction valve connection 1"	520682	double nipple T1 1/4" T2 3/8" brass	525002	brewing unit complete ARGENTA
520069	hose clamps ø 14-19mm SS/brass Qty 5 pc	520270	manometer ø 62 mm	520683	double nipple T1 1/2" T2 3/8" brass	525003	brewing unit complete DIVINA
520070	hose clamps ø 16-21mm SS/brass Qty 5 pc	520271	pressure reduction valve connection 1/2"	520684	double nipple T1 3/8" T2 3/4" brass	525004	brewing unit complete BRAVA
520071	hose clamps ø 17-22mm SS/brass Qty 5 pc	520278	universal hose PVC ID ø 6 mm ED ø 8 mm	520690	reducer IT 1/4" ET 1/8"	525005	brewing unit complete
520072	drain hose ID ø 16 mm ED ø 21 mm L 5 m	520279	universal hose PVC ID ø 6 mm ED ø 9 mm	520691	reducer IT 3/8" ET 1/8"	525006	brewing unit complete
520073	hose clamps ø 20-25mm SS/brass Qty 5 pc	520280	ball-tap L 50 mm lever handle	520692	reducer IT 1/8" ET 1/4"	525009	control panel 2-group L 594 mm H 75 mm
520074	hose clamps ø 22-27mm SS/brass Qty 5 pc	520281	ball-tap L 56 mm lever handle	520693	reducer IT 3/8" ET 1/4"	525014	control panel 3-group L 824 mm H 75 mm
520075	hose clamps ø 24-29mm SS/brass Qty 5 pc	520282	ball-tap L 67 mm lever handle IT 1"	520694	reducer IT 1/4" ET 3/8"	525015	control panel 3-group L 824 mm H 75 mm
520076	hose clamps ø 25-30mm SS/brass Qty 5 pc	520283	ball-tap L 59 mm lever handle	520695	reducer IT 3/8" ET 3/8"	525016	control panel 2-group

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
525019	nozzle hole ø 3 mm M8 thread length 8 mm	525128	water pipe 3/8" ø 25 mm L 87 mm	525237	spring guide for filling valve	525346	nozzle holder with nozzle
525020	nozzle hole ø 4 mm M8 thread length 8 mm	525129	steam pipe 3/8" H 210 mm tube ø 8 mm	525238	press ring D1 ø 15 mm D2 ø 11,5 mm	525347	valve for filling valve
525021	filter holder gasket with cone	525130	steam pipe 3/8" H 180 mm tube ø 10 mm SS	525240	water level tube ø 11 mm H 140 mm	525348	nozzle for filling valve bore ø 0,8 mm
525022	O-rings EPDM thickness 1,78 mm	525131	steam pipe mounting pos. right 3/8"	525241	group gasket L 76 mm W 70 mm	525349	nozzle for filling valve bore ø 1,2 mm
525023	steam pipe 3/8" SS	525132	steam pipe mounting pos. left 3/8"	525242	pressure spring ø 10,8 mm L 57 mm	525350	screw for water tap M4
525024	drain pan L 100 mm W 80 mm ø 40 mm	525133	steam pipe mounting pos. left 3/8"	525243	pressure spring ø 12,5 mm L 30 mm	525351	valve group outflow L 61,6 mm
525025	drain pan L 100 mm W 80 mm H 60 mm	525134	turning handle ø 33 mm shaft ø 6,5x8mm	525244	steam/water tap inlet 3/8" outlet 3/8"	525352	valve group supply L 58,6 mm
525026	flange L 32 mm W 32 mm	525135	turning handle steam ø 52 mm black	525245	steam/water tap inlet 1/2" outlet 3/8"	525353	spring guide for filling valve
525027	water dispersion ø 57,4 mm H 7,5 mm	525136	turning handle ø 46 mm shaft ø 6,5x8mm	525246	steam pipe 3/8" H 190 mm L 220 mm	525354	press ring for handle ID ø 9 mm
525028	water dispersion ø 57,4 mm H 9,5 mm	525137	turning handle ø 47 mm shaft ø 6,5x8mm	525247	steam pipe 3/8" H 155 mm L 205 mm	525355	bush for steam-/water-tap D1 ø 10,5 mm
525029	thread bolt M10 L 85 mm	525138	sleeve ø 53 mm L 25 mm black	525248	piston for non-return valve triangular	525356	expansion valve T1 1/8" connection 7
525030	holder L 41 mm W 26 mm ID ø 16,5 mm	525139	sleeve ø 36 mm L 38 mm black	525249	valve for filling valve L 60,5 mm	525357	bush D1 ø 15 mm D2 ø 10,4 mm H 10,3 mm
525031	lever with holder	525140	ring for tap ø 38 mm L 13 mm black	525250	nozzle bore ø 0,8 mm M6x0,75 L 9 mm	525358	stop for steam-/water-tap ø 14,5 mm
525032	safety valve connection 1/8"	525141	locking ring for handle ø 22,4 mm	525251	press ring for steam-/water-tap	525359	pressure spring ø 10,7 mm L 30 mm
525033	flange hole ø 22 mm ø 72,5 mm	525142	symbol steam ø 40 mm L 16,5 mm	525252	flat gasket PTFE D1 ø 20 mm D2 ø 16,5 mm	525360	pressure spring ø 11,5 mm L 26 mm
525034	piston for steam-/water-tap hexagon 20	525144	symbol level ø 40 mm L 16,5 mm	525253	flat gasket PTFE D1 ø 19 mm D2 ø 13 mm	525361	pressure spring ø 8,3 mm L 32 mm
525036	handle ø 33 mm L 117 mm black	525145	symbol steam ø 47 mm L 26,5 mm	525254	set for steam pipe	525362	water pipe 3/8" ø 17 mm L 65 mm
525037	end cap ø 38 mm black	525146	O-rings Viton thickness 2,62 mm	525255	O-rings EPDM thickness 1,9 mm	525363	valve body for steam-/water-tap
525038	sleeve ø 38 mm L 31 mm black	525147	O-rings Viton thickness 3,53 mm	525256	O-rings EPDM thickness 1,9 mm	525364	valve for filling valve L 25 mm
525040	water level tube L 195 mm ø 12 mm 3/8"	525148	gasket ED ø 34 mm ID ø 18 mm H 6,3 mm	525257	filter holder gasket D1 ø 73,3 mm	525365	valve for filling valve L 16 mm
525041	lever with holder	525149	flat gasket fiber D1 ø 93 mm D2 ø 81 mm	525258	filter holder gasket D1 ø 73,3 mm	525366	intake valve for filling valve L 42,5 mm
525042	tube handle for pipe ø 10 mm ø 13,5 mm	525150	bush D2 ø 14,5 mm H 6 mm plastic	525259	O-rings EPDM thickness 1,9 mm	525368	gasket ED ø 13 mm ID ø 4 mm H 4 mm
525043	tube handle for pipe ø 8 mm ø 13,5 mm	525151	bolt with ball ø 6 mm L 12 mm	525260	nozzle D1 ø 23,5 mm H 30 mm M10x1	525369	gasket ED ø 15,5 mm ID ø 7,5 mm H 4 mm
525044	water pipe 1/8" L 200 mm bore ø 4 mm	525152	handle for pipe ø 10 mm L 40 mm rubber	525261	water pipe 1/2" ø 23,5 mm L 103 mm	525370	pressure spring ø 13,5 mm L 40,5 mm
525045	water pipe 3/8" ø 24 mm L 120 mm	525154	disc ø 8 mm thickness 1 mm	525262	drain pan rectangular	525371	filter holder gasket D1 ø 73 mm
525046	water pipe 3/8" ø 24 mm L 65 mm	525155	coffee filter ø 65 mm mounting ø 55 mm	525263	drain pan round suitable for S.V. ITALIA	525372	pressure spring ø 15 mm L 27,5 mm
525047	steam pipe 1/8" L 200 mm tube ø 10 mm	525156	coffee filter ø 65 mm mounting ø 55 mm	525264	drain pan rectangular	525373	keypad foil L 27 mm W 103 mm
525048	steam pipe 3/8" L 190 mm tube ø 10 mm SS	525157	drain pan L 100 mm W 72 mm H 75 mm	525265	filter holder single	525374	keypad foil L 107 mm W 51 mm
525049	steam tap inlet 3/8"	525159	steam pipe 3/8" H 160 mm tube ø 10 mm SS	525266	fine filter pipe ø 8,7 mm H 22 mm	525375	manometer ø 39 mm pressure range 0-3bar
525052	boiler brewing assemblys 2	525160	cylindrical handle M6	525267	coffee filter ø 70 mm mounting ø 60 mm	525376	temperature sensor NTC
525055	steam tap inlet 3/8"	525161	fine filter flat fabric ø 8 mm H 1,5 mm	525268	coffee filter ø 70 mm mounting ø 60 mm	525377	group gasket L 77 mm W 66 mm
525056	water tap inlet 3/8"	525162	pressure spring ø 11,5 mm L 19 mm	525270	coffee filter ø 70 mm mounting ø 60 mm	525378	gasket ED ø 15,5 mm ID ø 7,5 mm H 4 mm
525057	steam tap with lever inlet 3/8" pipe SS	525163	gasket D1 ø 14 mm D2 ø 17 mm	525271	grinding burrs pair turn direction right	525379	gasket D1 ø 15 mm D2 ø 10 mm ID ø 6 mm
525059	O-rings Viton thickness 2,4 mm	525164	gasket D1 ø 14 mm D2 ø 17 mm	525272	grinding burrs pair turn direction right	525380	flat gasket PTFE D1 ø 14 mm D2 ø 9,5 mm
525060	housing with micro switch H 35 mm	525165	filter holder mounting ø 76 mm	525273	label for setting ring ø 20 mm	525381	plain washers ID ø 14,5 mm ED ø 18,5 mm
525061	housing with micro switch H 36 mm	525166	lid for dosing container	525274	label for setting ring L 89 mm W 8 mm	525382	plain washers ID ø 7 mm ED ø 15 mm
525062	bar ø 2 mm L 118 mm SS	525167	glass cylinder for dosing container	525276	control panel with botton strips	525383	O-rings silicone thickness 1,9 mm
525063	spring L 35 mm spring steel	525168	drain pan ø 76 mm H 36 mm hole ø 12 mm	525277	control panel with botton strips	525384	filter holder gasket inner cone
525064	container for coffee powder ø 100 mm	525169	water dispersion ø 21 mm hole ø 1,5 mm	525278	control panel with botton strips	525385	flat gasket copper D1 ø 26 mm D2 ø 21 mm
525065	pressure pin for lever ø 4 mm D2 ø 6 mm	525170	drain pipe 1/8" L 42 mm WS 22	525279	control panel with botton strips	525386	plain washers ID ø 8 mm ED ø 14 mm
525066	pin for stop ø 2,6 mm D2 ø 4 mm L 17 mm	525171	camshaft shaft ø 8 mm	525280	control panel with botton strips	525387	O-rings silicone thickness 1,78 mm
525067	extension for micro switch M10x0,75	525172	knob ø 39 mm L 19 mm W 13 mm	525281	coffee grounds drawer W 205 mm D 308 mm	525388	steam/water tap swing lever inlet 1/4"
525068	push button for setting ring L 36 mm	525173	shaft ø 6 mm D2 ø 14,5 mm L 100 mm brass	525282	spray head tap head ø 86 mm	525389	intake valve front for IBERITAL
525069	pressure spring ø 5 mm L 28 mm	525174	screw connection T1 M16x1 T2 1/2"	525283	float ø 25 mm H 26 mm plastic	525390	water tap with pipe inlet 1/4"
525070	dosing unit complete lever right	525175	valve ø hexagon 16mm L 14 mm brass	525284	water level tube ED ø 10,4 mm	525391	steam tap with steam pipe inlet 1/4"
525071	glass cylinder ø 115 mm H 49 mm	525176	shaft ø 8 mm L 76 mm SS	525285	protection pipe ø 15 mm ID ø 12 mm	525392	intake valve rear for IBERITAL
525072	body for dosing container ø 120 mm	525178	symbol steam ø 35 mm L 27 mm	525286	water level tube ED ø 10,4 mm	525393	intake valve centre for IBERITAL
525073	lever for dosing unit hole ø 18,8 mm	525179	symbol water ø 35 mm L 27 mm	525287	protection pipe ø 15 mm ID ø 12 mm	525395	steam pipe 3/8" H 225 mm L 255 mm
525074	lever complete for dosing unit L 110 mm	525180	valve L 27 mm ED ø 16 mm	525288	water level tube ED ø 10,4 mm	525396	water pipe 3/8" ø 14,2 mm L 65 mm
525075	tension spring ø 10 mm wire gauge ø 1 mm	525181	valve L 61 mm ED ø 16 mm	525289	protection pipe ø 15 mm ID ø 12 mm	525397	lever for IBERITAL
525076	coffee press ø 56 mm L 85 mm H 40 mm	525182	sealing disc ø 9 mm thickness 5 mm	525290	protection pipe ø 15 mm ID ø 12 mm	525398	bezel for sliding valve water
525077	coffee press ø 56 mm L 70 mm H 40 mm	525183	group gasket L 72 mm W 64 mm	525291	protection pipe ø 15 mm ID ø 12 mm	525399	water level tube ED ø 10,4 mm
525078	spacer ring ø 42 mm ID ø 25 mm H 4 mm	525184	intake valve with expansion valve	525292	water level tube ED ø 10,4 mm	525400	protection pipe ø 15 mm ID ø 12 mm
525079	star mounting pos. bottom ø 109 mm	525185	steam tap mounting pos. right	525293	water level tube ED ø 10,4 mm	525401	water level tube ED ø 10,4 mm
525080	star mounting pos. centre ø 109 mm	525186	steam tap mounting pos. left inlet 3/8"	525294	protection pipe ø 15 mm ID ø 12 mm	525402	water level tube ED ø 10,4 mm
525081	cover plate mounting pos. bottom	525187	steam tap inlet 1/4" pipe length 150 mm	525295	protection pipe ø 15 mm ID ø 12 mm	525403	protection pipe ø 15 mm ID ø 12 mm
525082	ring for coffee beans container ø 96 mm	525188	water tap inlet 1/4" pipe length 80 mm	525296	water level tube ED ø 10,4 mm	525404	water level tube ED ø 10,4 mm
525083	label for setting ring ø 95 mm	525189	water tap inlet 1/4" pipe length 80 mm	525297	protection pipe ø 15 mm ID ø 12 mm	525405	water level tube ED ø 10,4 mm
525084	setting screw set ø 30 mm H 250 mm	525190	steam tap inlet 1/4" pipe length 130 mm	525298	water level tube ED ø 10,4 mm	525406	water level tube ED ø 10,4 mm
525085	coffee discharge chute L 90 mm aluminium	525191	steam/water tap mounting pos. left/right	525299	water level tube ED ø 10,4 mm	525407	water level tube ED ø 10,4 mm
525086	coffee beans container complete ø 175 mm	525192	steam pipe mounting pos. left 3/8"	525301	tube handle for pipe ø 10 mm ø 16 mm	525408	protection pipe ø 15 mm ID ø 12 mm
525087	coffee beans container complete ø 200 mm	525193	water pipe 3/8" L 95 mm tube ø 8 mm	525302	actuator L 56 mm for FAEMA model E61	525409	float for filling valve ø 110 mm H 55 mm
525090	coffee press ø 53 mm H 17 mm plastic	525194	water pipe 3/8" L 90 mm tube ø 8 mm	525303	flat gasket PTFE D1 ø 24,5 mm D2 ø 21 mm	525410	water tap complete 3/4"
525091	coffee press ø 57 mm H 16 mm plastic	525195	steam pipe mounting pos. left 3/8"	525304	flat gasket PTFE D1 ø 22 mm D2 ø 17 mm	525411	water tap ANIMO inlet 3/8" outlet 3/8"
525092	pressure spring ø 12 mm L 15 mm	525196	steam pipe mounting pos. right 3/8"	525305	flat gasket PTFE D1 ø 26 mm D2 ø 20,5 mm	525412	label EUREKA
525093	pressure spring ø 10,6 mm L 29,5 mm	525197	intake valve with expansion valve	525306	flat gasket PTFE D1 ø 16,5 mm	525413	safety valve connection 1/2"
525094	steam tap with lever inlet 3/8"	525198	tap body T1 3/8" T2 1/2" L 76 mm	525307	plain washers ID ø 13 mm ED ø 22 mm	525414	protective cover for sensor tube L 51 mm
525095	nozzle D1 ø 24 mm H 30 mm M10x1	525199	flat gasket PTFE D1 ø 25,5 mm D2 ø 21 mm	525308	gasket ED ø 13 mm ID ø 4 mm H 4 mm	525415	clamp spring for sensor L 15 mm W 10 mm
525096	expansion valve T1 1/8" ET	525200	steam pipe 3/8" H 200 mm tube ø 10 mm SS	525310	O-rings EPDM thickness 1,9 mm	525418	water level tube ED ø 12 mm ID ø 9 mm
525097	filter holder 2-way complete	525204	steam nozzle 1/8" ø 13 mm L 22 mm	525311	pressure spring ø 7,8 mm L 21 mm	525420	water tap complete 3/4"
525098	steam/water tap	525205	water tap with pressure pin inlet 1/4"	525312	O-rings Viton thickness 3,53 mm	525421	water tap complete 3/4"
525099	steam nozzle M10x1 ø 12 mm L 14 mm	525206	drain pan L 65 mm W 65 mm H 47 mm	525313	O-rings Viton thickness 3,53 mm	525424	lever for tap D 20 mm W 32 mm H 50 mm
525100	steam pipe mounting pos. left 3/8"	525207	intake valve brass inlet 1/4"	525314	plain washers ID ø 7,5 mm ED ø 20 mm	525425	screw cap for tap H 10 mm ø 32 mm
525101	steam pipe mounting pos. right 3/8"	525208	expansion valve with non return valve	525315	fuse terminal block wire gauge ø 1,5 mm	525428	instantaneous water heater 3100 W 230 V
525102	steam pipe H 150 mm W 70 mm tube ø 8 mm	525209	coupling ø 35 mm H 5,5 mm rubber	525316	plain washers ID ø 16,3 mm ED ø 27 mm	525429	water level tube ED ø 10,4 mm
525103	shim gasket D1 ø 72 mm D2 ø 58 mm	525210	coupling ø 35 mm H 11,5 mm	525317	pressure spring ø 11 mm L 23,5 mm	525430	tap tap head M28x1,5 grey
525104	filter holder gasket D1 ø 73 mm	525211	filter pan plastic W 260 mm D 260 mm	525318	shaft bearing suitable for FAEMA E61	525431	drain tap complete pipe length 60 mm
525105	filter holder gasket with inside notch	525212	keypad foil L 103 mm W 27 mm	525319	pressure spring ø 7,8 mm L 21 mm	525432	tap tap head ø 35 mm M28x1,5
525106	flat gasket PTFE D1 ø 26 mm D2 ø 19 mm	525213	bezel for sliding valve steam	525320	pressure spring ø 6,6 mm L 20,5 mm	525433	gasket for tap H 29 mm ø 31 mm
525107	flat gasket rubber D1 ø 16 mm D2 ø 8 mm	525214	drain pan L 85 mm ø 65 mm	525321	pressure spring ø 13 mm L 37,5 mm	525434	membrane keypad L 135 mm W 70 mm
525108	coffee press ø 57 mm H 41 mm plastic	525215	drain hose L 290 mm ID ø 4 mm	525322	pressure spring ø 14 mm L 24 mm	525435	tap tap head M35x1,5 grey/chrome
525109	O-rings EPDM thickness 2,7 mm	525216	drain pan L 90 mm W 70 mm H 43 mm	525323	pressure spring ø 11 mm L 32 mm	525436	distance washer for display L 8 mm
525110	tension spring ø 7,5 mm L 1 29 mm	525217	drain pan L 78 mm W 70 mm H 54 mm	525324	bush D1 ø 14,3 mm D2 ø 11,4 mm H 6 mm	525437	tap body D 65 mm W 35 mm H 62 mm M35x1,5
525111	keypad foil L 90 mm W 49 mm buttons 4	525218	water level tube ø 11 mm H 140 mm	525325	inspection glass 3/8" suitable for FAEMA	525438	water level tube ED ø 11,8 mm
525112	coffee press ø 55 mm H 34 mm plastic	525222	spring head tap head ø 82 mm	525326	steam/water tap inlet 1/4" outlet M20x1,5	525439	drain tap complete pipe length 32 mm
525113	holder H 22 mm L 65 mm plastic	525223	control panel with botton strips	525327	expansion valve T1 1/2" ET	525440	flat gasket EPDM D1 ø 15 mm D2 ø 8 mm
525114	housing for micro switch ø 116 mm	525224	manifold bottom part ø 49 mm NOVO	525329	aerator and air bleeder connection 1/4"	525441	permanent filter for coffee machine
525115	symbol steam ø 19 mm	525225	gasket for spray head ID ø 75 mm	525331	water pipe M20x1,5 ø 23,5 mm L 64 mm	525442	screw cap ø 22 mm H 13 mm
525116	steam pipe mounting pos. left 3/8"	525226	manifold for spray head ø 65 mm	525332	water pipe ø 23,5 mm L 80 mm	525443	end cap for instantaneous water heaters
525117	steam pipe mounting pos. right 3/8"	525227	manifold for spray head ø 50 mm	525333	steam pipe M20x1,5 H 130 mm L 180 mm	525445	water level tube ED ø 11,8 mm
525118	pressure spring ø 14,3 mm L 30,5 mm	525228	actuator L 65 mm W 28 mm buttons 2	525335	steam pipe M20x1,5 H 145 mm L 180 mm	525446	water level tube ED ø 11,8 mm
525119	pressure spring ø 8 mm L 28 mm	525229	hose for spray head ø 18 mm	525336	pipe 1 L 245 mm ø 14,1 mm	525447	water level tube ED ø 15,5 mm
525120	pressure spring ø 14,4 mm L 26 mm	525230	filter holder mounting ø 83 mm	525337	water pipe M16x1 ø 14,1 mm L 280 mm	525448	water level tube ED ø 15,5 mm
525121	nozzle bore ø 0,57 mm ø 5 mm D1 ø 6,5 mm	525231	filter holder mounting ø 83 mm	525338	steam pipe with adapter M20x1,5 H 140 mm	525449	protection pipe ø 19 mm ID ø 16 mm
525122	magnet M5 for solenoid valve H 23 mm	525232	blank filter ø 55,2 mm mounting ø 65 mm	525339	lever for filling valve plastic	525450	protection pipe ø 19 mm ID ø 16 mm
525123	expansion valve T1 1/4" ET	525233	shower filter ø 52 mm H 5 mm hole ø 5 mm	525340	joint for steam pipe	525451	filter pan plastic W 380 mm D 380 mm
525124	expansion valve T1 1/4" ET	525234	coffee filter ø 66 mm mounting ø 55 mm	525341	locking screw for cam shaft	525452	filter pan plastic W 280 mm D 280 mm
525125	safety valve connection 1/2"	525235	pressure spring ø 14,5 mm L 31,5 mm	525342	camshaft shaft ø 8 mm L 79,2 mm W 20 mm		

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
525453	keypad unit mounting pos. horizontal	525558	equipment foot ø 29 mm L 12 mm rubber	525662	star mounting pos. centre ø 112 mm	525767	water dispersion ø 30 mm H 13 mm
525454	keypad unit	525559	lever for dosing container hole ø 20 mm	525663	filter holder support L 87 mm W 55 mm	525775	filter holder gasket D1 ø 72 mm
525455	keypad unit buttons 2	525560	tension spring for lever L1 12 mm	525664	coffee press ø 55 mm L 73 mm H 70 mm	525778	flat gasket PTFE D1 ø 26 mm D2 ø 22 mm
525457	grinding burrs pair turn direction right	525561	screw M5 thread length 8 mm head ø 7 mm	525665	ring for dosing container ø 125 mm	525779	tray for water level tube plastic
525458	hot plate ø 168 mm H 13 mm black metal	525562	screw M4 thread length 8 mm	525666	collecting tray ø 171 mm	525780	flat gasket copper D1 ø 13 mm
525459	water dispersion ø 16 mm IT 1/4"	525563	micro switch kit cable length 400 mm	525667	glass cylinder ø 123 mm H 115 mm	525781	flat gasket EPDM D1 ø 40 mm D2 ø 34 mm
525460	float complete L 62 mm W 33 mm H 54 mm	525564	ratchet for dosing unit ø 26 mm	525668	coffee beans container complete L 108 mm	525782	lid for coffee beans container
525461	non return valve for hose ø 10,5 mm	525565	coffee beans container complete L 280 mm	525669	coffee beans container L 370 mm W 190 mm	525785	grinding burrs pair turn direction right
525462	filter pan stainless steel ED ø 193 mm	525566	bush D1 ø 15 mm D2 ø 12 mm ID ø 7 mm	525670	glass cylinder ø 96 mm H 60 mm MCF 220	525786	coffee beans container complete
525463	filter pan plastic ED ø 194 mm	525567	intake valve complete for SANREMO	525671	cover suitable for EUREKA	525788	coffee beans container ø 187 mm H 255 mm
525464	filter pan plastic ED ø 172 mm	525568	intake valve complete for SANREMO	525672	star mounting pos. bottom ø 90 mm	525789	steam pipe H 305 mm stainless steel
525465	filter pan plastic ED ø 190 mm	525569	intake valve complete for SANREMO	525673	protective cover	525790	shower filter ø 42 mm hole ø 5 mm
525466	drain tap complete pipe length 50 mm	525570	intake valve complete for SANREMO	525674	pressure spring ø 36 mm L 24 mm	525791	water pipe for telescopic rail 1/4"
525467	flow controller inlet 7/16"	525571	intake valve complete for SANREMO	525675	pressure spring ø 4,5 mm L 13 mm	525792	spout for EKO
525468	flow controller inlet 7/16" outlet M10mm	525572	button round ø 17 mm plastic blue	525677	pressure spring ø 23,5 mm L 24 mm	525793	spout adjustable
525469	gasket for tap H 21 mm ø 20 mm	525573	button round ø 17 mm plastic black	525678	filter holder support for doser L 130 mm	525794	spout with cappuccinatore
525470	water level tube complete H 220 mm 1/2"	525574	button round ø 17 mm plastic red	525679	grinding burr holder mounting pos. upper	525795	cappuccinatore suitable for ASTORIA
525471	water level tube complete H 270 mm 1/2"	525575	button round ø 17 mm plastic blue	525680	grinding burr holder	525796	shower filter ø 41,2 mm hole ø 5,7 mm
525472	water level tube complete H 320 mm 1/2"	525576	button round ø 17 mm plastic black	525681	setting screw for dosing container	525797	shower filter ø 41 mm hole ø 4,5 mm
525473	water level tube complete H 350 mm 1/2"	525577	button round ø 17 mm plastic red	525682	coffee press mounting pos. bottom	525798	non return valve plastic
525474	water level tube ED ø 15,5 mm	525578	button round ø 17 mm plastic blue	525683	lever for doser hole ø 25 mm L 145 mm	525799	aerator and air bleeder connection 1/4"
525475	filter pan plastic int. ø 1 154 mm	525579	button round ø 17 mm plastic black	525684	lever hole ø 18 mm plastic	525800	rubber grommet ø 9 mm H 14 mm
525476	hot plate ø 130 mm H 6 mm black	525580	button round ø 17 mm plastic red	525685	ratchet ø 29 mm int. ø 1 12 mm H 15 mm	525801	water dispersion ø 82 mm
525477	spray head ø 105 mm	525581	button round ø 17 mm plastic blue	525686	hook for dosing container	525802	protective cover for inspection glass
525478	tap head 1/2" D1 ø 24 mm D2 ø 18 mm	525582	button round ø 17 mm plastic black	525687	lid for dosing container	525803	spray head ø 103 mm suitable for ANIMO
525479	filter pan stainless steel ED ø 277 mm	525583	button round ø 17 mm plastic red	525688	lid for dosing container	525804	cap for tap W 26 mm H 40 mm L 55 mm
525480	filter pan stainless steel ED ø 320 mm	525584	button round ø 17 mm plastic blue	525689	star mounting pos. bottom ø 118 mm	525805	rubber grommet ø 9 mm H 18,5 mm
525481	drain tap hot water M26x1,75 black	525585	button round ø 17 mm plastic black	525691	coffee beans container complete ø 180 mm	525806	tap complete pipe length 60 mm M18
525482	drain tap tap head coffee	525586	button round ø 17 mm plastic red	525692	lid for coffee beans container 100x100mm	525807	tap complete pipe length 80 mm
525483	bolt for dosing container D1 ø 4 mm	525587	keys round ø 17 mm plastic set 2-piece	525693	glass cylinder coffee beans container	525808	tap complete pipe length 80 mm for ANIMO
525484	spring ø 3,4 mm L1 16,5 mm	525588	keys round ø 17 mm plastic set 2-piece	525694	catch L 74 mm W 47 mm H 2 mm	525809	tap body connection with flange
525485	manifold ø 35 mm plastic	525589	keys round ø 17 mm plastic set 2-piece	525695	sector plates plastic	525810	tap body M18 for ANIMO pipe length 60 mm
525486	rosette suitable for MARCO	525590	keys round ø 17 mm plastic set 6-piece	525696	sector plates stainless steel	525811	connection for inspection glass L 40 mm
525487	water level tube ED ø 15,5 mm	525591	keys round ø 17 mm plastic set 6-piece	525697	pressure spring ø 3,9 mm L 12 mm	525812	angle valve for inspection glass L 29 mm
525488	water level tube ED ø 15,5 mm	525592	keys round ø 17 mm plastic set 6-piece	525698	coffee press mounting pos. upper ø 57 mm	525813	angle valve for inspection glass L 29 mm
525489	tap coffee 3/4" black suitable for MARCO	525593	steam/water tap suitable for SANREMO	525699	catch for coffee beans container L 60 mm	525814	boot D1 ø 43,5 mm D2 ø 30 mm
525490	nozzle bore ø 1,25 mm M6x0,75 L 9 mm	525594	water level tube L 212 mm W 55 mm 3/8"	525700	drain pan L 100 mm W 80 mm H 47 mm	525815	grinding burrs pair turn direction right
525495	brewing unit for solenoid valve	525595	water level tube L 210 mm W 55 mm 1/4"	525701	collecting pipe L 100 mm W 42 mm H 40 mm	525816	grinding burrs pair turn direction right
525496	brewing unit for solenoid valve	525596	water level tube L 215 mm W 60 mm	525702	nozzle D1 ø 18 mm D2 ø 12,5 mm H 30 mm	525817	grinding burr holder
525497	filter holder gasket D1 ø 72,5 mm	525597	water level tube L 222 mm W 55 mm	525703	expansion valve T1 1/8" ET	525818	grinding burr holder
525498	pressure spring ø 8 mm L 34 mm	525598	steam pipe L 200 mm tube ø 10 mm IT 3/8"	525704	nozzle D1 ø 21 mm D2 ø 10 mm H 20 mm	525819	gasket copper D1 ø 17 mm D2 ø 13 mm
525499	pressure spring ø 8 mm L 31,5 mm	525599	steam pipe L 170 mm tube ø 10 mm IT 3/8"	525705	union nut 3/8" L 30 mm hole ø 12 mm SS	525820	O-rings EPDM thickness 2 mm ID ø 17 mm
525500	collecting tray L 120 mm W 141 mm	525600	steam pipe L 160 mm tube ø 10 mm IT 3/8"	525706	star handle bore ø 6 mm ø 40 mm	525821	O-rings EPDM thickness 1,9 mm
525501	lever for doser hole ø 8 mm metal	525601	steam pipe L 210 mm tube ø 10 mm IT 3/8"	525707	shower filter ø 51 mm H 14,3 mm	525822	gasket ED ø 15 mm seat ø 6 mm H 5,2 mm
525502	ratchet for doser ø 25 mm	525602	steam pipe L 210 mm tube ø 10 mm IT 3/8"	525708	filter holder mounting ø 65 mm	525823	spring ø 14,5 mm L 27,5 mm
525503	spring for ratchet	525603	filter holder mounting ø 83 mm	525709	coffee filter ø 60 mm mounting ø 53,5 mm	525824	spring ø 8 mm L 33 mm
525504	tension spring L 29 mm W 7 mm	525604	drain pan L 135 mm W 110 mm H 45 mm	525710	coffee filter ø 60 mm mounting ø 53,5 mm	525825	spring ø 12 mm L 14,5 mm
525505	hook for ratchet L 26 mm metal	525605	drain pan L 135 mm W 110 mm H 45 mm	525711	spring L 62 mm W 56,5 mm	525826	bush D1 ø 9 mm D2 ø 12 mm int. ø 1 7 mm
525506	rivet ø 5 mm H 6 mm brass	525606	filter holder gasket D1 ø 73 mm	525712	shower filter ø 56,8 mm H 6 mm	525827	bush for steam-/water-tap D1 ø 9 mm
525507	coffee beans container with lid ø 120 mm	525607	filter holder gasket D1 ø 73 mm	525713	fine filter flat ø 14 mm H 0,2 mm	525828	press ring D1 ø 14,6 mm ID ø 11,6 mm
525508	coffee beans container with lid ø 155 mm	525608	O-rings EPDM thickness 2,7 mm	525714	water dispersion ø 30 mm H 5,5 mm	525829	plain washers with turning handle
525509	handle for lever L 50 mm W 14 mm H 7 mm	525609	flat gasket PTFE D1 ø 18 mm D2 ø 13,5 mm	525715	bolt square brass M3 L 13 mm W 6 mm	525830	piston for non-return valve triangular
525510	coffee discharge chute plastic	525610	flat gasket PTFE D1 ø 35 mm D2 ø 30 mm	525716	bolt square brass M3 L 11,8 mm W 6 mm	525831	valve for filling valve L 25,2 mm square
525511	dosing unit with lever ø 95 mm H 90 mm	525611	flat gasket PTFE D1 ø 22 mm D2 ø 17 mm	525717	bolt square brass M3 L 12 mm W 6 mm	525832	sealing disc D1 ø 7 mm thickness 2 mm
525512	cylinder for dosing unit ø 95 mm H 42 mm	525612	flat gasket PTFE D1 ø 56 mm D2 ø 42 mm	525718	bolt brass M4 ø 4,5 mm L 35 mm	525833	steam/water tap inlet 1/4" outlet 1/4"
525513	lid for dosing container ø 95 mm ASCASO	525613	O-rings VBR thickness 1,78 mm	525719	gasket support L 18 mm ED ø 16 mm	525834	water tap inlet 1/4" Tr18x2
525514	grinding burrs pair turn direction right	525614	O-rings Nitr thickness 1,9 mm ID ø 5,7 mm	525720	shower support D1 ø 58 mm D2 ø 51,5 mm	525835	steam tap inlet 1/4" Tr18x2
525515	gear wheel for gear motor ø 60 mm H 8 mm	525615	drain pan L 90 mm W 80 mm H 43 mm	525721	threaded rod M8 L 22 mm intake slotted	525836	intake valve for FIAMMA
525516	coffee beans container ø 200 mm H 267 mm	525616	water pipe 3/8" ø 23,5 mm L 112 mm	525722	reducing washer for pipe ø 10 mm	525837	intake valve for FIAMMA
525517	lid for coffee beans container ø 200 mm	525617	non return valve inlet 1/4" outlet 1/8"	525723	cover for steam-/water-tap ø 30 mm	525838	steam pipe 3/8" H 180 mm L 210 mm
525518	cylinder for dosing unit ø 118 mm	525618	expansion valve T1 1/8" ET	525724	lever for steam-/water-tap L 32 mm T1 M6	525839	steam pipe 1/4" H 160 mm tube ø 8 mm
525519	lid for dosing container ø 120 mm	525619	safety valve connection 3/8"	525725	pressure pin for filling valve ø 15,8 mm	525840	infusor 1/2" L 42 mm WS 23
525520	coffee press ø 53 mm H 16 mm aluminium	525620	drain valve inlet 1/8" outlet 1/8"	525726	group gasket L 71,5 mm W 70,5 mm	525841	drain pan L 110 mm W 85 mm H 50 mm
525521	coffee press ø 57 mm H 16 mm aluminium	525621	connecting fitting for solenoid valve	525727	gasket D1 ø 12,4 mm D2 ø 7 mm	525842	inspection glass pipe ø 11 mm H 134 mm
525522	catch for coffee beans container	525622	spacer piece for keypad L 13,5 mm ø 6 mm	525728	bush for steam-/water-tap D1 ø 12 mm	525843	inspection glass pipe
525523	torsion spring ø 28 mm wire gauge ø 2 mm	525623	steam/water tap mounting pos. left/right	525729	gasket for drain assembly D1 ø 15 mm	525844	shower filter ø 53,3 mm H 18,2 mm
525524	grinding burrs pair turn direction right	525625	steam/water tap	525730	gasket D1 ø 14,6 mm D2 ø 8,6 mm	525845	filter holder mounting ø 83 mm
525525	grinding burrs pair turn direction right	525626	steam/water tap suitable for PAVONI	525731	nozzle M10x1 ø 12 mm L 14 mm 4 holes	525846	protection pipe ø 15 mm ID ø 11 mm
525526	grinding burrs pair turn direction right	525627	steam pipe with nozzle L 210 mm	525732	retainer clip L 14 mm stainless steel	525847	water level tube ED ø 10,4 mm
525527	coffee beans container with lid L 280 mm	525628	steam pipe with nozzle L 175 mm	525733	press ring D1 ø 14,6 mm D2 ø 9,6 mm	525848	tap for float for WKI/WKT
525528	motor with belt pulley ø 28 mm L 32 mm	525629	milk foamer connection 6mm plastic	525734	plain washers D1 ø 27 mm D2 ø 21,2 mm	525849	steam tap inlet M12x1
525529	motor with belt pulley ø 28 mm L 32 mm	525630	turning handle ø 46 mm grey for PAVONI	525735	ring for steam-/water-tap ø 31,2 mm	525850	water tap inlet M12x1
525530	motor with belt pulley ø 28 mm L 32 mm	525631	turning handle ø 50 mm Tr18x4 black	525736	cylindrical handle M6 ø 18 mm L 45 mm	525851	nozzle M10x0,75 ø 13 mm L 35 mm 4 holes
525531	round belt for coffee grinder	525632	symbol water for water tap ø 50 mm	525737	plain washers with turning handle	525852	water dispersion ø 89 mm
525532	O-rings Viton thickness 1,5 mm	525633	symbol water for water tap ø 50 mm grey	525739	gasket D1 ø 93 mm D2 ø 80 mm	525853	spray head ø 57 mm suitable for BONAMAT
525533	grinding burrs pair turn direction left	525634	symbol steam for steam tap ø 50 mm grey	525740	filter holder gasket D1 ø 60 mm	525854	level electrode for BFT
525534	holder for coffee press aluminium	525637	water level tube ø 9 mm H 132 mm	525741	piston gasket D1 ø 43,5 mm D2 ø 31,5 mm	525855	level electrode suitable for BONAMAT
525535	coffee press ø 57 mm H 16 mm M4 plastic	525638	turning handle ø 45 mm shaft ø 8x6,5mm	525742	flat gasket PTFE D1 ø 9,8 mm D2 ø 6,1 mm	525856	filter pan plastic ED ø 174 mm
525536	screw for coffee press M4 L 20 mm	525639	cone handle ø 29 mm L 92 mm M12 black	525743	flat gasket PTFE D1 ø 16,5 mm D2 ø 13 mm	525857	filter pan plastic ED ø 174 mm
525537	coffee press ø 52 mm H 19 mm M4 plastic	525640	threaded rod L 45 mm M12x1,75	525744	grinding burr holder D1 ø 30 mm	525858	filter pan plastic W 250 mm D 250 mm
525538	knob shaft ø 8x7 black plastic	525641	cylindrical handle M8 ø 21 mm L 50 mm	525745	flat gasket PTFE D1 ø 26 mm D2 ø 22,5 mm	525869	steam/water tap inlet 8,5
525539	pin for stop ø 4 mm L 15 mm	525642	water level tube ø 12 mm H 106 mm	525746	flat gasket PTFE D1 ø 18 mm D2 ø 13 mm	525870	water tap inlet 8,5
525540	setting ring for coffee grinder ø 85 mm	525643	water level tube ø 12 mm H 110 mm	525747	grinding burr holder D1 ø 50 mm	525873	angle valve for inspection glass
525541	protection L 58 mm plastic	525644	manometer ø 57 mm	525748	lever hole ø 25 mm L 115 mm	525874	drain tap for inspection glass
525542	clamp spring L 42 mm	525645	manometer ø 57 mm pressure range 0-16bar	525749	counter ø 20 mm lever length 30 mm	525875	water level tube ED ø 12 mm ID ø 9 mm
525543	bezel L 142 mm plastic	525646	camshaft shaft ø 8 mm	525750	ratchet ø 38 mm int. ø 1 20 mm H 17 mm	525876	water level tube ED ø 12 mm ID ø 9 mm
525544	manifold 2-way L 230 mm plastic	525647	grinding burrs pair turn direction right	525751	nut M10L thread length 25 mm brass	525878	valve body for steam-/water-tap
525545	flap right plastic	525649	shaft for steam tap ø 6x8mm	525752	adjustment wheel for coffee grinder	525879	safety valve suitable for BONAMAT
525546	flap left plastic	525650	filter holder mounting ø 83 mm	525753	adjustment wheel for coffee grinder	525880	spray head ø 57 mm hose connector ø 9 mm
525547	lid for coffee beans container L 280 mm	525651	coupling ø 40 mm for shaft 3,5x7,5	525754	pin for ratchet ø 4 mm L 16 mm	525881	water level tube ED ø 12 mm ID ø 9 mm
525548	collecting tray L 240 mm W 170 mm	525652	grub screw M10 L 10 mm WS 5	525755	pin for ratchet ø 5 mm L 18 mm	525882	tap hot water suitable for MARCO
525549	keypad foil L 85 mm W 62 mm	525653	screw M6 L 22 mm WS 5 for brewing unit	525756	water dispersion ø 30 mm hole ø 1,5 mm	525883	clip for tap suitable for MARCO
525550	filter holder support large SS	525654	screw M6 L 22 mm WS 11 for brewing unit	525757	water dispersion ø 30 mm hole ø 3 mm	525884	plain washers ID ø 8 mm ED ø 16 mm
525551	filter holder support Standard plastic	525655	screw for steam tap M4	525758	bush for filling valve D1 ø 15 mm	525887	gasket copper D1 ø 28 mm D2 ø 34 mm
525552	spring for stop ø 4 mm L 15 mm	525656	label thermal protection	525759	valve for drain unit L 20,5 mm	525888	flat gasket PTFE D1 ø 47 mm D2 ø 38 mm
525553	setting ring mounting ø 88 mm ø 113 mm	525657	label large EUREKA	525760	valve for drain unit L 59,5 mm square	525889	flat gasket copper D1 ø 20 mm
525554	setting ring mounting ø 88 mm ø 125 mm	525658	label for setting ring FINE/GROSSO	525761	valve for brewing unit L 57,7 mm round	525890	flat gasket PTFE D1 ø 22 mm D2 ø 16 mm
525555	grinding burrs pair turn direction left	525659	label warning advice motor	525762	aspiration tube tube ø 8 mm	525891	flat gasket PTFE D1 ø 25 mm D2 ø 21,5 mm
525556	coffee press ø 57 mm H 14 mm plastic	525660	star mounting pos. upper ø 112 mm	525763	camshaft shaft ø 8 mm	525892	nozzle bore ø 0,65 mm M6x0,75 L 9 mm
525557	lid for dosing container	525661	star mounting pos. upper ø 85 mm	525764	valve body for steam-/water-tap	525893	gasket D1 ø 15 mm thickness 8 mm



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
525894	sealing disc ED ø 15 mm H 4 mm	526004	pressure spring ø 13,7 mm L 24,5 mm	526109	O-rings EPDM thickness 2,7 mm	526212	grinding burr holder D1 ø 64 mm
525895	gasket D1 ø 13 mm ID ø 4,5 mm	526005	shaft steam tap ø 14,8 mm L 92,5 mm M6	526110	steam tap complete inlet 3/8"	526213	grinding burr holder D1 ø 75 mm
525896	gasket D1 ø 15 mm ID ø 4 mm	526006	camshaft shaft ø 8 mm	526111	water pipe M16x1,5 ø 23,5 mm L 45 mm	526214	grinding burr holder D1 ø 54 mm
525897	bush D1 ø 15 mm int. ø 18 mm H 12,8 mm	526007	valve group supply L 52,8 mm ED ø 16 mm	526112	steam pipe M16x1,5 H 140 mm tube ø 10 mm	526215	grinding burr holder D1 ø 50 mm
525898	bush D1 ø 14 mm D2 ø 7 mm	526008	valve group outflow L 54,3 mm ED ø 16 mm	526113	water dispersion ø 56,4 mm H 9,2 mm	526216	grinding burrs pair turn direction left
525899	O-rings Viton thickness 1,9 mm	526009	piston for non-return valve with O-ring	526114	water dispersion ø 56,4 mm H 10,2 mm	526217	grinding burrs pair turn direction left
525900	filter holder without bottom	526010	bush steam/water tap D1 ø 10,5 mm	526117	drain unit connections 5x hose/1x 3/8"	526218	grinding burrs pair turn direction left
525901	filter holder without bottom	526011	flat gasket PTFE D1 ø 18,2 mm	526118	drain unit connections 4x hose/1x 3/8"	526219	grinding burr holder aluminium
525902	filter holder without bottom	526012	flat gasket PTFE D1 ø 14,5 mm D2 ø 11 mm	526119	gasket D1 ø 13 mm ID ø 5 mm	526220	grinding burr holder brass
525903	filter holder without bottom	526013	flat gasket PTFE D1 ø 22 mm D2 ø 17 mm	526120	union screw M22x1,25 ID ø 10 mm WS 24	526221	grinding burr holder D1 ø 54 mm
525904	filter holder without bottom	526014	flat gasket PTFE D1 ø 35 mm D2 ø 30 mm	526121	tap body T1 3/8" IT T2 3/8" ET	526222	grinding burr holder D1 ø 50 mm
525905	filter holder without bottom	526015	nozzle thickness 1 mm D1 ø 18,2 mm	526122	bush for solenoid valve ID ø 2,65 mm	526223	holder for coffee press L 40 mm M8x1,25
525906	filter holder without bottom	526016	nozzle bore ø 2,5 mm ED ø 18,2 mm	526123	bush for solenoid valve ID ø 1,7 mm	526224	holder for coffee press L 39 mm
525907	filter holder without bottom	526017	gasket support D1 ø 16 mm D2 ø 10 mm	526124	steam/water tap inlet 3/8" ET	526225	coffee discharge chute stainless steel
525908	filter holder without bottom	526020	label L 119 mm W 30 mm Min/Max	526125	drain tap for boiler connection 3/8"	526226	filter holder support for doser long
525910	filter holder without bottom	526021	drain pan L 81 mm W 65 mm H 48 mm	526126	non return valve inlet 1/4" outlet 3/8"	526227	filter holder support for doser short
525911	filter holder without bottom	526022	non return valve T1 3/8" T2 3/8" T3 1/8"	526127	non return valve inlet 1/4" ET	526228	filter holder support for doser L 70 mm
525912	filter holder without bottom	526023	bush steam/water tap D1 ø 12 mm	526128	expansion valve T1 1/4" ET	526229	filter holder support for coffee grinder
525913	filter holder without bottom	526024	spring ø 10,3 mm L 31 mm	526129	non return valve inlet 1/8" outlet 1/8"	526230	lever for doser hole ø 30 mm L 95 mm
525914	filter holder without bottom	526026	water tap with handle inlet 1/4"	526130	screw connection for steam-/water-tap	526231	lever for doser hole ø 25,5 mm L 80 mm
525915	filter holder without bottom	526027	water tap with water pipe and knob	526131	nozzle hole ø 2 mm 1/4" brass	526232	filter holder support for doser L 53 mm
525916	filter holder for malt coffee	526028	water tap with water pipe and knob water	526132	coffee filter ø 70 mm mounting ø 60 mm	526233	handle for setting ring
525917	filter holder for malt coffee	526029	water tap with water pipe and knob	526133	intake valve water with non return valve	526234	sector plates plastic suitable for ANFIM
525918	filter holder for malt coffee	526030	steam tap with steam pipe and knob steam	526134	tap body T1 3/8" T2 3/8"	526235	sector plates plastic suitable for ANFIM
525919	filter holder for malt coffee	526031	steam tap with steam pipe and knob	526135	nozzle bore ø 0,75 mm ED ø 7,5 mm	526236	ring for doser ø 128 mm
525920	filter holder for malt coffee	526032	steam nozzle M10x1 ø 8,5 mm L 7,3 mm	526136	coffee beans container ø 163 mm H 193 mm	526237	push button for setting ring L 29 mm
525921	filter holder for malt coffee	526033	steam tap with steam pipe inlet 1/4"	526137	coffee beans container ø 187 mm H 251 mm	526238	holder for coffee press ø 16 mm L 46 mm
525922	filter holder for malt coffee	526035	steam tap with steam pipe inlet 1/4"	526138	dosing unit with lever	526239	spring wire gauge ø 1,6 mm
525923	filter holder for malt coffee	526036	steam tap steam tap inlet 1/4"	526139	grinding burr holder for model K-6	526240	holding pin wire gauge ø 2 mm
525924	filter holder for malt coffee	526037	steam pipe 3/8" H 210 mm ø 14,3 mm	526140	filter holder gasket D1 ø 73,3 mm	526241	fixing strap L 74 mm
525925	filter holder for malt coffee	526038	water tap with water pipe inlet 1/4"	526141	filter holder gasket D1 ø 73,3 mm	526242	spindle for dosing unit shaft ø 16,5 mm
525926	filter holder for malt coffee	526039	tube handle L 34 mm plastic	526142	O-rings Viton thickness 2 mm ID ø 12 mm	526243	counter for dosing unit
525927	filter holder for malt coffee	526040	bush D1 ø 10,35 mm D2 ø 8,85 mm	526143	water level tube ø 11 mm H 114,5 mm	526244	lid for dosing container ø 123,5 mm
525928	filter holder for malt coffee	526041	pit kit with solenoid valve T1 1/8"	526144	torsion spring ø 38 mm L2 18 mm	526245	lid for dosing container ø 120,5 mm
525929	filter ø 42 mm type A (30mm)	526042	water level tube ø 11 mm H 140 mm	526145	lever left doser hole ø 19 mm aluminium	526246	lid for dosing container ø 121,5 mm
525931	filter holder spring L 45 mm W 43 mm	526043	water level tube set	526146	bush D1 ø 13,6 mm D2 ø 10,7 mm H 3,6 mm	526247	lid for dosing container ø 115,5 mm
525932	milk foamer connection 1/8" plastic	526044	pipe ø 9,5 mm L 64,5 mm T1 M10x1 MT	526147	flat gasket copper D1 ø 16,7 mm	526248	lid for dosing container ø 125 mm
525933	milk foamer connection 6mm plastic	526045	fine filter ø 9 mm H 22 mm	526149	lever right doser hole ø 19 mm aluminium	526249	lid for coffee beans container
525935	milk foamer connection 1/8"	526046	retainer clip L 20 mm	526150	lever left doser hole ø 18 mm plastic	526250	lid for coffee beans container ø 195 mm
525936	milk foamer connection 1/8" plastic	526047	safety valve connection 3/8"	526151	lever right doser hole ø 18 mm plastic	526251	intake valve with lever
525937	milk foamer connection M6x0,75 plastic	526048	expansion valve with non return valve	526152	lever right doser hole ø 18,5 mm	526252	collecting tray L 165 mm W 130 mm
525942	nozzle bore ø 1 mm M5 L 15 mm	526049	expansion valve T1 1/8" IT	526153	lever left for doser L 19 mm aluminium	526253	collecting tray L 212 mm W 155 mm
525943	nozzle bore ø 0,55 mm M6 L 23 mm	526050	non return valve inlet 1/8" IT	526154	lid for coffee beans container ø 162 mm	526254	filter holder gasket D1 ø 73,6 mm
525944	gasket D1 ø 20 mm D2 ø 14 mm H 10 mm	526051	press ring D1 ø 14,8 mm D2 ø 11,5 mm	526155	cylinder ø 125,5 mm H 68,2 mm	526255	filter holder gasket D1 ø 73,6 mm
525945	ball ø 10 mm plastic	526052	bush D1 ø 15 mm H 5 mm brass inner cone	526156	lid for dosing container L 181 mm	526256	filter holder gasket D1 ø 73,6 mm
525946	torsion spring ø 14,3 mm L2 13 mm	526053	pressure spring ø 13,8 mm L 19,6 mm	526157	housing for micro switch	526257	water level tube ø 11 mm H 140 mm
525947	roller ø 15 mm W 10 mm brass hole ø 7 mm	526054	pressure spring ø 10,8 mm L 23,8 mm	526158	coffee discharge chute plastic	526258	gasket D1 ø 12,5 mm thickness 5,5 mm
525948	ball for steam-/water-tap	526055	pressure spring ø 10,7 mm L 32 mm	526159	coffee press ø 53 mm H 18,5 mm M8x1,25	526259	O-rings Viton thickness 2 mm ID ø 7,2 mm
525949	pin for steam-/water-tap stainless steel	526056	pressure spring ø 7 mm L 15 mm	526160	counterflange for coffee press M6	526260	pressure spring ø 10,3 mm L 31,5 mm
525950	coffee filter ø 66 mm mounting ø 57 mm	526057	pressure spring ø 9,7 mm L 14 mm	526161	coffee press ø 50 mm H 20 mm plastic	526261	coffee filter ø 70 mm mounting ø 60,5 mm
525951	coffee filter ø 66 mm mounting ø 57 mm	526058	washer ID ø 6,65 mm ED ø 25 mm	526162	coffee press ø 57 mm H 13 mm M8x1,25	526262	water dispersion ø 30 mm hole ø 1,5 mm
525952	coffee filter ø 66 mm mounting ø 57 mm	526059	gasket aluminium D1 ø 22,4 mm	526163	coffee press ø 53 mm H 13 mm M8x1,25	526263	union nut 3/8" hole ø 11,6 mm H 8 mm
525953	coffee filter ø 66 mm mounting ø 57 mm	526060	flat gasket fiber D1 ø 60 mm D2 ø 43 mm	526164	coffee press ø 57 mm H 28 mm M8x1,25	526264	bush for steam pipe D1 ø 12 mm D2 ø 9 mm
525954	shower filter ø 48 mm hole ø 5 mm flat	526061	flat gasket Viton D1 ø 60 mm D2 ø 43 mm	526165	gasket for coffee beans container	526265	flat gasket PTFE D1 ø 24 mm D2 ø 19 mm
525955	water dispersion ø 54 mm H 12 mm	526062	gasket D1 ø 12,1 mm thickness 6,1 mm	526166	star complete ø 118 mm plastic	526266	screw cap square M3 L 10 mm W 6 mm
525956	filter holder spring L 70 mm W 60 mm	526063	filter holder gasket D1 ø 73,3 mm	526167	star complete ø 118 mm aluminium	526268	tube handle L 35 mm plastic
525957	coffee filter ø 66 mm mounting ø 57 mm	526064	filter holder gasket D1 ø 73,3 mm	526168	dosing unit with lever	526269	filter holder gasket D1 ø 72,3 mm
525958	coffee filter ø 66 mm mounting ø 57 mm	526065	filter holder gasket D1 ø 73,3 mm	526169	dosing unit with lever and button	526270	filter holder gasket D1 ø 72,3 mm
525959	water pipe 3/8" L 85 mm tube ø 11 mm	526066	filter holder mounting ø 80,2 mm	526170	dosing unit with lever and counter	526271	O-rings HNBR thickness 2,62 mm
525960	non return valve inlet 3/8" outlet 3/8"	526067	coffee filter ø 70 mm mounting ø 60 mm	526171	dosing unit with lever and counter	526272	O-rings HNBR thickness 3,53 mm
525961	expansion valve with non return valve	526068	coffee filter ø 70 mm mounting ø 60 mm	526172	dosing unit	526273	O-rings HNBR thickness 2,62 mm
525962	gasket D1 ø 163 mm D2 ø 150 mm	526069	coffee filter ø 70 mm mounting ø 60 mm	526173	lid for dosing container L 199 mm	526274	grinding burrs pair turn direction right
525963	gasket D1 ø 132 mm D2 ø 123 mm	526070	coffee filter ø 70 mm mounting ø 60 mm	526174	grinding burr holder	526275	label for setting ring L 60 mm W 10 mm
525964	pressure spring ø 16 mm L 20 mm	526071	O-rings Viton thickness 2 mm ID ø 5,6 mm	526175	grinding burr holder for model K6	526276	lever right doser hole ø 20 mm L 120 mm
525965	pressure spring ø 16 mm L 20 mm	526072	O-rings Viton thickness 3 mm ID ø 9,8 mm	526176	grinding burr holder	526277	lever right doser hole ø 18 mm L 108 mm
525966	pressure spring ø 11,8 mm L 15 mm	526073	tap body T1 1/4" T2 3/8" T3 M16x1 IT	526177	grinding burrs pair turn direction right	526278	cylinder for dosing container ø 129 mm
525967	pressure spring ø 14,5 mm L 20 mm	526074	steam/water tap inlet 1/4" outlet 3/8"	526178	grinding burr holder	526279	coffee beans container brown ø 260 mm
525968	pressure spring ø 10,3 mm L 28 mm	526075	screw connection T1 M16x1 T2 1/2"	526179	coffee press ø 56 mm H 18 mm plastic	526280	coffee beans container L 160 mm W 160 mm
525969	sealing disc ED ø 13 mm H 3,4 mm	526076	shaft for steam-/water-tap ø 14,75 mm	526180	holder for coffee press ø 57 mm L 76 mm	526281	container lid for coffee beans container
525970	gasket D1 ø 23 mm D2 ø 18,5 mm	526077	pressure spring ø 7 mm L 26 mm	526181	coffee beans container L 175 mm W 175 mm	526282	lid coffee beans container ø 189 mm
525971	gasket D1 ø 15 mm D2 ø 5,4 mm	526078	gasket D1 ø 15 mm thickness 4 mm Viton	526182	cylinder for dosing container ø 117 mm	526283	lid coffee beans container L 154 mm
525972	filter holder suitable for GAGGIA	526079	drain pipe for solenoid valve ø 6 mm	526183	cylinder for dosing container ø 130 mm	526284	lid for dosing container ø 58 mm H 12 mm
525975	filter holder holder for BFC/ROYAL1	526080	gasket D1 ø 12,5 mm thickness 6,6 mm	526184	coffee beans container ø 200 mm H 147 mm	526285	lid for dosing container ø 121 mm
525976	filter holder	526081	injection pipe ø 6 mm ID ø 4 mm L 200 mm	526185	coffee beans container ø 130 mm H 100 mm	526286	coffee press complete ø 57 mm L 70 mm
525977	filter holder	526082	nozzle M8,5x0,75 ø 12,5 mm L 16 mm	526186	coffee beans container ø 150 mm H 190 mm	526287	coffee press ø 57 mm L 100 mm H 11 mm
525978	filter holder	526083	steam pipe L 180 mm ID ø 14,5 mm	526187	coffee beans container ø 193 mm H 185 mm	526288	coffee press with bolt ø 57 mm L 129 mm
525979	filter holder suitable for GAGGIA	526084	filter holder single without filter	526188	coffee beans container ø 194 mm H 231 mm	526289	pressure pin for setting ring L 30 mm
525980	filter holder suitable for CIMBALI	526085	filter holder 2-fold complete	526189	cylinder ø 130 mm H 67 mm	526290	pressure pin for setting ring L 49 mm
525981	filter holder suitable for CIMBALI	526086	end cap CONTI round red ø 23 mm	526190	label for setting ring L 483 mm W 4 mm	526291	spring ø 27 mm wire gauge ø 2 mm
525982	filter holder suitable for MARZOCCO	526087	pressure spring ø 10,7 mm L 14,5 mm	526191	pressure spring ø 10,5 mm L 70,5 mm	526292	pressure spring ø 3,7 mm L 20 mm
525983	filter holder suitable for MARZOCCO	526088	pressure spring ø 12,7 mm L 31,4 mm	526192	pressure spring ø 7,8 mm L 20 mm	526293	pressure spring ø 10 mm L 61 mm
525984	filter holder	526089	pressure spring ø 4,9 mm L 17 mm	526193	pressure spring ø 4,7 mm L 26 mm	526294	pressure spring ø 5 mm L 24 mm
525985	filter holder suitable for BRASILIA	526090	flat gasket copper D1 ø 11,7 mm	526194	tension spring ø 10,6 mm	526295	pressure spring ø 12,6 mm L 76 mm
525986	filter holder suitable for SPAZIALE	526091	flat gasket copper D1 ø 21 mm	526195	tension spring ø 9 mm L1 31 mm	526296	tension spring ø 9 mm L1 31 mm
525987	filter holder suitable for PAVONI	526092	flat gasket copper D1 ø 20,8 mm	526196	thread bolt ø 8 mm M4 L 36 mm	526297	tension spring ø 6 mm L1 9,8 mm
525988	filter holder suitable for FRACINO	526093	flat gasket copper D1 ø 25,8 mm	526197	bolt for doser D1 ø 4 mm L 10 mm	526298	pin for ratchet ø 5 mm L 16 mm
525989	filter holder suitable for CARIMALI	526094	flat gasket PTFE D1 ø 17,3 mm	526198	pressure pin for setting ring	526299	pin for ratchet ø 5 mm D2 ø 4 mm L 18 mm
525990	filter holder suitable for RENEKA	526095	flat gasket PTFE D1 ø 39,6 mm	526199	bolt D1 ø 8 mm D2 ø 12 mm L 135 mm T1 M8	526300	keypad unit W 44 mm L 135 mm buttons 6
525991	filter holder suitable for ELEKTRA	526096	flat gasket PTFE D1 ø 63,7 mm	526200	ratchet for dosing unit ø 30 mm	526301	keypad unit W 38 mm L 162 mm buttons 7
525992	filter holder	526097	flat gasket PTFE D1 ø 75,8 mm	526201	stopper for lever L 14 mm W 10 mm H 4 mm	526302	display W 36 mm L 80 mm
525993	filter holder suitable for SAN MARCO	526098	lever steam	526202	ratchet for doser ø 25 mm	526303	front foil L 132 mm W 41 mm
525994	pressure spring ø 12 mm L 21 mm	526099	lever grey	526203	pressure spring ø 5,6 mm L 24 mm	526304	front foil L 178 mm W 51 mm
525995	water tap inlet 8,5	526100	end cap 1/2" L 15 mm WS 26 plastic	526204	shaft with hex bolster ø 10 mm L 24 mm	526305	front foil L 178 mm W 51 mm
525996	steam/water tap inlet 8,5	526102	drain pipe connection 9 mm T1 1/2" plastic	526205	cylinder for dosing container ø 110,5 mm	526306	front foil L 132 mm W 41 mm
525997	filter holder suitable for IBERITAL	526103	drain pan set ø 102 mm H 41 mm	526206	cylinder for dosing container ø 121,5 mm	526307	front foil L 178 mm W 51 mm
525998	filter holder suitable for IBERITAL	526104	drain pan set ø 102 mm H 41 mm	526207	star for dosing unit complete ø 98 mm	526308	front foil L 178 mm W 51 mm
525999	filter holder suitable for RST-FIAMMA	526105	O-rings Viton thickness 1,5 mm ID ø 5 mm	526208	star for dosing unit complete ø 111 mm	526309	front foil L 178 mm W 51 mm
526000	steam pipe 3/8" H 185 mm ø 14,5 mm	526106	O-rings EPDM thickness 1,9 mm	526209	coffee press ø 56 mm H 21 mm M8 plastic	526310	front foil L 178 mm W 51 mm
526002	valve support ø 16 mm L 27 mm brass	526107	O-rings EPDM thickness 2,7 mm	526210	coffee press ø 52 mm H 24 mm M8 plastic	526311	front foil L 178 mm W 51 mm
526003	pressure spring ø 13,8 mm L 54,5 mm	526108	O-rings silicone thickness 6,3 mm	526211	coffee press ø 45 mm H 20,5 mm M8	526312	front foil L 132 mm W 41 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
526313	front foil L 132 mm W 41 mm	526423	keypad foil L 75 mm W 70 mm black/silver	526526	lid for coffee beans container ø 208 mm	526628	heating element 4370 W 230 V
526314	membrane keypad L 152 mm W 32 mm	526424	tap aerator D1 ø 23,5 mm H 30 mm M10x1	526527	filter holder mounting ø 83 mm	526629	heating element 1500 W 230 V
526315	display coffee machine W 44 mm L 122 mm	526425	water pipe 1/2" ø 23,5 mm L 78 mm	526528	filter holder mounting ø 82 mm	526630	water level tube ø 11 mm H 95 mm
526316	display W 44 mm L 135 mm	526426	water pipe 1/2" ø 23,5 mm L 45 mm WS 7,5	526529	collecting tray ø 96 mm	526631	flat gasket rubber D1 ø 24 mm D2 ø 15 mm
526317	front foil L 178 mm W 51 mm	526427	water level tube ø 11 mm H 155 mm	526530	lid L 75 mm W 57 mm	526632	button oval L 21 mm W 17 mm H 14 mm
526318	knob dial plate steam	526428	inspection glass with bulb socket	526531	holder H 66 mm plastic	526633	button oval L 17 mm W 14 mm H 10 mm
526319	knob dial plate water	526429	gasket L 76 mm fiber H 2 mm W 70 mm	526532	coffee press ø 54,5 mm H 16 mm M8	526634	steam pipe complete L 165 mm
526320	membrane keypad L 152 mm W 32 mm	526430	intake valve complete	526533	bolt D1 ø 8 mm D2 ø 12 mm L 149 mm T1 M8	526635	steam pipe with Teflon gasket L 180 mm
526321	electronic box for coffee machine	526431	gasket copper D1 ø 26 mm D2 ø 21,5 mm	526534	coffee press complete ø 54,5 mm H 160 mm	526636	steam pipe L 100 mm tube ø 6 mm
526323	drain pan L 177 mm W 98 mm	526432	steam pipe 1/2" H 160 mm ø 14,5 mm	526535	pressure pin for setting ring L 31 mm	526637	water nozzle D1 ø 24 mm H 29 mm
526324	flowmeter 1/2" stainless steel	526433	gasket copper D1 ø 18 mm D2 ø 14 mm	526536	pressure pin for setting ring L 20 mm	526638	tap aerator D1 ø 19 mm D2 ø 21 mm
526325	lever handle ø 48 mm shaft ø 6 mm	526434	press ring D1 ø 14,7 mm D2 ø 11,6 mm	526537	equipment foot ø 29 mm H 24 mm	526639	water pipe ø 15 mm L 33 mm
526326	steam pipe H 230 mm tube ø 8 mm	526435	gasket PTFE D1 ø 22 mm D2 ø 17 mm	526538	stopper for lever D1 ø 10 mm D2 ø 5,5 mm	526640	water tap mounting pos. left/right
526327	steam pipe H 205 mm tube ø 8 mm	526436	plain washers D1 ø 14 mm D2 ø 7,1 mm	526539	lid ø 120 mm thickness 2 mm	526641	tap body mounting pos. left/right
526328	water dispersion ø 57,7 mm H 14 mm	526437	bush D1 ø 14,3 mm D2 ø 11,5 mm H 6 mm	526540	protecting cover for micro switch	526642	tap body mounting pos. left/right
526329	hose connector connection 18 mm 1/2"	526438	drain valve ø 24,5 mm L 54 mm brass	526541	frame for lid L 73,5 mm W 44 mm H 8 mm	526643	intake valve with lever
526330	safety valve connection 3/8"	526439	gasket ED ø 13 mm ID ø 4 mm H 4 mm	526542	spindle shaft ø 8 mm shaft length 125 mm	526644	intake valve with lever
526331	solenoid valve brass 2 -ways 230 V	526440	drain pan L 102 mm W 70 mm H 48 mm	526543	spindle for dosing container	526645	safety valve connection 3/8"
526332	gasket PTFE D1 ø 25 mm D2 ø 17,5 mm	526441	nozzle bore ø 0,5 mm M6x0,75 L 9 mm	526544	gasket L 38 mm W 35 mm aperture 21x25mm	526646	setting ring mounting ø 76 mm ø 99 mm
526333	lever right doser hole ø 20 mm L 120 mm	526442	pressure spring ø 10,8 mm L 57,2 mm	526545	gasket L 37 mm W 35 mm aperture 16x24mm	526647	non return valve inlet 3/8" ET
526334	nut 3/8" L 21 mm hole ø 13 mm	526443	pressure spring ø 12 mm L 15,5 mm	526546	push button for micro switch ø 32 mm	526648	non return valve inlet 1/2" ET
526335	knob black	526444	pressure spring ø 12,5 mm L 30,5 mm	526547	guide for spring L 19 mm W 17 mm H 10 mm	526649	safety valve connection 3/8"
526336	pressure pin for setting ring L 36 mm	526445	filter holder gasket D1 ø 73 mm	526548	lid for coffee beans container ø 174 mm	526650	expansion valve T1 3/8" IT
526337	sensor sensor length 24 mm	526446	steam/water tap swing lever inlet 3/8"	526549	mushroom cap handle ø 46 mm M10 H 28 mm	526651	lever for filling valve L 92 mm
526338	nozzle bore ø 0,8 mm 1/8" L 23 mm	526447	non return valve inlet 1/8" outlet 1/8"	526550	ball for coffee grinder ø 4 mm	526652	tube handle ø 7 mm L 32 mm plastic
526339	frame for switch black plastic	526448	gasket D1 ø 76 mm D2 ø 39 mm	526551	filter holder gasket D1 ø 72,5 mm	526653	turning handle ø 47 mm black/chrome
526340	expansion valve with non return valve	526449	water pipe M18x1 ø 22,3 mm L 65 mm	526552	grinding burrs pair turn direction right	526654	turning handle ø 47 mm black
526341	coffee filter ø 68 mm mounting ø 60 mm	526450	steam pipe with handle 3/8" H 170 mm	526553	flat gasket PTFE D1 ø 17 mm D2 ø 13 mm	526655	turning handle ø 43 mm black with spring
526342	coffee filter ø 68 mm mounting ø 60 mm	526451	intake valve brass	526554	flat gasket PTFE D1 ø 10 mm D2 ø 6 mm	526656	knob dial plate steam black/silver
526343	pressure pin for setting ring L 36 mm	526452	expansion valve T1 1/2" ET	526555	gasket D1 ø 16 mm ID ø 8 mm	526657	knob dial plate steam self-adhesive
526344	spring L 53 mm W 40 mm H 6 mm	526454	cover for drain pan with hole L 100 mm	526556	gasket D1 ø 11 mm ID ø 4 mm	526658	knob dial plate water ø 14 mm
526345	equipment foot ø 20 mm H 12,25 mm M5	526455	cover for drain pan with hole L 100 mm	526557	gasket D1 ø 14 mm D2 ø 35 mm	526659	knob dial plate water self-adhesive
526346	pressure spring ø 10,7 mm L 89 mm	526456	drain pan L 205 mm W 68 mm H 50 mm	526559	pressure spring ø 11,2 mm L 60 mm	526660	lever joint for filling valve
526347	pressure spring ø 4,5 mm L 25 mm	526457	drain pan L 205 mm W 68 mm H 50 mm	526560	pressure spring ø 14,3 mm L 46 mm	526661	flat gasket PTFE D1 ø 17 mm D2 ø 13,2 mm
526348	tension spring ø 11 mm L1 30 mm	526458	drain pan with hole L 205 mm W 68 mm	526561	pressure spring ø 14,3 mm L 21 mm	526662	O-rings EPDM thickness 2,4 mm ID ø 25 mm
526349	pressure spring ø 4 mm L 33 mm	526459	flat gasket PTFE D1 ø 62 mm D2 ø 42 mm	526562	non return valve set 4-piece	526663	water level tube ø 12 mm H 107 mm
526350	pin for ratchet ø 4 mm D2 ø 2,5 mm	526460	flat gasket PTFE D1 ø 50 mm D2 ø 36 mm	526563	drain pan ø 60 mm H 30 mm	526664	coffee filter ø 69,5 mm
526351	tension spring ø 10 mm L1 29 mm	526461	flat gasket copper D1 ø 22 mm D2 ø 17 mm	526564	drain pan ø 60 mm H 46 mm hole ø 20 mm	526665	coffee filter ø 69,5 mm
526352	counter suitable for Obel	526462	pressure spring ø 10,5 mm L 31,5 mm	526565	aerator and air bleeder	526666	coffee filter ø 69,5 mm
526353	bolt D1 ø 8 mm D2 ø 12 mm L 128 mm	526463	hose connector connection 15 mm M16x1,5	526566	drain pipe 1/8" L 35 mm WS 22	526667	filter holder gasket with outside notch
526354	collecting tray L 181 mm W 154 mm	526464	union nut TR20 for swing lever	526567	plain washers D1 ø 17 mm D2 ø 25 mm	526668	drain pan L 97 mm W 90 mm H 47 mm
526355	cover ø 98 mm for setting ring	526465	non return valve EPDM inlet 1/8"	526568	shaft for ceramic washer ø 9 mm	526669	drain pan L 90 mm W 90 mm H 34 mm
526356	lever left hole ø 17 mm plastic	526466	filter holder suitable for RENEKA	526569	drain pipe ø 6 mm ID ø 4 mm T1 1/8"	526670	collector L 190 mm W 42 mm H 39 mm
526357	lever right for dosing container	526467	bush D1 ø 14,2 mm H 6 mm with O-ring	526570	shaft ø 7,8 mm D2 ø 17,5 mm L 98 mm	526671	connection angle hose connector ø 16 mm
526358	holder for coffee press H 74 mm L 40 mm	526468	O-rings Viton thickness 3,6 mm	526571	hose connector 1/8"	526672	steam nozzle ø 17 mm L 85 mm plastic
526359	equipment foot pluggable ø 12,5 mm	526469	O-rings EPDM thickness 2 mm ID ø 5,5 mm	526572	screw connection for steam-/water-tap	526673	hose connector L 48 mm W 48 mm
526360	ratchet for dosing unit ø 29,7 mm	526470	O-rings EPDM thickness 2,62 mm	526573	union nut for steam/water pipes 3/8"	526674	gasket ID ø 41 mm fiber thickness 2 mm
526361	ratchet for dosing unit ø 29,7 mm	526471	O-rings EPDM thickness 1,78 mm	526574	union nut for steam/water pipes 3/8"	526675	sleeve ø 34 mm L 50 mm black
526362	handle for lever L 37 mm W 10 mm H 17 mm	526472	O-rings EPDM thickness 2 mm ID ø 17,2 mm	526575	union nut for steam/water pipes 3/8"	526676	union screw 3/8" hole ø 12 mm H 12 mm
526363	holder for lever L 50 mm W 10 mm H 17 mm	526473	O-rings thickness 2,5 mm ID ø 12,5 mm	526576	steam/water tap inlet 1/4" outlet 3/8"	526677	union nut M20 hole ø 13 mm H 14 mm
526364	filter holder support for dosing unit	526474	pressure spring ø 8 mm L 31,5 mm	526577	water tap complete water inlet 1/4"	526678	gasket D1 ø 16,5 mm D2 ø 12 mm H 11 mm
526369	O-rings Viton thickness 1,78 mm	526475	steam pipe with tube handle M18x1	526578	steam tap complete steam inlet 1/4"	526679	flat gasket PTFE D1 ø 18 mm D2 ø 13 mm
526370	water level tube ø 12 mm H 112 mm	526476	hose connector connection 15 mm 3/8"	526579	steam/water tap inlet 1/4" outlet 3/8"	526680	nozzle D1 ø 12 mm D2 ø 8,5 mm H 6 mm
526373	drain pan L 98 mm W 70 mm H 48 mm	526477	coffee filter ø 67,6 mm mounting ø 60 mm	526580	steam/water tap inlet 1/4" outlet 3/8"	526681	gasket D1 ø 14,5 mm D2 ø 6,5 mm
526374	steam tap complete swing lever brass	526478	torsion spring ø 26 mm wire gauge ø 2 mm	526581	tap body T1 3/8" T2 3/8" T3 1/8" L 60 mm	526682	gasket ED ø 15 mm ID ø 6,5 mm
526375	water tap complete swing lever	526479	coffee filter ø 69,5 mm mounting ø 60 mm	526582	intake valve L 63 mm inlet 1/4"	526683	non return valve for filling valve
526376	steam tap complete chrome-plated	526480	group gasket L 75 mm W 72 mm	526583	tap body T1 1/8" T2 1/4" T3 M25 L 80 mm	526684	bolt ø 5 mm L 20 mm brass for lever
526377	steam tap complete chrome-plated	526481	flat gasket PTFE D1 ø 21,5 mm D2 ø 17 mm	526584	screw connection T1 1/2" T2 M25 L 65 mm	526685	pressure spring ø 14,3 mm L 30,5 mm
526378	water tap complete chrome-plated	526482	flat gasket PTFE D1 ø 26,5 mm D2 ø 22 mm	526585	tap body T1 1/8" T2 1/4" T3 M20x1,5	526686	pressure spring ø 12,5 mm L 43,5 mm
526379	water tap complete swing lever	526483	throttle disc D1 ø 18,3 mm D2 ø 4 mm	526586	non return valve inlet 1/8" outlet 3/8"	526687	pressure spring ø 12 mm L 22 mm
526380	water tap complete swing lever brass	526484	flat gasket fiber D1 ø 17 mm	526587	expansion valve T1 1/2" ET	526688	end cap ø 25 mm silver
526381	water tap complete brass polished	526485	bush D1 ø 14,5 mm D2 ø 11,5 mm H 8 mm	526588	tap body T1 1/8" T2 3/8" T3 3/8" L 63 mm	526689	front foil for indicator lamps L 50 mm
526382	water tap complete swing lever brass	526486	gasket Viton D1 ø 16 mm D2 ø 8 mm	526589	star mounting pos. upper ø 108 mm	526690	pressure spring ø 15 mm L 27 mm
526383	water pipe M20x1 ø 23 mm L 80 mm	526487	gasket D1 ø 15,5 mm D2 ø 7,5 mm	526590	valve L 20 mm ED ø 12 mm brass	526691	water tap inlet 1/4" pipe length 60 mm
526384	tap body T1 M18x1 T2 M20x1 T3 TR20 left	526488	gasket D1 ø 13 mm ID ø 4 mm	526591	valve L 16 mm ED ø 12 mm brass	526692	gasket ED ø 15 mm seat ø 6 mm H 4 mm
526385	screw cap M20x1,5 ID ø 15 mm L 30 mm	526489	gasket D1 ø 14,9 mm D2 ø 6 mm	526592	non return valve inlet 1/4" outlet 3/8"	526693	water tap inlet 3/8" pipe length 60 mm
526386	screw cap M30x1,5 ID ø 15 mm L 21 mm	526490	bush D1 ø 14,5 mm D2 ø 8,35 mm H 3,6 mm	526593	drain pan L 110 mm W 80 mm H 50 mm	526694	gasket copper D1 ø 30 mm D2 ø 21 mm
526387	flat gasket copper D1 ø 21 mm D2 ø 17 mm	526491	nozzle bore ø 0,8 mm M6x0,75 L 9 mm	526594	nozzle hole ø 1,25 mm L 8,5 mm M5x0,8	526695	plain washers D1 ø 29 mm D2 ø 22,6 mm
526388	disc for knob ø 33,8 mm blue ELEKTRA	526492	steam tap with pipe inlet 3/8"	526595	nozzle hole ø 1 mm L 8,5 mm M5x0,8	526696	gasket D1 ø 11 mm D2 ø 8 mm H 10 mm
526389	screw for stop	526493	steam pipe H 268 mm tube ø 8 mm IT 3/8"	526596	water dispersion ø 55 mm H 8,5 mm	526697	drain pan L 106 mm W 76 mm H 32 mm
526390	gasket copper D1 ø 16,7 mm D2 ø 13,2 mm	526494	steam pipe 3/8" H 195 mm L 220 mm	526597	water tap with water pipe inlet 1/4"	526698	water level tube L 180 mm W 72 mm
526391	piston for steam-/water-tap ø 13 mm	526495	coffee filter ø 67,7 mm mounting ø 60 mm	526598	water tap with water pipe inlet 1/4"	526699	filter holder support 3/8" 1 way curved
526392	flat gasket Viton D1 ø 21 mm D2 ø 15 mm	526496	coffee filter ø 67,5 mm mounting ø 60 mm	526599	water tap with water pipe inlet 1/4"	526700	steam pipe 3/8" H 210 mm tube ø 10 mm
526393	plain washers D1 ø 25 mm D2 ø 20 mm	526497	coffee filter ø 67,5 mm mounting ø 60 mm	526600	water tap with water pipe inlet 1/4"	526701	steam pipe 3/8" H 170 mm tube ø 10 mm SS
526394	boiler gasket Viton thickness 3,53 mm	526498	hexagonal nut TR20 left H 5 mm WS 25	526601	intake valve with non return valve	526702	steam pipe 3/8" H 250 mm tube ø 10 mm SS
526395	fine filter flat fabric ø 8,5 mm H 2 mm	526500	lever ø 12 mm L 48 mm brass	526602	filter holder mounting ø 82,5 mm	526703	steam pipe 3/8" H 270 mm tube ø 10 mm
526397	water pipe M20x1 ø 23,5 mm L 80 mm	526501	bush for lever D1 ø 12 mm D2 ø 14,6 mm	526603	water level tube with breathers H 200 mm	526704	steam tap inlet 1/4"
526398	steam pipe H 155 mm ø 14,5 mm	526502	screw connection 1/4" L 28 mm WS 24	526604	nozzle M10x0,9 ø 15 mm L 27 mm 4 holes	526705	water tap inlet 1/4"
526399	tap body T1 M18x1 T2 M20x1 T3 TR20 left	526503	piston D1 ø 9 mm D2 ø 16 mm	526605	nozzle 1/8" ø 16 mm L 38,5 mm 4 holes	526706	steam tap inlet 1/4"
526400	flat gasket PTFE D1 ø 33 mm D2 ø 24,5 mm	526504	bolt ø 7 mm L 47,5 mm brass	526606	nozzle M10x1 ø 14 mm L 16 mm 4 holes	526707	thread bolt for heating element M8
526403	O-rings silicone thickness 1,78 mm	526505	dosing unit complete right ø 125 mm	526607	water pipe ø 8 mm	526708	screw M10 L 8,5 mm chrome-plated brass
526404	tap body T1 M18x1 T2 M20x1 T3 TR20 left	526506	dosing unit complete left ø 125 mm	526608	water pipe 3/8" ø 10 mm L 102,5 mm	526709	spacer L 15,7 mm W 11 mm thickness 3 mm
526405	union nut M20x1 ID ø 12,5 mm L 21 mm	526507	counter for dosing unit	526609	steam pipe H 165 mm tube ø 10 mm	526710	bolt for lever D1 ø 4 mm L 16 mm brass
526406	union nut TR20 left L 21 mm WS 24	526509	pressure spring ø 8,5 mm L 95 mm	526610	steam pipe H 190 mm tube ø 10 mm	526711	lid for dosing unit L 22 mm W 13 mm
526407	union nut TR20 left L 21 mm	526510	pressure spring ø 4,8 mm L 24 mm	526611	steam pipe H 185 mm tube ø 8 mm	526712	bolt for lever D1 ø 4 mm L 12 mm brass
526408	screw connection for steam-/water-tap	526511	pressure spring ø 3,5 mm L 28 mm	526612	steam pipe L 250 mm W 16 mm tube ø 8 mm	526713	lever for dosing unit hole ø 29,5 mm
526409	screw connection for steam-/water-tap	526512	pressure spring ø 3,6 mm L 15 mm	526613	steam tap mounting pos. right complete	526714	lever for dosing unit hole ø 29,5 mm
526410	screw connection for steam-/water-tap	526513	tension spring ø 11 mm L1 35 mm	526614	water pipe 3/8" L 75 mm WS 22	526715	coffee beans container ø 175 mm H 255 mm
526411	knob adapter TR20 left shaft 7x7mm	526514	tension spring ø 5 mm L1 26 mm	526615	steam tap mounting pos. right complete	526716	grinding burrs pair turn direction right
526412	double nipple T1 1/2" T2 3/8"	526515	spring ø 5,8 mm wire gauge ø 0,6 mm	526616	steam tap mounting pos. right complete	526717	collecting tray L 187 mm W 160 mm
526413	double nipple T1 1/4" T2 3/8"	526516	spring ø 5,8 mm wire gauge ø 0,6 mm	526618	steam tap mounting pos. left/right	526718	coffee beans container ø 155 mm H 187 mm
526414	screw connection for flow regulator	526517	setting ring for grind stone ID ø 50 mm	526619	steam tap mounting pos. right complete	526719	filter holder support 3/8" 2-way curved
526415	screw connection for flow regulator	526518	grinding burrs pair turn direction left	526620	steam tap mounting pos. left/right	526720	injector pipe tube ø 6 mm
526416	ball for swing lever ø 16,4 mm L 14 mm	526519	filter holder support L 94 mm W 85 mm	526621	water tap mounting pos. left/right	526721	aspiration tube tube ø 8 mm
526417	shaft for steam-/water-tap ø 5 mm	526520	filter holder support L 120 mm W 78 mm	526622	water tap mounting pos. right complete	526722	aspiration tube tube ø 10 mm
526418	lever L 36 mm T1 M5 T2 M8 ø 13,5 mm	526521	lever hole ø 29,5 mm L 125 mm	526623	water tap mounting pos. right complete	526723	pressure spring ø 7,8 mm L 34 mm
526419	filter holder for brewing unit	526522	lever left hole ø 29,5 mm L 115 mm	526624	heating element 5000/5950W 220/240V	526724	end cap M16x1,5 ID ø 10 mm L 22 mm
526420	nozzle holder M5 IT M5 L 10,3 mm brass	526523	ratchet for dosing unit ø 29 mm	526625	heating element 4370/4760W 220/240V	526725	steam tap inlet 3/8" pipe length 150 mm
526421	spring L 10 mm ø 10 mm	526524	ratchet ø 40,5 mm	526626	heating element 2730/2975W 230/240V	526726	stop bolt M6 ø 6,5 mm
526422	keypad foil L 75 mm W 70 mm black/silver	526525	plain washers ø 35 mm	526627	heating element 5463 W 230 V	526727	nut M6 L 7,5 mm WS 10



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
526728	plain washers ID ø 6,5 mm ED ø 14,5 mm	526841	tube handle for pipe ø 10 mm ø 15 mm	526942	front panel for switching unit	527116	milk foamer suitable for NUOVA SIMONELLI
526730	screw connection M30x1,5 IT 1/2" ø 36 mm	526842	steam tap complete	526943	switch panel for gas appliance	527117	steam tap complete
526731	fine filter ø 8,5 mm H 15 mm	526843	steam tap T1 1/4"	526944	steam tap complete	527118	water pipe with adapter
526732	nozzle bore ø 0,65 mm ø 7 mm L 21 mm	526844	steam tap swing lever inlet 1/4"	526945	water tap complete	527119	steam pipe
526733	screw connection 3/8" for outlet ø 25 mm	526845	front part for steam tap handle Tr18x4	526946	steam pipe L 190 mm	527120	water pipe
526734	valve L 58,2 mm ED ø 16 mm brass	526846	tap body T1 M16x1 T2 1/4" L 49 mm	526947	infusor 1/4" L 50 mm ø 39 mm SS	527121	nozzle for water pipe
526735	valve L 59,4 mm triangle ED ø 16 mm	526847	shaft for steam tap with gasket	526949	electronic box for coffee machine	527122	O-rings Viton thickness 3,53 mm
526736	valve for outlet L 19,3 mm ED ø 16 mm	526848	expansion valve for tap 1/8"	526950	electronic box for coffee machine	527123	O-rings silicone thickness 3,53 mm
526737	filter set for brewing unit E61	526849	union nut for steam pipe 3/8" L 26 mm	526951	electronic box for coffee machine	527124	safety valve
526738	filter set for brewing unit	526850	bush D1 ø 10,5 mm D2 ø 9 mm ID ø 6,2 mm	526952	electronic box for coffee machine	527125	safety valve connection 1/4"
526739	injector T1 1/4"	526851	screw connection for steam-water-tap	526953	steam tap complete beige	527127	expansion valve T1 1/8" ET
526740	injector T1 1/4" T2 1/4"	526852	piston for steam tap with gasket L 14 mm	526954	water tap complete beige	527130	steam pipe M10x1 L 170 mm tube ø 8 mm
526741	tube handle for pipe ø 8 mm ø 12,5 mm	526853	gasket D1 ø 12 mm thickness 5,7 mm	526955	steam tap mounting pos. left/right	527131	steam nozzle 1/8" ø 15 mm L 27 mm
526742	tube handle for pipe ø 10 mm ø 15 mm	526854	shower filter ø 56,5 mm H 6 mm	526956	heat exchanger 1/2" IT	527135	coffee filter ø 70 mm mounting ø 61,2 mm
526743	tube handle for pipe ø 10 mm ø 15 mm	526855	flat gasket fiber D1 ø 53 mm D2 ø 40 mm	526957	steam pipe L 190 mm tube ø 10 mm	527136	coffee filter ø 70 mm mounting ø 61 mm
526744	ring for handle ø 33 mm black	526856	gasket D1 ø 13 mm ID ø 4 mm	526958	heat exchanger T1 1/2" T2 1/2" ø 60 mm	527139	housing for micro switch
526745	handle ø 32 mm L 123 mm black L1 50 mm	526857	plain washers ID ø 6,4 mm ED ø 12 mm	526960	injector pipe tube ø 6 mm	527143	coffee discharge chute rubber
526746	handle ø 33 mm L 125 mm grey L1 56 mm	526858	flat gasket copper D1 ø 27 mm	526961	injector pipe tube ø 6 mm	527147	pressure spring ø 15,1 mm L 85 mm
526747	ring ø 33 mm grey	526859	flat gasket copper D1 ø 14 mm D2 ø 10 mm	526962	injector pipe T-fitting tube ø 6 mm	527148	washer ID ø 17 mm ED ø 28 mm
526748	end cap ø 32 mm black	526860	flat gasket copper D1 ø 19 mm	526963	coffee beans container brown ø 193 mm	527150	torsion spring ø 38 mm L2 18 mm
526749	sleeve ø 35 mm L 51 mm grey	526861	plain washers ID ø 8,4 mm ED ø 15 mm	526964	steam pipe short L 180 mm tube ø 10 mm	527153	flat gasket PTFE D1 ø 20,1 mm
526750	sleeve ø 36 mm L 40 mm black	526862	plain washers ID ø 7 mm ED ø 14 mm	526967	tap body L 94 mm	527154	flat gasket PTFE D1 ø 22 mm D2 ø 16,8 mm
526751	handle ø 35 mm L 123 mm black L1 44 mm	526863	plain washers ID ø 6 mm ED ø 21 mm	526970	keyset L 97 mm W 66 mm brown buttons 6	527156	flat gasket PTFE D1 ø 57,8 mm
526752	cam disc ø 17,5 mm L 10 mm attached	526864	plain washers ID ø 16 mm ED ø 26 mm	526971	keyset L 97 mm W 66 mm brown buttons 6	527157	flat gasket copper D1 ø 25 mm D2 ø 18 mm
526753	cam disc ø 24 mm L 15 mm mobile	526865	bush D1 ø 15 mm D2 ø 11,7 mm H 11,5 mm	526972	buttons strip L 97 mm W 31 mm brown	527158	O-rings EPDM thickness 2 mm ID ø 10 mm
526754	coupling ø 45 mm L 35 mm	526866	drain pan L 100 mm W 100 mm H 52 mm	526973	button ø 30 mm L 43 mm W 43 mm brown	527159	flat washer ID ø 9 mm ED ø 15,4 mm
526755	turning handle ø 51 mm shaft ø 24 mm	526868	steam pipe pivotable H 145 mm ø 180 mm	526974	control panel L 140 mm W 38 mm plastic	527161	flat gasket copper D1 ø 25,8 mm
526756	turning handle ø 50 mm shaft ø 23,5 mm	526869	steam pipe mounting pos. right H 150 mm	526975	drain pan L 75 mm W 85 mm H 56 mm	527162	flat gasket PTFE D1 ø 36 mm D2 ø 30 mm
526757	turning handle ø 50 mm shaft ø 23,5 mm	526870	steam pipe mounting pos. left H 150 mm	526976	knob ø 61 mm shaft ø 7x7mm beige	527163	cushion rubber D1 ø 9,8 mm D2 ø 10,5 mm
526758	coupling ø 45 mm L 35 mm	526871	steam pipe 1/8" H 170 mm L 195 mm	526977	turning handle 2-0-1 ø 51 mm	527164	gasket copper D1 ø 23 mm D2 ø 17 mm
526760	water tap with water pipe inlet 1/4"	526872	water pipe 3/8" ø 23,5 mm L 57 mm WS 20	526978	water level tube ø 15 mm H 115 mm	527166	O-rings EPDM thickness 1,6 mm ID ø 27 mm
526761	screw connection T1 M16x1 L 66 mm	526873	non return valve inlet 3/8" outlet 3/8"	526979	shaft for steam-water-tap ø 7 mm	527167	gasket copper D1 ø 9,8 mm D2 ø 6,5 mm
526762	tap body T1 M16x1 T2 3/8" T3 1/4"	526874	pressure spring ø 25 mm L 18 mm	526980	screw connection for steam-water-tap	527168	cylinder head bolt M10
526763	tap body T1 M16x1 T2 3/8" T3 M12x1	526875	pressure spring ø 10,7 mm L 29 mm	526981	piston for steam-water-tap ø 19 mm	527169	hexagonal nut M3 H 2,8 mm WS 5,5 brass
526764	nozzle M8x1 ø 13 mm L 22 mm 4 holes	526876	pressure spring ø 10,5 mm L 37 mm	526982	hexagonal nut M18x1,5 H 6 mm WS 26	527170	cylinder head bolt M6 thread length 8 mm
526765	nozzle M10x1 ø 15 mm L 22 mm 4 holes	526877	pressure spring ø 10,3 mm L 34 mm	526983	hexagonal nut M25 WS 27 brass Qty 1 pc	527171	pressure bolt ø 8 mm L 35,7 mm
526766	union nut 3/8" L 34 mm hole ø 12 mm	526878	pressure spring ø 14,9 mm L 16,7 mm	526984	bush D1 ø 17 mm D2 ø 7 mm H 8 mm brass	527173	fine filter ø 11,1 mm H 7,4 mm
526767	steam pipe M8x1 L 140 mm W 80 mm	526879	pressure spring ø 14,5 mm L 28 mm	526985	reducing washer for water tap brass	527174	thread bolt M8 L 26 mm SS
526768	steam pipe M10x1 L 170 mm W 105 mm	526880	pressure spring ø 12 mm L 29,5 mm	526986	gasket D1 ø 17 mm D2 ø 6 mm	527177	screw cap M30x1,5 L 36 mm chrome-plated
526769	steam pipe H 100 mm W 80 mm tube ø 8 mm	526881	nozzle 1/8" ø 13 mm L 19 mm 4 holes	526987	cap for steam-water-tap ø 18 mm H 6 mm	527179	end cap ø 24,3 mm chrome-plated
526770	valve L 66 mm ED ø 17 mm	526882	nozzle M8x0,75 ø 14 mm L 34,5 mm	526988	rosette for steam-water-tap	527186	angle piece 1/4" ET conical - 3/8" ET
526771	gasket support D1 ø 6 mm D2 ø 16 mm	526883	filter holder gasket with ridge	526989	screw connection T1 1/2" T2 3/8"	527187	screw connection 3/8"AG - M18x1,5 ET
526772	shaft ø 14 mm D2 ø 7,6 mm L 86 mm M6 SS	526884	filter holder gasket with ridge	526990	screw connection T1 3/4" T2 1/2"	527188	screw connection 1/8" IT - 1/8" ET brass
526773	shaft ø 14 mm D2 ø 6 mm L 85,5 mm SS	526885	water dispersion M6 H 15,6 mm SS ø 10 mm	526991	flat gasket copper D1 ø 23 mm D2 ø 17 mm	527189	T-fitting 3/8" for pump brass
526774	steam tap inlet 3/8" pipe length 160 mm	526886	nozzle bore ø 0,6 mm M4 L 8,5 mm	526992	flat gasket PTFE D1 ø 27 mm D2 ø 21 mm	527190	filter pump inlet T1 3/8" T2 3/8"
526775	steam tap inlet 1/4" pipe length 150 mm	526887	nozzle bore ø 0,7 mm M4 L 8,5 mm	526993	flat gasket PTFE D1 ø 34 mm D2 ø 26,5 mm	527191	union nut M20x1,5 hole ø 12,6 mm
526776	steam tap mounting pos. right inlet 3/8"	526888	nozzle bore ø 0,8 mm M4 L 8,5 mm	526994	bush PTFE ø 12 mm H 10 mm	527193	double nipple T1 1/8"ET conical
526777	steam tap mounting pos. left inlet 3/8"	526889	nozzle bore ø 0,6 mm M5 L 20 mm	526995	flat gasket FIBER D1 ø 28 mm D2 ø 25 mm	527195	piston for tap ø 17,6 mm L 13,1 mm
526778	steam pipe 1/2" H 180 mm 3-4 group	526890	grinding burrs pair turn direction right	526997	injector pipe ø 6 mm L 86 mm PTFE	527196	union screw M16x1 outer ID ø 10,6 mm
526779	steam pipe 1/2" H 180 mm 1-2 group	526891	screw connection M10 hole ø 3,8 mm	526999	injector pipe for brewing unit ø 6 mm	527198	union nut 3/8" ID ø 8,3 mm L 19 mm
526780	aerator and air bleeder	526892	water dispersion D1 ø 55,5 mm M24x1,5mm	527001	drain tap complete	527199	screw connection for tap L 36 mm
526781	nozzle holder M8 int. ø 1 4 mm	526893	screw connection M12x1 L 22 mm WS 24	527002	tap head complete	527200	grinding burrs pair turn direction right
526782	nozzle holder M8 int. ø 1 4 mm	526894	flat gasket EPDM D1 ø 15,8 mm	527003	gasket for drain tap	527202	grinding burrs pair turn direction left
526783	nozzle holder M30x1,5 IT M16x1,5 IT 1 M8	526895	fuse terminal block L 26 mm	527006	tap body	527204	T-fitting 3/8"AG-3/8"IG-1/4" IT L 31 mm
526784	filter holder mounting ø 83 mm	526896	steam pipe old edition H 215 mm	527007	tap aerator	527207	reducer 1/4"IG-1/8" ET WS 17
526785	filter holder mounting ø 83 mm	526897	coffee filter ø 70 mm mounting ø 60 mm	527008	steam nozzle	527208	drain connection 1/8" L 22 mm
526787	water dispersion ø 30 mm hole ø 1,5 mm	526898	coffee filter ø 70 mm mounting ø 60 mm	527009	water nozzle	527209	steam nozzle M10x1,25 FT L 16 mm
526788	shower filter ø 58 mm H 17,5 mm	526899	coffee filter ø 70 mm mounting ø 60,5 mm	527010	drain tap complete	527210	grinding burrs pair turn direction left
526789	pressure spring ø 11,3 mm L 31 mm	526900	coffee beans container ø 175 mm H 220 mm	527011	drain tap complete connection 1/2"	527211	grinding burrs pair turn direction left
526793	handle holder M12 L 76 mm	526901	lid for coffee beans container ø 175 mm	527012	tap body	527213	grinding burrs pair turn direction left
526794	group gasket L 78 mm W 72 mm	526902	catch for coffee beans container L 95 mm	527013	drain tap complete	527214	grinding burrs pair turn direction left
526795	flat gasket PTFE D1 ø 36 mm D2 ø 30,2 mm	526903	coffee beans container ø 221 mm H 231 mm	527014	tap head	527215	grinding burrs pair turn direction left
526796	gasket rubber D1 ø 15 mm D2 ø 7,5 mm	526904	lid for coffee beans container ø 220 mm	527015	drain tap complete connection 1/2"	527216	grinding burrs pair turn direction left
526799	filter holder mounting ø 82 mm	526905	catch for coffee beans container L 95 mm	527016	gasket connection 3/8" for drain tap	527218	grinding burrs pair turn direction right
526801	protection pipe ø 15 mm ID ø 12 mm	526906	lid for coffee beans container ø 170 mm	527017	tap head	527219	grinding burrs pair turn direction right
526802	protection pipe ø 15 mm ID ø 12 mm	526907	cylinder for dosing container ø 123 mm	527019	tap head	527220	grinding burrs pair turn direction right
526803	water level tube ED ø 10,4 mm	526908	lid for dosing container ø 120 mm	527020	tap body	527221	grinding burrs pair turn direction right
526804	water level tube ED ø 10,4 mm	526909	lid for dosing container ø 120 mm grey	527021	O-rings EPDM thickness 2 mm ID ø 10 mm	527222	grinding burrs pair turn direction right
526805	water level tube ED ø 10,4 mm	526910	lid for dosing container ø 120 mm	527022	water level tube ED ø 10,4 mm	527223	grinding burrs pair turn direction right
526806	water level tube ED ø 10,4 mm	526911	coffee press ø 53,7 mm M8 grey	527023	protection pipe ø 15 mm ID ø 12 mm	527224	grinding burrs pair turn direction left
526807	water level tube ED ø 10,4 mm	526912	coffee press ø 53,7 mm H 26 mm M8 black	527024	gasket connection 1/4" for drain tap	527225	grinding burrs pair turn direction right
526808	water level tube ED ø 10,4 mm	526913	coffee press ø 56,5 mm H 27 mm M8 black	527025	spray head suitable for ANIMO	527227	grinding burrs pair turn direction right
526809	water level tube ED ø 10,4 mm	526914	coffee press ø 56,5 mm H 25 mm M8 grey	527031	drain tap complete	527228	grinding burrs pair turn direction right
526810	water level tube ED ø 10,8 mm H 226 mm	526915	lever right hole ø 16 mm L 140 mm grey	527033	protection pipe ø 15 mm ID ø 12 mm	527229	grinding burrs pair turn direction left
526811	pressure spring ø 7,8 mm L 35 mm	526916	lever right hole ø 16 mm L 140 mm	527036	grinding burrs pair turn direction right	527231	grinding burrs pair turn direction right
526812	pressure spring ø 13,3 mm L 42,5 mm	526917	collecting tray L 133 mm W 166 mm black	527037	holder for filter holder short L 125 mm	527232	grinding burrs pair turn direction right
526813	pressure spring ø 15 mm L 28 mm	526918	collecting tray L 220 mm W 110 mm	527039	lid for coffee beans container ø 182 mm	527233	grinding burrs pair turn direction left
526814	pressure spring ø 13 mm L 32,5 mm	526919	push button for coffee machine	527040	end cap	527234	grinding burrs pair turn direction left
526815	pressure spring ø 11,5 mm L 16,5 mm	526920	push button for coffee grinder	527047	coffee press ø 57 mm M8 plastic	527235	grinding burrs pair turn direction left
526816	pressure spring ø 14,5 mm L 33,4 mm	526921	cylinder head bolt M4	527050	spray head tap head ø 82 mm	527236	grinding burrs pair turn direction left
526817	pressure spring ø 14,8 mm L 18 mm	526922	cylinder head bolt M5	527051	gasket for spray head	527237	grinding burrs pair turn direction right
526818	valve body for steam-water-tap	526923	pressure spring ø 4,6 mm L 33 mm	527052	manifold bottom part ø 49 mm MONDO	527238	grinding burrs pair turn direction left
526819	camshaft shaft ø 8 mm	526924	pressure pin ø 5 mm L 16 mm	527053	drain tap complete	527240	grinding burrs pair turn direction right
526820	intake valve complete	526925	torsion spring ø 26,5 mm	527054	steam tap complete	527241	grinding burrs pair turn direction right
526821	drain pan L 102 mm ø 79 mm H 53 mm	526926	torsion spring ø 26,5 mm	527055	water tap complete	527242	grinding burrs pair turn direction right
526822	O-rings Viton thickness 1,9 mm ID ø 8 mm	526927	pressure spring ø 5,5 mm L 3,2 mm	527070	water level tube for BONAMAT	527243	grinding burrs pair turn direction left
526823	O-rings EPDM thickness 1,9 mm	526928	pressure spring ø 3,5 mm L 20 mm	527071	protection pipe for inspection glass	527244	grinding burrs pair turn direction right
526824	O-rings EPDM thickness 1,9 mm	526929	pressure pin ø 4 mm L 15,5 mm	527082	tap body chrome-plated	527245	grinding burrs pair turn direction right
526826	flat gasket PTFE D1 ø 53 mm D2 ø 42,5 mm	526930	grinding burr set turn direction right	527083	lever handle plastic black	527246	grinding burrs pair turn direction right
526827	flat gasket PTFE D1 ø 36 mm D2 ø 30 mm	526931	grinding burrs pair turn direction right	527084	screw cap	527247	grinding burrs pair turn direction right
526828	knob steam ø 53 mm shaft ø 8,5 mm black	526932	grinding burrs pair turn direction right	527085	pressure spring ø 14,7/10,6 mm L 28 mm	527248	grinding burrs pair turn direction right
526830	steam tap with steam pipe inlet 3/8"	526933	control panel for display tea	527086	guide for drain tap	527249	grinding burr turn direction right
526833	filter holder spring L 76 mm W 62 mm	526934	control panel for switch tea	527087	gasket for drain tap silicone	527250	connecting fitting L 29 mm ID ø 8 mm
526834	filter holder gasket with bevel 45x2	526935	control panel for dosing unit L 110 mm	527088	catch for coffee beans container L 51 mm	527251	tube handle for pipe ø 8 mm rubber
526835	lever for doser hole ø 8 mm L 117 mm	526936	control panel for switch coffee/STOP	527089	tap head complete	527253	nozzle holder M30x1,5 IT M16x1,5 IT 1 M6
526836	tension spring ø 7,3 mm L1 18 mm	526937	control panel for steam-water-tap	527090	tap body chrome-plated	527254	steam tap with tube handle 3/8" IT
526837	coffee discharge chute W 34 mm	526938	control panel for steam/water pipes	527107	shower filter ø 34 mm hole ø 4,5 mm	527256	vibration damper H 15 mm ø 15 mm M4
526838	filter holder support for doser L 52 mm	526939	slot cover for keypad L 50 mm W 42 mm	527108	shower filter ø 40 mm hole ø 4,5 mm	527257	retaining ring bore ø 16 mm
526839	gear wheel for coffee grinder ø 60 mm	526940	slot cover for keypad L 85 mm W 66 mm	527110	grinding unit complete	527258	union nut 3/8" IT L 31,5 mm
526840	lid for coffee beans container	526941	temperature sensor sensor length 64 mm	527113	grinding burrs pair turn direction right	527259	knob pluggable ø 34/60mm shaft ø 5x5mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
527260	grinding burr holder D1 ø 63 mm	527436	screw connection tap head L 25 mm WS 20	527541	star mounting pos. upper ø 115 mm	527659	setting screw for doser M8 L 12 mm
527261	grinding burr holder D1 ø 83 mm	527437	piston for tap ø 17,5 mm L 12 mm M6	527542	sector plates	527660	wiper for doser H 63 mm
527262	grinding burr holder type JOLLY	527438	coffee beans container ø 116 mm H 120 mm	527543	star mounting pos. centre ø 115 mm	527661	thread bolt
527263	grinding burr holder type MAJOR	527439	lid for dosing container ø 110 mm	527544	pressure spring ø 35,2 mm L 22 mm	527663	pressure spring ø 10 mm L 20 mm
527264	grinding burr holder type EB	527440	collecting tray L 125 mm W 64 mm	527545	star mounting pos. bottom ø 115 mm	527664	coffee beans container ø 230 mm H 265 mm
527265	grinding burr holder type JUNIOR	527441	coffee discharge chute elbow	527546	coffee press ø 57 mm L 78 mm H 50 mm	527665	coffee beans container ø 164 mm H 194 mm
527266	grinding burr holder type MD50	527442	pressure spring ø 3,8 mm L 17 mm	527547	filter holder support for doser L 114 mm	527666	coffee beans container ø 163 mm H 150 mm
527267	grinding burr holder type MD80	527443	lever doser brass	527548	dosing unit complete	527667	cylinder ø 123 mm H 90 mm polycarbonate
527268	grinding burr holder type RR45, CC45	527444	setting screw for dosing container M8	527549	coffee press ø 57 mm H 98 mm plastic	527668	cylinder for automatic grinder ø 123 mm
527269	nut M26x1,5 H 5,7 mm WS 32 brass	527445	filter holder support for doser L 112 mm	527550	coffee press ø 56 mm H 46 mm plastic	527669	cylinder for automatic grinder ø 123 mm
527270	end cap M16x1,5 ID ø 8,9 mm L 21 mm	527446	coffee press ø 52,3 mm H 21 mm plastic	527551	setting screw for dosing container M8	527670	cylinder ø 124 mm H 113 mm polycarbonate
527273	counter type 9SIF063012S coffee machine	527447	coffee press ø 56,5 mm H 15 mm plastic	527552	star mounting pos. upper ø 112 mm	527671	lid for coffee beans container ø 229 mm
527274	mixing hopper plastic	527448	filter holder support L 116 mm W 60 mm	527553	sector plates SS	527672	lid for dosing container ø 122,5 mm
527275	intake body plastic	527449	grinding burrs protection H 27 mm	527554	star mounting pos. centre ø 113 mm	527673	collecting tray L 140 mm W 135 mm
527276	lid plastic for intake body	527450	lid for dosing container ø 111 mm	527555	pressure spring ø 9,9 mm L 80 mm	527674	collecting tray ø 138 mm
527277	flange for mixing hopper	527451	push button for setting ring L 35 mm	527556	star mounting pos. bottom ø 113 mm	527675	collecting tray ø 180 mm
527278	impeller ø 32 mm	527452	push button for setting ring L 34 mm	527557	drain tap complete pipe length 33,5 mm	527676	collecting tray L 160 mm W 170 mm
527279	coffee device type Z3000	527453	ratchet for dosing unit ø 39 mm	527561	O-rings EPDM thickness 3 mm ID ø 22,2 mm	527677	grinding burr holder D1 ø 73 mm H 41 mm
527280	container	527454	tension spring ø 5 mm	527563	O-rings EPDM thickness 2,4 mm	527678	grinding burr holder D1 ø 64 mm H 41 mm
527281	container with auger gear	527455	extension L 23 mm M4 WS 8	527566	grinding burrs pair turn direction right	527679	grinding burr holder D1 ø 63 mm H 40 mm
527282	spout for coffee powder container round	527456	injector pipe ø 6 mm L 175 mm 1/4"	527572	coffee grinder	527680	lever doser
527283	spout for coffee powder container	527458	lid for dosing container ø 126 mm	527574	stopper for lever D1 ø 12 mm D2 ø 7 mm	527681	grinding burr holder D1 ø 57,5 mm
527284	increasing for coffee beans container	527459	lid for dosing container ø 120 mm	527575	grinding burr holder turn direction left	527682	filter holder support L 146 mm W 65 mm
527285	base part for coffee beans container	527461	collecting tray L 175 mm W 150 mm	527576	grinding burr holder with grinding burr	527683	filter holder support L 146 mm W 65 mm
527286	water container complete	527462	collecting tray ø 105 mm	527577	push button L 33 mm W 30 mm	527684	lid plastic
527287	float with magnet	527463	collecting tray L 210 mm W 115 mm	527578	spindle for dosing unit shaft ø 5 mm	527685	filter holder support L 106 mm W 85 mm
527288	lid for drip pan	527464	ratchet for doser ø 20 mm right	527579	dosing unit complete ø 120 mm	527686	counter for dosing unit
527289	button grey	527465	star mounting pos. bottom ø 113 mm	527580	dosing unit complete ø 120 mm	527687	holder for coffee press H 65 mm plastic
527290	service key	527466	star mounting pos. upper ø 113 mm	527581	ring for dosing container	527688	holder for coffee press H 19 mm L 75 mm
527296	connecting block for milk foamer	527467	flap for doser W 57 mm H 55 mm plastic	527582	coffee press ø 55 mm H 19 mm plastic	527689	coffee press ø 52 mm H 25 mm
527299	lid for coffee beans container	527468	bolt for doser D1 ø 5 mm D2 ø 4 mm	527583	filter holder support L 68 mm W 64 mm	527690	coffee press ø 57 mm H 25 mm
527304	container	527469	screw bolt M8 L 38 mm plastic	527584	filter holder support L 130 mm W 120 mm	527691	coffee press ø 57 mm H 18 mm
527305	glass cylinder for dosing container	527470	setting screw M8x1 L 43 mm plastic	527585	glass plate for dosing container	527692	coffee press ø 51,5 mm H 18 mm
527306	lid for dosing container ø 118 mm	527471	setting ring mounting ø 59 mm ø 79 mm	527586	grinding burrs pair turn direction right	527694	grinding burr holder D1 ø 58 mm
527307	water container suitable for BRASILIA	527472	setting ring mounting ø 65 mm ø 79 mm	527587	pressure spring ø 26,5 mm L 80 mm	527695	grinding burr holder D1 ø 64,5 mm
527308	lid for water container	527473	collecting tray L 114 mm W 91 mm	527588	coffee press complete ø 55 mm H 129 mm	527696	grinding burr holder D1 ø 74 mm
527309	coffee beans container	527474	filter holder support L 145 mm W 72 mm	527589	coffee press complete ø 55 mm H 128 mm	527697	grinding burr holder D1 ø 64,5 mm
527310	lid for coffee beans container L 268 mm	527475	bar ø 2 mm L 55 mm	527593	filter holder support for doser L 175 mm	527698	grinding burr holder D1 ø 74 mm
527311	coffee beans container complete ø 175 mm	527476	actuator for doser L 49 mm W 6 mm H 8 mm	527594	coffee discharge chute elbow	527699	grinding burrs pair turn direction right
527312	coffee beans container 3-piece	527477	lid for coffee beans container ø 188 mm	527595	button L 30 mm W 25 mm for doser	527700	grinding burrs pair turn direction right
527313	lid for coffee beans container	527478	lid for coffee beans container ø 204 mm	527596	holder for pcb L 103 mm W 71 mm plastic	527701	grinding burrs pair turn direction right
527314	coffee beans container ø 172 mm H 222 mm	527479	catch L 138 mm W 44 mm thickness 2 mm	527597	grinding burr holder	527702	grinding burrs pair turn direction right
527315	lid for coffee beans container	527480	setting ring mounting ø 59 mm ø 126 mm	527598	knob ø 35 mm shaft ø 6x4,6mm	527703	grinding burrs pair turn direction right
527316	coffee beans container ø 200 mm H 255 mm	527482	lid for coffee beans container L 302 mm	527599	lamella for dosing unit L 47 mm W 14 mm	527704	grinding burrs pair turn direction right
527317	catch L 95 mm W 47 mm thickness 0,8 mm	527483	coffee beans container ø 215 mm H 240 mm	527600	slot nut W 2 mm H 2,6 mm L 7,6 mm	527705	grinding burrs pair turn direction right
527318	catch L 86 mm W 48 mm thickness 2 mm	527484	coffee beans container L 310 mm W 190 mm	527601	grinding burr holder mounting ø 85 mm	527706	star mounting pos. bottom ø 108 mm
527319	protective cover ø 60 mm	527485	lid for coffee beans container ø 206 mm	527602	collecting tray L 160 mm W 130 mm	527707	star mounting pos. centre ø 108 mm
527320	lid for dosing container	527486	collecting tray L 200 mm W 160 mm	527603	micro switch set 30 V 0,3 A 1NO	527708	star mounting pos. upper ø 108 mm
527322	glass cylinder ø 122 mm H 10 mm	527487	coffee press ø 55 mm L 70 mm H 72 mm	527604	grinding burrs pair turn direction right	527709	housing complete
527323	lid for dosing container	527488	ring for dosing container	527605	dosing unit with lever	527710	housing complete
527325	body ø 135 mm H 65 mm aluminium	527489	dosing unit with lever	527606	coffee press complete ø 56 mm L 68 mm	527711	sector plates
527326	glass cylinder ø 132 mm H 75 mm	527490	star complete ø 112 mm shaft ø 7	527607	brewing unit L 133 mm H 121 mm	527712	gearbox motor shaft ø 11 mm
527327	lid for coffee beans container ø 210 mm	527491	lid for dosing container ø 118 mm	527608	brewing unit complete	527713	display p.c.b. for doser
527330	hopper magnet suitable for MAZZER	527492	lever for dosing unit hole ø 12 mm brass	527609	water dispersion ø 56,5-59mm conical	527714	switch L 60 mm W 50 mm chrome-plated
527331	lid for dosing container ø 118 mm	527493	wiper for dosing container W 110 mm	527610	filter holder support	527715	torsion spring ø 21 mm
527332	glass cylinder for dosing container	527494	spindle for dosing container	527611	gasket for keypad L 144 mm W 55 mm	527716	pressure spring ø 10,5 mm L 66 mm
527333	lid for coffee beans container ø 182 mm	527495	spindle for dosing unit shaft ø 12/16mm	527612	gasket for display L 110 mm W 55 mm	527717	pressure spring ø 5,5 mm
527334	coffee beans container ø 185 mm H 211 mm	527496	ratchet for dosing unit ø 30 mm	527613	housing for display L 135 mm W 44 mm	527718	pressure spring ø 10 mm
527335	lid for coffee beans container ø 182 mm	527497	torsion spring ø 35 mm L2 22 mm	527614	cylinder int. ø 151 mm H 102 mm	527719	pressure spring ø 5 mm L 23 mm
527336	coffee beans container ø 125 mm H 116 mm	527498	pressure spring ø 5 mm L 12 mm	527616	heat exchanger ø 52 mm L 150 mm T1 3/8"	527720	pressure spring
527337	lid for dosing container ø 113 mm	527499	stopper for lever D1 ø 17 mm D2 ø 7 mm	527617	heat exchanger detachable ø 60 mm	527721	bolt D1 ø 8 mm D2 ø 12 mm L 137 mm
527338	ring for dosing container ø 118 mm	527500	setting screw for dosing container M8	527618	heat exchanger detachable ø 42 mm	527722	push button shaft ø 7 mm
527339	glass cylinder	527501	star mounting pos. upper ø 107 mm	527619	aspiration tube ø 8 mm L 150 mm	527723	protecting cover plastic
527340	lid for dosing container ø 86 mm	527502	sector plates plastic	527620	lever complete L 250 mm M16x1,5	527724	p.c.b. suitable for for doser L 75 mm
527341	glass cylinder for doser ø 109 mm	527503	star mounting pos. centre/bottom	527621	coffee beans container ø 210 mm H 230 mm	527725	push button mounting ø 12 mm red 1NO
527342	coffee beans container	527504	pressure spring ø 10,3 mm L 60 mm	527622	cylinder ø 118 mm H 75 mm plexiglas	527726	ratchet ø 26 mm int. ø 1 8 mm
527343	coffee beans container complete	527505	counter ø 20 mm lever length 35 mm	527623	lid for dosing container ø 119 mm	527727	nut M5 H 5 mm SS WS 8 Qty 1 pc
527344	coffee beans container complete L 160 mm	527506	coffee press ø 57 mm L 83 mm H 41 mm	527624	spring ø 30 mm wire gauge ø 1,5 mm	527728	foot
527345	lid for coffee beans container L 118 mm	527507	lever complete L 110 mm shaft ø 8 mm	527625	rotary switch complete 1-0-2 1CO 3 A	527729	knob plastic
527346	lid for coffee beans container L 141 mm	527508	dosing unit ø 120 mm suitable for T80	527626	lever	527730	grid for motor
527347	lid for coffee beans container L 157 mm	527509	dosing unit automatic ø 120 mm H 160 mm	527627	housing for dosing container	527731	bolt for doser D1 ø 2 mm L 17 mm
527348	catch	527510	dosing unit manual ø 120 mm H 160 mm	527628	protecting cover	527732	bolt for doser D1 ø 6 mm L 6 mm
527349	catch	527511	dosing unit automatic	527630	boiler gasket D1 ø 190 mm D2 ø 140 mm	527733	bolt for doser L 24 mm
527350	grinding burrs protection	527512	dosing unit manual	527631	coffee filter ø 70 mm mounting ø 60,7 mm	527734	ring
527351	grinding burrs protection	527513	setting screw for dosing container	527632	shim gasket D1 ø 71 mm D2 ø 59 mm	527735	washer ø 35 mm
527352	lid for dosing container ø 119 mm	527514	star mounting pos. upper ø 109 mm	527633	cover L 54 mm W 13 mm H 23 mm	527736	micro switch with pressure pin 250 V 1CO
527353	cylinder	527515	sector plates	527634	screw M10x1 thread length 6,5 mm	527737	electronic box for coffee machine 230 V
527355	container complete ø 210 mm H 290 mm	527516	star mounting pos. centre ø 109 mm	527635	flat gasket PTFE D1 ø 56,8 mm	527738	lever for dosing unit hole ø 10 mm metal
527382	grinding burrs pair turn direction right	527517	pressure spring ø 14,8 mm L 49 mm	527637	flat gasket PTFE D1 ø 26 mm D2 ø 20 mm	527739	dosing unit ø 95 mm H 95 mm
527383	grinding burrs pair turn direction right	527518	holder for filter holder L 105 mm	527638	flat gasket PTFE D1 ø 12 mm D2 ø 10 mm	527740	coffee beans container ø 125 mm H 180 mm
527385	spring ø 30,5 mm L1 28 mm	527519	star mounting pos. bottom	527639	coffee beans container ø 200 mm H 255 mm	527741	electronic box for coffee machine 230 V
527389	pressure spring ø 10 mm L 23 mm	527520	holder for filter holder	527640	lid for coffee beans container ø 200 mm	527742	housing L 119 mm W 52 mm H 50 mm plastic
527392	coffee grounds drawer W 320 mm D 240 mm	527522	setting screw for dosing container M8	527641	ring for dosing container	527743	cover L 121 mm W 58 mm H 20 mm plastic
527393	coffee grounds drawer W 320 mm D 370 mm	527523	star mounting pos. upper ø 112 mm	527642	cylinder ø 115 mm H 85 mm	527744	housing L 136 mm W 45 mm H 20 mm plastic
527394	coffee grounds hopper W 320 mm D 240 mm	527524	brush L 80 mm plastic	527643	coffee press ø 53 mm	527745	keypad foil L 137 mm W 50 mm
527395	bar rubber for coffee drawer bar ø 40 mm	527525	sector plates	527644	coffee press ø 57 mm	527746	keypad foil L 137 mm W 50 mm
527397	milk foamer	527526	star mounting pos. centre ø 115 mm	527645	star complete ø 118 mm	527747	keypad foil L 100 mm W 50 mm
527398	coffee press ø 54,5 mm H 42 mm plastic	527527	pressure spring ø 28,9 mm L 35 mm	527646	grinding burr holder D1 ø 83 mm	527748	keypad foil L 173 mm W 50 mm
527399	counter for dosing unit	527528	star mounting pos. bottom ø 115 mm	527647	grinding burr holder D1 ø 83 mm	527749	control panel L 120 mm W 58 mm plastic
527402	setting ring suitable for BRASILIA	527530	star mounting pos. upper	527648	grinding burr holder D1 ø 64 mm	527750	cover L 121 mm W 58 mm H 23 mm plastic
527410	setting ring ø 106 mm ID ø 68 mm H 30 mm	527531	sector plates	527649	grinding burr holder D1 ø 64 mm	527751	control panel L 121 mm W 58 mm plastic
527411	protective cover ø 68 mm plastic	527532	star mounting pos. centre ø 103 mm	527650	grinding burrs pair turn direction right	527752	keypad foil L 212 mm W 50 mm
527412	setting ring mounting ø 95 mm ø 111 mm	527533	star mounting pos. bottom ø 103 mm	527651	grinding burrs pair turn direction right	527753	keypad unit W 46 mm L 136 mm buttons 7
527413	setting ring suitable for Obel for EB	527534	coffee press ø 56 mm H 15,5 mm M8	527652	catch L 78 mm W 48 mm thickness 2 mm	527754	membrane keypad L 100 mm W 50 mm
527414	setting ring suitable for Obel	527535	filter holder support for doser	527653	lever doser hole ø 25 mm aluminium	527755	control panel L 121 mm W 58 mm plastic
527431	grinding burrs pair turn direction right	527536	holder for filter holder L 66 mm W 45 mm	527654	torsion spring ø 30 mm wire gauge ø 2 mm	527756	knob steam ø 45 mm shaft ø 8 mm
527432	screw connection for tap L 52 mm	527537	dosing unit complete	527655	filter holder support for doser L 115 mm	527757	knob water ø 45 mm shaft ø 8 mm black
527433	drain connection 1/8" L 63 mm plastic	527538	doser complete with lid	527656	spacer ring for doser	527758	membrane keypad for coffee machine
527434	filter T1 3/8" T2 3/8" L 54 mm ID ø 8 mm	527539	setting screw for dosing container M8	527657	spacer ring for doser thickness 3,5 mm	527759	display p.c.b. L 130 mm W 40 mm
527435	cover	527540	brush M4 plastic	527658	spring ø 10 mm wire gauge ø 1 mm	527760	display for coffee machine W 44 mm



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
527761	p.c.b. L 65 mm W 43 mm with flattening	527872	tap aerator ID ø 6 mm brass ED ø 15 mm	527979	expansion valve T1 3/8" ET	528104	boiler gasket D1 ø 245 mm D2 ø 207 mm
527762	housing L 119 mm W 51 mm H 34 mm plastic	527873	plain washers ID ø 3,2 mm ED ø 7 mm	527980	reducer T1 1/8" T2 1/2" int. ø 1 5 mm	528105	drain pan L 90 mm W 90 mm H 58 mm
527763	keypad foil L 213 mm W 50 mm	527874	nozzle holder M5 IT M5 L 18 mm brass	527981	aerator and air bleeder connection 1/4"	528106	ring for boiler 16 holes
527764	keypad foil L 137 mm W 50 mm	527875	stop bolt M6 L 16 mm SS	527982	angle piece T1 3/8" T2 3/8"	528107	boiler gasket D1 ø 243 mm D2 ø 205 mm
527765	housing L 119 mm W 51 mm plastic	527876	nut IT M6 L 22,8 mm WS 13	527983	angle piece T1 1/4" T2 3/8"	528108	boiler gasket D1 ø 244 mm D2 ø 205 mm
527766	control panel L 120 mm W 58 mm plastic	527877	aspiration tube L 145 mm M18x1,5	527984	angle piece T1 1/2" T2 1/2"	528109	boiler flange for boiler 12 holes E61
527768	knob ø 46 mm shaft ø 8 mm black	527878	drain pipe ø 12 mm L 92 mm T1 1/8"	527985	t-fitting 1/4" T1 1/2" T2 1/2"	528110	O-rings EPDM thickness 2,62 mm
527769	steam pipe with tube handle 3/8"	527879	injector pipe for boiler tube ø 12 mm	527986	filter holder gasket D1 ø 73,5 mm	528111	boiler flange 12 holes
527770	heating element 5000 W 230 V	527880	heat exchanger detachable ø 42 mm	527987	filter holder gasket D1 ø 73,5 mm	528112	ring for boiler 12 holes
527771	heating element 4500 W 230 V	527881	plain washers stainless steel for spring	527988	tap aerator M10x1 L 35 mm WS 22	528113	group gasket L 80 mm W 23 mm
527772	temperature sensor NTC	527882	steam nozzle M10x0,75 ø 17 mm L 29 mm	527989	drain pipe ø 20 mm ID ø 16,5 mm L 28 mm	528114	pressure spring ø 45 mm L 185 mm
527773	injector pipe boiler tube ø 10 mm	527883	collecting tray L 180 mm W 170 mm	527990	water level tube ø 11 mm H 140 mm	528115	group gasket L 79 mm W 72 mm
527774	injector pipe boiler tube ø 10 mm	527884	coffee beans container complete ø 210 mm	527991	O-rings EPDM thickness 2 mm ID ø 14,5 mm	528116	boiler gasket D1 ø 177 mm D2 ø 126 mm
527775	injector pipe boiler tube ø 10 mm	527885	coffee beans container complete ø 210 mm	527992	pressure spring ø 8 mm L 32 mm	528117	boiler gasket D1 ø 220 mm D2 ø 176 mm
527776	keypad unit W 45 mm L 136 mm buttons 7	527886	coffee beans container complete ø 210 mm	527993	flat gasket PTFE D1 ø 18 mm D2 ø 13 mm	528120	boiler gasket D1 ø 215 mm D2 ø 192 mm
527777	steam pipe mounting pos. left	527887	coffee beans container complete ø 186 mm	527994	flat gasket copper D1 ø 25 mm	528121	boiler gasket D1 ø 180 mm D2 ø 140 mm
527778	steam pipe mounting pos. right	527888	torsion spring ø 36 mm L 20 mm	527995	gasket ED ø 15 mm seat ø 6 mm H 5 mm	528122	boiler gasket D1 ø 180 mm D2 ø 140 mm
527779	brewing unit complete	527889	grinding burrs pair turn direction left	527996	gasket support D1 ø 8,6 mm D2 ø 17 mm	528124	boiler gasket D1 ø 175 mm D2 ø 124 mm
527780	brewing unit complete	527891	filter holder support for dosing unit	527997	gasket support D1 ø 7,3 mm D2 ø 13 mm	528125	boiler gasket D1 ø 172 mm D2 ø 150 mm
527781	keypad unit mounting pos. horizontal	527893	coffee beans container ø 208 mm H 260 mm	527998	screw connection 1/4" T1 3/8" L 32 mm	528128	boiler gasket D1 ø 220 mm D2 ø 169 mm
527782	steam pipe L 275 mm W 150 mm tube ø 8 mm	527894	coffee beans container complete ø 208 mm	527999	screw connection 3/8" L 19 mm ø 20 mm	528129	boiler gasket D1 ø 221 mm D2 ø 171 mm
527783	steam pipe L 265 mm W 140 mm tube ø 8 mm	527895	coffee beans container complete ø 208 mm	528001	flat gasket fiber D1 ø 56,5 mm	528130	drain pan connection for model B-C
527784	steam pipe L 270 mm W 150 mm tube ø 8 mm	527896	coffee beans container ø 208 mm H 260 mm	528002	flat gasket PTFE D1 ø 57 mm D2 ø 42 mm	528131	flat gasket PTFE D1 ø 52 mm D2 ø 40 mm
527785	steam pipe L 310 mm W 140 mm tube ø 8 mm	527897	lid for coffee beans container ø 157 mm	528003	flat gasket PTFE D1 ø 59 mm D2 ø 45 mm	528132	group gasket L 68 mm W 68 mm
527786	steam pipe L 280 mm W 170 mm tube ø 8 mm	527898	thread bolt ø 10,5 mm M5 L 29 mm	528004	flat gasket PTFE D1 ø 58 mm D2 ø 50 mm	528133	boiler gasket D1 ø 165 mm D2 ø 150 mm
527787	steam pipe L 210 mm W 140 mm	527899	dosing unit complete manual ø 122 mm	528005	group gasket D1 ø 96 mm D2 ø 56 mm	528134	flat gasket fiber D1 ø 34 mm D2 ø 27 mm
527788	steam nozzle ø 16 mm L 28 mm 5 holes SS	527900	dosing unit complete automatic ø 122 mm	528006	flat gasket PTFE D1 ø 50 mm D2 ø 40 mm	528136	O-rings Viton thickness 5,8 mm
527789	steam nozzle ø 16 mm L 72 mm 4 holes SS	527901	collecting tray L 240 mm W 220 mm	528007	flat gasket PTFE D1 ø 50 mm D2 ø 40 mm	528137	boiler gasket D1 ø 163 mm D2 ø 150 mm
527790	drain pipe 1/2" int. ø 1 8 mm	527902	catch L 88 mm W 54 mm thickness 2,5 mm	528008	gasket ID ø 30 mm fiber thickness 3 mm	528139	boiler gasket D1 ø 143 mm D2 ø 128 mm
527791	keypad unit horizontal L 105 mm W 70 mm	527903	catch L 82 mm W 47 mm thickness 1,8 mm	528009	gasket fiber	528140	boiler gasket D1 ø 108 mm D2 ø 101 mm
527792	keypad unit mounting pos. horizontal	527904	spring L1 17 mm wire gauge ø 1 mm	528010	flat gasket PTFE D1 ø 56 mm D2 ø 47 mm	528141	group gasket L 81 mm W 55 mm
527793	display W 44 mm L 122 mm	527905	ratchet int. ø 1 7 mm	528011	flat gasket PTFE D1 ø 14,5 mm D2 ø 10 mm	528142	group gasket L 76 mm W 50 mm
527794	cam W 30 mm H 84 mm	527906	equipment foot ø 22 mm H 16 mm	528012	gasket suitable for VIBIEMME	528143	boiler gasket D1 ø 180 mm D2 ø 135 mm
527795	shaft M4 triangle L 34,6 mm W 6,6 mm	527907	grinding burr holder D1 ø 70 mm H 44 mm	528013	gasket ID ø 40 mm fiber thickness 4 mm	528144	boiler gasket D1 ø 148 mm D2 ø 135 mm
527796	injector pipe boiler tube ø 6 mm	527908	grinding burr holder D1 ø 65,5 mm	528015	gasket ID ø 55 mm fiber thickness 2 mm	528145	boiler gasket D1 ø 170 mm D2 ø 138 mm
527797	steam nozzle M8x0,75 ø 14 mm L 25 mm	527909	cylinder ø 120 mm H 68 mm plexiglas	528016	flat gasket graphite D1 ø 62 mm	528148	group gasket H 2 mm ED ø 111 mm
527798	injector pipe boiler tube ø 6 mm	527910	cylinder ø 120 mm H 90 mm plexiglas	528017	flat gasket fiber D1 ø 53 mm D2 ø 42 mm	528151	boiler gasket D1 ø 190 mm D2 ø 140 mm
527799	injector pipe boiler tube ø 10 mm	527911	setting ring ø 105 mm ID ø 66 mm H 21 mm	528018	flat gasket PTFE D1 ø 41 mm D2 ø 33 mm	528153	boiler gasket D1 ø 142 mm D2 ø 130 mm
527800	injector pipe boiler tube ø 10 mm	527913	star mounting pos. centre ø 109 mm	528019	gasket fiber D1 ø 39 mm D2 ø 76 mm	528155	O-rings Viton thickness 3,53 mm
527801	fitting support ø 35 mm int. ø 1 8 mm	527914	grinding burrs pair turn direction right	528020	gasket fiber D1 ø 56 mm D2 ø 95 mm	528156	group gasket L 102 mm W 31 mm
527802	screw connection 1/2" int. ø 1 11 mm	527915	grinding burrs pair turn direction right	528021	flat gasket PTFE D1 ø 53 mm D2 ø 42,5 mm	528157	flat gasket D1 ø 24 mm D2 ø 33,5 mm
527803	gasket Viton D1 ø 13 mm D2 ø 4 mm	527916	lever for dosing container L 105 mm	528022	flat gasket PTFE D1 ø 52 mm D2 ø 41 mm	528158	flat gasket
527804	aspiration tube group ø 12 mm L 180 mm	527917	cover plate with lever	528023	gasket ID ø 41 mm fiber thickness 2 mm	528159	boiler gasket D1 ø 211 mm D2 ø 151 mm
527805	gas valve pressure range 50 mbar	527918	aspiration tube for cold water ø 8 mm	528030	filter holder gasket D1 ø 72,7 mm	528160	boiler gasket D1 ø 176 mm D2 ø 125 mm
527806	plain washers ID ø 8 mm ED ø 18 mm	527919	hose ED ø 12 mm ID ø 10 mm L 1 m PFA	528031	filter holder gasket D1 ø 73 mm	528162	boiler gasket D1 ø 237 mm D2 ø 200 mm
527807	electromechanical circuit breaker	527920	water pipe 1/4" ø 23,5 mm L 105 mm	528032	filter holder gasket D1 ø 73 mm	528163	boiler gasket D1 ø 184 mm D2 ø 170 mm
527809	electronic box for coffee machine 115 V	527921	water pipe 3/8" ø 23,5 mm L 112 mm	528033	shim gasket D1 ø 71 mm D2 ø 58 mm	528164	group gasket L 72 mm W 60 mm
527810	electronic box for coffee machine 115 V	527922	water pipe 3/8" ø 23,5 mm L 86 mm WS 22	528034	filter holder gasket D1 ø 73,5 mm	528165	group gasket L 76 mm W 72 mm
527811	electronic box for coffee machine	527923	water pipe 3/8" ø 23,5 mm L 75 mm WS 22	528035	filter holder gasket D1 ø 71 mm	528166	boiler gasket D1 ø 200 mm D2 ø 160 mm
527812	keypad unit 115 V W 44 mm L 92 mm	527924	steam pipe 3/8" H 170 mm W 100 mm	528036	filter holder gasket with cone	528171	flat gasket fiber D1 ø 55 mm D2 ø 42 mm
527813	connection cable L 1500 mm 4 -poles	527925	steam pipe 3/8" H 170 mm W 120 mm	528037	filter holder gasket D1 ø 73,8 mm	528172	group gasket L 79 mm W 71 mm
527814	angle piece 3/8" for steam pipe WS 20	527926	steam pipe 3/8" H 120 mm L 50 mm	528038	filter holder gasket D1 ø 64 mm	528174	water dispersion ø 32 mm hole ø 1,25 mm
527815	gasket copper D1 ø 13,2 mm D2 ø 18,7 mm	527927	steam pipe 3/8" H 190 mm W 100 mm	528040	filter holder gasket D1 ø 71 mm	528175	nozzle bore ø 0,6 mm
527816	switch panel L 86 mm W 40 mm	527928	steam pipe 3/8" H 250 mm W 70 mm	528041	filter holder gasket D1 ø 64,5 mm	528176	nozzle bore ø 0,7 mm M5x0,75 conical
527817	control panel suitable for F2006 2-group	527929	steam pipe 3/8" H 270 mm L 70 mm W 80 mm	528042	filter holder gasket with bevel 45x2	528177	nozzle hole ø 0,8 mm
527818	control panel suitable for F2006 2-group	527930	steam pipe 3/8" H 270 mm L 70 mm W 80 mm	528043	filter holder gasket D1 ø 66 mm	528178	O-rings
527819	spacer piece for keypad L 22 mm	527931	drain pipe 1/2" int. ø 1 11,5 mm	528044	filter holder gasket D1 ø 69,5 mm	528179	flat gasket PTFE D1 ø 15 mm D2 ø 11 mm
527820	spacer piece for display L 10 mm	527932	tap aerator D1 ø 8 mm D2 ø 15 mm	528045	O-rings filter holder gasket	528180	nozzle holder
527821	spacer piece for keypad L 11,1 mm	527933	pressure spring ø 14,2 mm L 21 mm	528046	shim gasket D1 ø 66 mm D2 ø 58 mm	528181	O-rings EPDM thickness 3 mm ID ø 73 mm
527822	spacer piece with thread M3 L 5 mm	527934	pressure spring ø 14,2 mm L 45 mm	528047	filter holder gasket D1 ø 73 mm	528183	boiler gasket D1 ø 205 mm D2 ø 151 mm
527823	spacer piece for keypad	527935	pressure spring ø 14,6 mm L 33 mm	528048	shim gasket D1 ø 63 mm D2 ø 53 mm	528184	pressure spring ø 10,8 mm L 25 mm
527825	power contactor 230 V	527937	drain pipe 1/2" T1 M30x1,5 L 72 mm	528049	filter holder gasket D1 ø 72 mm	528185	disc D1 ø 12 mm D2 ø 8,2 mm
527826	double nipple T1 1/4" T2 1/4"	527940	camshaft shaft ø 8 mm	528050	shim gasket D1 ø 73 mm D2 ø 59 mm	528186	base plate L 34 mm H 4,6 mm W 34 mm
527827	double nipple T1 3/8" T2 3/8"	527941	screw connection M30x1,5 IT 1/2" L 39 mm	528052	flat gasket PTFE D1 ø 50 mm D2 ø 40 mm	528187	boiler gasket D1 ø 230 mm D2 ø 175 mm
527828	angle piece T1 1/4" T2 1/4"	527942	screw connection 1/2" int. ø 1 10,8 mm	528053	filter holder gasket D1 ø 72 mm	528188	boiler gasket D1 ø 142 mm D2 ø 130 mm
527829	angle piece T1 3/8" T2 3/8"	527943	lever L 70 mm M8 shaft intake 6x6mm	528054	filter holder gasket D1 ø 72 mm	528190	pressure spring ø 12 mm L 30 mm
527830	angle piece T1 1/2" T2 1/2"	527944	hut nuts IT M6 ø 15 mm L 22 mm	528056	shim gasket D1 ø 74 mm D2 ø 58 mm	528191	cam
527831	t-fitting 1/4" T1 1/2" T2 1/2"	527945	gasket set ED ø 13/16 mm ID ø 4/8 mm	528058	filter holder gasket D1 ø 71 mm	528193	pressure spring ø 8 mm L 55 mm
527832	t-fitting 1/4" T1 1/4" T2 1/4"	527946	drain pan L 69 mm W 79 mm H 54 mm	528059	filter holder gasket D1 ø 65 mm	528194	gasket ED ø 50,5 mm ID ø 35,5 mm
527833	t-fitting 1/4" T1 3/8" T2 3/8"	527947	ball ø 8 mm plastic	528060	filter holder gasket D1 ø 73,5 mm	528195	gasket ED ø 54,5 mm ID ø 39,5 mm
527834	container Standard	527948	protective cover for brewing unit	528061	filter holder gasket D1 ø 73 mm	528196	gasket ED ø 104 mm ID ø 88,5 mm H 8 mm
527843	lid L 180 mm W 160 mm H 3 mm plastic	527949	nozzle holder M30x1,5 IT M16x1,5 IT 1 M6	528062	filter holder gasket D1 ø 70 mm	528197	flat gasket copper D1 ø 10 mm D2 ø 6 mm
527844	tube handle for pipe ø 10 mm	527950	aspiration tube ø 8 mm L 98 mm	528063	filter holder gasket D1 ø 72,3 mm	528198	flat gasket PTFE D1 ø 14,5 mm
527845	sliding plate rubber L 20 mm W 16 mm	527951	injector pipe tube ø 8 mm	528064	filter holder gasket D1 ø 72 mm	528199	gasket D1 ø 126 mm D2 ø 104 mm
527846	cam M16x1,5	527952	injector pipe tube ø 8 mm	528065	filter holder gasket with ridge	528200	O-rings EPDM thickness 2,62 mm
527847	bolt L 60 mm for ball bearing ED ø 10 mm	527953	steam/water tap inlet 1/4" outlet 3/8"	528066	filter holder gasket with ridge	528201	flat gasket PTFE D1 ø 12,5 mm D2 ø 10 mm
527848	holder for inspection glass T1 3/8"	527954	steam tap mounting pos. external	528067	filter holder gasket with cone	528203	gasket rubber D1 ø 18 mm D2 ø 12 mm
527849	intake valve L 100 mm elbow 90°	527955	plain washers ID ø 6,1 mm ED ø 20 mm	528068	shim gasket D1 ø 69 mm D2 ø 57 mm	528204	bush D1 ø 14,5 mm D2 ø 11,5 mm H 6 mm
527850	protective plate for inspection glass	527956	screw connection T1 M16x1 L 61 mm	528069	filter holder gasket D1 ø 72,5 mm	528205	flat gasket PTFE D1 ø 20 mm D2 ø 17 mm
527851	ball ø 12 mm for brewing unit SS	527957	intake valve brass with expansion valve	528070	filter holder gasket D1 ø 74 mm	528206	O-rings EPDM thickness 2,62 mm
527852	hexagonal nut M8 H 8 mm WS 13 brass	527958	pressure spring ø 10,5 mm L 32 mm	528072	filter holder gasket D1 ø 73 mm	528207	gasket PTFE outer cone
527853	bolt steel L 29 mm ED ø 9 mm	527959	shaft for steam-/water-tap ø 14 mm	528074	filter holder gasket D1 ø 66 mm	528208	gasket D1 ø 14,5 mm D2 ø 10,5 mm
527854	thread bolt for heating element M8	527960	gasket D1 ø 12 mm thickness 6 mm	528075	shim gasket D1 ø 71 mm D2 ø 58 mm	528210	flat gasket FIBER D1 ø 21 mm
527855	filter holder suitable for ASTORIA	527961	flat gasket copper D1 ø 21 mm	528079	shim gasket D1 ø 71 mm D2 ø 58 mm	528211	O-rings Viton thickness 2,62 mm
527856	double nipple T1 3/8" T2 3/8"	527962	body T1 M16x1 T2 3/8" T3 1/4" L 49 mm	528080	shim gasket D1 ø 63 mm D2 ø 53 mm	528212	gasket D1 ø 32 mm thickness 1 mm
527857	reducer T1 1/4" int. ø 1 4 mm L 16 mm	527963	pressure spring ø 12 mm L 16,5 mm	528081	filter holder gasket D1 ø 64 mm	528216	O-rings Viton thickness 2,62 mm
527858	end cap M14x1 L 18 mm WS 8 brass	527964	nozzle M9x0,75 ø 13 mm L 21 mm 4 holes	528084	shim gasket D1 ø 65 mm D2 ø 55 mm	528217	O-rings PTFE thickness 2,62 mm
527859	end cap M28x1,5 L 23 mm WS 17	527965	flat gasket rubber D1 ø 21 mm D2 ø 15 mm	528085	filter holder suitable for WEGA	528218	gasket PTFE
527860	connecting fitting for filter T1 3/8"	527966	tap aerator D1 ø 18,8 mm D2 ø 20,8 mm	528086	filter holder gasket D1 ø 64,5 mm	528219	O-rings Viton thickness 2 mm ID ø 6 mm
527861	double nipple T1 1/4" T2 3/8"	527967	screw connection for flow regulator	528087	filter holder gasket D1 ø 74 mm	528222	O-rings silicone thickness 2,62 mm
527862	end cap M18x1 L 26 mm WS 15 brass	527968	pressure spring ø 12,5 mm L 31 mm	528092	piston gasket ED ø 53 mm ID ø 46 mm	528223	O-rings EPDM thickness 2,62 mm
527863	end cap M18x1 L 15 mm WS 8	527969	pressure spring ø 8 mm L 21 mm	528093	drain pan L 11 mm W 30 mm H 25 mm	528224	gasket PTFE gasket
527864	angle piece T1 1/4" T2 1/4" IT M8	527970	flat gasket PTFE D1 ø 24 mm D2 ø 18 mm	528096	gasket D1 ø 61 mm D2 ø 73 mm	528225	O-rings
527865	double nipple T1 1/4" T2 3/8"	527971	bush D1 ø 7,8 mm D2 ø 15 mm H 21,3 mm	528097	gasket D1 ø 170 mm D2 ø 220 mm	528226	O-rings Viton thickness 2,62 mm
527866	double nipple T1 1/4" T2 3/8" IT M8	527972	gasket set D1 ø 16 mm ID ø 7,8 mm	528098	filter holder gasket D1 ø 66 mm	528227	nozzle
527867	nozzle holder M28x1,5 IT M18x1 L 62 mm	527974	tap aerator H 17 mm	528099	retaining ring bore ø 11 mm	528228	gasket D1 ø 32 mm thickness 0,6 mm
527868	bolt square brass M3 L 6 mm W 5 mm	527975	water tap inlet 3/8" outlet 3/8"	528100	boiler gasket D1 ø 149 mm D2 ø 138 mm	528229	O-rings Viton thickness 1,78 mm
527869	screw for lever ø 28 mm ID ø						

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
528233	flat gasket copper D1 ø 12 mm	528344	O-rings silicone thickness 2,62 mm	528477	setting ring ø 126 mm ID ø 70 mm H 21 mm	528588	flat gasket PTFE D1 ø 40 mm D2 ø 34,5 mm
528234	ball	528347	O-rings Viton thickness 1,78 mm	528478	O-rings EPDM thickness 2 mm ID ø 8 mm	528589	valve
528235	pressure spring ø 5,5 mm L 15 mm	528350	O-rings Viton thickness 2,62 mm	528479	flat gasket FIBER D1 ø 26 mm D2 ø 22 mm	528590	pressure spring ø 35 mm L 50 mm
528236	gasket D1 ø 11 mm thickness 3 mm	528353	O-rings Viton thickness 2 mm ID ø 10 mm	528480	pressure spring ø 14,1 mm L 28 mm	528591	spindle
528237	pressure spring ø 10,8 mm L 29 mm	528357	fine filter ø 8,5 mm H 22 mm	528482	steam/water tap inlet 1/4" outlet 3/8"	528592	pressure spring ø 12,1 mm L 34 mm
528238	screw bolt	528358	flat gasket FIBER D1 ø 24 mm D2 ø 18 mm	528484	pressure spring ø 10,6 mm L 29 mm	528593	tap aerator
528239	union nut 3/8" ID ø 12,5 mm L 21 mm	528361	press ring D1 ø 17,9 mm ID ø 10,9 mm	528485	O-rings EPDM thickness 1,78 mm	528594	drain pipe
528240	O-rings Viton thickness 2 mm ID ø 4 mm	528362	union nut	528486	nozzle bore ø 0,7 mm M6x0,75 L 9 mm	528595	piston
528241	pressure spring ø 7,3 mm L 34 mm	528365	non return valve	528488	flat gasket fiber D1 ø 57 mm D2 ø 42 mm	528596	gasket ED ø 12 mm ID ø 4 mm
528242	O-rings EPDM thickness 1,78 mm	528366	expansion valve	528490	expansion valve	528597	extension for spindle
528243	O-rings EPDM thickness 1,78 mm	528367	non return valve	528491	steam tap with pipe inlet 3/8"	528598	extension
528244	gasket D1 ø 11 mm ID ø 4 mm	528368	non return valve	528492	O-rings EPDM thickness 3 mm ID ø 17 mm	528599	shim gasket D1 ø 72 mm D2 ø 58 mm
528245	gasket support D1 ø 7,5 mm ID ø 10,5 mm	528369	non return valve	528493	pressure spring ø 12,6 mm L 30 mm	528600	drain pan connection 3/8"
528246	O-rings Viton thickness 1,78 mm	528370	expansion valve equiv. no. 5965036	528494	gasket rubber D1 ø 13 mm D2 ø 4 mm	528601	drain pan connection 3/8"
528247	valve L 16 mm W 6 mm H 6 mm ED ø 12 mm	528371	gasket support	528495	gasket rubber D1 ø 16 mm D2 ø 8 mm	528602	drain pan connection 3/8"
528248	pressure spring ø 7,8 mm L 40 mm	528372	gasket ED ø 14,5 mm ID ø 3,5 mm H 4 mm	528496	gasket	528603	drain pan connection 3/8"
528249	pressure spring ø 7,8 mm L 40 mm	528373	gasket	528497	pressure spring ø 12,4 mm L 30 mm	528604	drain pan
528250	O-rings Viton thickness 2 mm ID ø 8 mm	528374	bush D1 ø 12 mm int. ø 1 5/3,3 mm H 7 mm	528498	pressure spring ø 15 mm L 18 mm	528605	drain pan
528251	O-rings Viton thickness 2,62 mm	528375	pressure spring ø 9,6 mm L 35 mm	528500	O-rings EPDM thickness 3,53 mm	528606	drain pan L 110 mm W 80 mm H 50 mm
528252	valve L 20 mm W 6x6mm ED ø 12 mm brass	528376	gasket D1 ø 23 mm thickness 3 mm rubber	528501	gasket copper D1 ø 22 mm D2 ø 16 mm	528607	O-rings Viton thickness 1,78 mm
528253	pressure spring ø 12,5 mm L 28 mm	528377	spring guide D1 ø 9,4 mm D2 ø 18 mm	528502	gasket D1 ø 12 mm thickness 5,7 mm EPDM	528608	screw connection
528254	flat gasket D1 ø 21 mm D2 ø 26 mm	528378	pressure spring ø 9,5 mm L 39 mm	528503	pressure spring ø 10,5 mm L 32 mm	528609	drain pan
528255	gasket D1 ø 13 mm D2 ø 4 mm	528379	pressure spring ø 8,5 mm L 16 mm	528505	O-rings EPDM thickness 2,62 mm	528610	filter holder gasket D1 ø 73,5 mm
528256	gasket ED ø 15,5 mm ID ø 7,5 mm H 4 mm	528380	gasket	528506	gasket	528611	intake valve water complete
528257	pressure spring ø 15 mm L 17 mm	528381	O-rings Viton thickness 2,62 mm	528507	O-rings Viton thickness 2 mm ID ø 4 mm	528612	steam tap complete
528258	gasket outer cone	528382	O-rings EPDM thickness 1,78 mm	528508	gasket copper D1 ø 26 mm D2 ø 20 mm	528613	drain pan
528259	flat gasket	528383	flat gasket copper D1 ø 28 mm D2 ø 24 mm	528509	pressure spring ø 11 mm L 31 mm	528615	pressure spring ø 10,7 mm L 34,5 mm
528260	setting screw	528384	gasket	528510	pressure spring ø 13 mm L 18 mm	528616	washer ID ø 7,4 mm ED ø 10,9 mm
528261	knob adapter	528385	O-rings Viton thickness 3 mm ID ø 7,5 mm	528514	flat gasket PTFE D1 ø 62,5 mm	528617	flat gasket PTFE D1 ø 11,3 mm
528262	knob adapter	528386	non return valve	528515	O-rings EPDM thickness 2,62 mm	528618	stop D1 ø 12 mm D2 ø 9,7 mm ID ø 7 mm
528264	union nut 3/8" L 22,5 mm WS 29	528387	expansion valve	528516	O-rings silicone thickness 1 mm	528619	gasket rubber D1 ø 13,5 mm D2 ø 4 mm
528265	knob adapter	528388	bush for steam-/water-tap D1 ø 14 mm	528517	plain washers ID ø 16,2 mm ED ø 21,8 mm	528620	spacer steam tap stainless steel
528266	union nut	528389	flange mounting pos. left ø 32 mm	528518	retaining ring bore ø 22 mm	528621	ball ø 9,55 mm steam tap SS
528267	O-rings Viton thickness 2 mm ID ø 4 mm	528390	flange mounting pos. right ø 32 mm	528519	end cap 3/8" ID ø 9,1 mm L 21,5 mm	528622	spring ø 15,3 mm L 25 mm
528268	disc ID ø 5,4 mm ED ø 10 mm	528392	pressure spring ø 8 mm L 29 mm	528520	gasket copper D1 ø 22 mm D2 ø 16 mm	528623	pressure spring ø 12,1 mm L 11,5 mm
528269	pressure spring ø 7,5 mm L 18 mm	528393	bush D1 ø 14 mm D2 ø 9 mm ID ø 7,1 mm	528521	pressure spring ø 8,3 mm L 19 mm	528624	steam pipe M10x1 H 150 mm L 135 mm
528270	flat gasket	528394	water dispersion ø 56/58mm H 10 mm	528522	plain washers ID ø 6,7 mm ED ø 10,8 mm	528625	tube handle L 35 mm rubber ID ø 8 mm
528271	bush	528396	O-rings EPDM thickness 2 mm ID ø 7,2 mm	528523	nozzle holder M30x1,5 IT M16x1,5 IT 1 M6	528626	steam pipe M10x1 H 150 mm L 140 mm
528272	disc	528397	bolt PTFE L 21 mm ED ø 8 mm	528524	flat gasket PTFE D1 ø 36,5 mm	528627	push button ø 20 mm chrome-plated brass
528273	O-rings Viton thickness 1,25 mm	528398	gasket D1 ø 12,5 mm thickness 6 mm	528525	O-rings Viton thickness 3,53 mm	528628	washer ID ø 13,3 mm ED ø 17 mm
528274	ceramic washer	528399	stop bolt plastic L 16 mm for lever	528526	pressure spring ø 12,9 mm L 41 mm	528629	water level tube ø 12 mm H 140 mm
528275	bush	528400	O-rings EPDM thickness 1,78 mm	528527	spindle shaft ø 4 mm L 40 mm M4 brass	528630	ball ø 6,6 mm plastic water level glass
528276	O-rings Viton thickness 1,78 mm	528401	flat gasket fiber D1 ø 22 mm D2 ø 16 mm	528528	gasket support ED ø 16 mm ID ø 13 mm	528631	O-rings silicone thickness 1,78 mm
528277	gasket PTFE D1 ø 15 mm D2 ø 12,4 mm	528402	O-rings Viton thickness 2,62 mm	528529	plain washers ID ø 3,5 mm ED ø 6,6 mm	528632	O-rings EPDM thickness 3,53 mm
528278	O-rings Viton thickness 2,62 mm	528405	filter holder gasket D1 ø 73 mm	528530	bolt square brass M3 L 11 mm W 6 mm	528633	water pipe 3/8" ø 23,5 mm L 58 mm
528279	union nut	528406	group gasket L 79 mm W 73 mm	528531	bolt square brass M3 L 12 mm W 6 mm	528634	flat gasket PTFE D1 ø 20,5 mm
528280	gasket D1 ø 11 mm thickness 4 mm Viton	528407	screw cap	528532	shaft M4 square L 34 mm W 6 mm brass	528635	electronic box 230 V AC 50/60Hz 5/5/10A
528281	gasket D1 ø 6 mm thickness 3 mm PTFE	528408	flat gasket PTFE D1 ø 23 mm D2 ø 18,5 mm	528533	pressure spring ø 14,6 mm L 43 mm	528636	level controller 230 V AC 50/60Hz 16/5A
528282	O-rings Viton thickness 1,78 mm	528409	fine filter fabric pipe ø 14 mm	528534	drain pipe M30x1,5 T 1 1/2" L 73 mm	528637	dosing electronics 230 V AC 50/60Hz
528283	gasket D1 ø 13 mm ID ø 4 mm	528410	nozzle hole ø 0,7 mm L 8,5 mm M5x0,75	528535	bolt square brass M3 L 6 mm W 6 mm	528638	central unit 3 groups 230 V AC
528284	pressure spring ø 11 mm L 26 mm	528411	water dispersion ø 55 mm H 7 mm 6 holes	528536	spring ø 48 mm L 133 mm	528639	central unit F2006 230 V AC
528285	gasket ED ø 24 mm ID ø 14 mm H 5 mm	528412	O-rings Viton thickness 3,53 mm	528537	tap aerator D1 ø 8 mm D2 ø 15 mm	528640	O-rings EPDM thickness 2,62 mm
528286	O-rings Viton thickness 2 mm ID ø 7 mm	528413	O-rings Viton thickness 2,62 mm	528538	end piece 1/2" int. ø 1 12 mm	528641	gasket
528291	O-rings Viton thickness 2,62 mm	528415	shower filter ø 52 mm hole ø 5 mm	528539	camshaft shaft ø 8 mm	528642	bush
528293	O-rings Viton thickness 2,62 mm	528416	water dispersion ø 30 mm hole ø 1,5 mm	528540	flat gasket PTFE D1 ø 61,5 mm D2 ø 46 mm	528643	screw
528295	screw connection	528417	shower filter ø 58 mm H 19 mm	528541	bush D1 ø 15 mm D2 ø 10,8 mm ID ø 8 mm	528644	disc ID ø 12,4 mm ED ø 25 mm
528296	pressure spring ø 11,8 mm L 70 mm	528418	flat gasket PTFE D1 ø 34 mm D2 ø 27 mm	528542	pressure spring ø 15 mm L 27 mm	528645	pressure spring ø 23,5 mm L 14 mm
528297	bush	528419	ball ø 11 mm SS	528543	lever zinc coated	528646	disc ID ø 20,3 mm ED ø 25 mm
528298	bush	528420	flat gasket copper D1 ø 26 mm D2 ø 21 mm	528544	pressure spring ø 34 mm L 60 mm	528647	O-rings Viton thickness 2,62 mm
528299	union nut	528421	pressure spring ø 5,5 mm L 15 mm	528545	bush	528648	gasket D1 ø 12,2 mm thickness 6 mm
528300	union nut	528422	ball ø 8 mm SS	528546	adjusting ring for brewing unit	528649	O-rings Viton thickness 2 mm ID ø 6 mm
528303	gasket D1 ø 12,5 mm D2 ø 7 mm	528423	pressure spring ø 11,4 mm L 25 mm	528547	cotter pin ø 3,4 mm L 14 mm	528650	bush ø 35,4 mm L 22,5 mm black
528304	flat gasket fiber D1 ø 58 mm D2 ø 46 mm	528424	pressure spring ø 15 mm L 29 mm	528548	adjusting screw	528651	disc for spring ø 36 mm ID ø 29 mm
528305	union nut	528425	gasket D1 ø 14,9 mm D2 ø 6 mm	528549	bush D1 ø 12,5 mm D2 ø 9,5 mm	528652	pressure spring ø 33 mm L 30 mm
528306	disc for steam/water pipes brass	528426	press ring	528550	flat gasket PTFE D1 ø 10 mm D2 ø 8 mm	528653	plain washers D1 ø 8 mm D2 ø 14,5 mm
528308	flat gasket rubber D1 ø 15 mm D2 ø 4 mm	528427	steam/water tap inlet 1/4" outlet 3/8"	528551	O-rings EPDM thickness 2 mm ID ø 6,5 mm	528654	bush D1 ø 15 mm D2 ø 11 mm H 7,7 mm
528309	shaft sealing ED ø 13 mm ID ø 7,5 mm	528428	flat gasket fiber D1 ø 34 mm D2 ø 27 mm	528552	pressure spring ø 9,5 mm L 20 mm	528655	O-rings EPDM thickness 2,62 mm
528310	piston	528430	gasket D1 ø 46 mm D2 ø 93 mm	528555	pressure spring ø 22 mm L 65 mm	528656	lever
528311	pressure spring ø 14 mm L 39 mm	528431	gasket D1 ø 41,5 mm D2 ø 93 mm	528556	spindle	528657	cone handle plastic black
528312	flat gasket FIBER D1 ø 26 mm D2 ø 20 mm	528433	flat gasket copper D1 ø 14,5 mm	528557	gasket support	528658	lever handle plastic black
528313	shaft sealing D1 ø 12,5 mm D2 ø 7,9 mm	528434	nozzle	528558	gasket ED ø 13 mm ID ø 4 mm H 4 mm	528659	end cap M16x1,5 ID ø 7,2 mm L 22 mm
528314	flat gasket PTFE D1 ø 20 mm D2 ø 17 mm	528435	fine filter flat fabric ø 9 mm H 1,5 mm	528559	piston suitable for FAEMA	528660	flat gasket copper D1 ø 22,1 mm
528315	O-rings EPDM thickness 3,53 mm	528436	water dispersion ø 34,5 mm H 5,1 mm	528560	gasket copper D1 ø 32 mm D2 ø 26,5 mm	528661	end cap M12x1,5 L 18 mm
528316	end cap M18x1,5 ID ø 13,5 mm L 10 mm	528439	boiler gasket D1 ø 197 mm D2 ø 150 mm	528561	nozzle	528662	flat gasket copper D1 ø 16 mm D2 ø 12 mm
528317	fine filter fabric ø 14 mm H 12,5 mm	528441	gasket rubber D1 ø 21 mm D2 ø 11 mm	528562	fine filter flat ø 9 mm	528663	union nut
528318	nozzle hole ø 0,5 mm M5x1	528442	water level tube ø 11 mm H 145 mm MK10	528563	pressure spring ø 7,2 mm L 18 mm	528664	pressure spring ø 24 mm L 24 mm
528319	pressure spring ø 9,1 mm L 15 mm	528444	gasket D1 ø 17 mm ID ø 11 mm H 4 mm	528564	flat gasket PTFE D1 ø 22 mm D2 ø 16 mm	528665	spring guide
528320	gasket rubber D1 ø 10 mm D2 ø 4 mm	528445	press ring D1 ø 18 mm D2 ø 12,15 mm	528565	spindle	528666	double nipple
528321	filter holder D1 ø 13 mm ID ø 5 mm	528447	safety valve connection 3/8"	528566	pressure spring ø 7,6 mm L 26 mm	528667	union nut
528322	gasket ED ø 19 mm ID ø 11,5 mm H 4 mm	528450	intake valve water with solenoid valve	528567	valve guide	528668	pressure spring ø 6,9 mm L 28 mm
528323	mounting plate	528451	steam/water tap inlet 3/8"	528568	gasket copper D1 ø 32,7 mm D2 ø 21,6 mm	528669	fine filter flat ø 7 mm
528324	pressure spring ø 11 mm L 21 mm	528452	sealing disc D1 ø 14 mm thickness 3,5 mm	528569	valve body	528670	nozzle
528325	flat gasket FIBER D1 ø 26 mm D2 ø 21 mm	528453	pressure spring ø 5 mm L 150 mm	528570	spring guide suitable for FAEMA	528671	drain pipe
528326	fine filter flat ø 11,2 mm	528455	O-rings Viton thickness 2,62 mm	528571	pressure spring ø 13,7 mm L 43 mm	528672	tap aerator
528327	pressure spring ø 10 mm L 32 mm	528457	steam pipe M16x1,5 with thread	528572	end cap	528673	mounting plate
528328	gasket support	528459	steam pipe with thread SS MK10	528573	lever handle plastic black	528674	flat gasket FIBER D1 ø 72 mm D2 ø 61 mm
528329	plain washers thickness 1,5 mm	528461	pressure spring ø 9,5 mm L 21,5 mm	528574	lever joint	528675	manometer ø 51,5 mm
528330	gasket ED ø 15 mm ID ø 6,5 mm H 4 mm	528464	group gasket D1 ø 90 mm D2 ø 49 mm	528575	lever handle plastic black	528677	flat gasket PTFE D1 ø 73 mm D2 ø 60 mm
528331	pressure spring ø 18,1 mm L 38 mm	528465	gasket D1 ø 42,5 mm thickness 2 mm	528576	stopper	528678	gasket set 4-piece
528332	gasket	528466	nozzle holder 1/4" brass WS 17	528577	bearing	528679	O-rings silicone thickness 3,53 mm
528333	O-rings EPDM thickness 2,62 mm	528467	flat gasket copper D1 ø 18,5 mm	528578	O-rings EPDM thickness 2,62 mm	528681	water level tube ø 11 mm H 160 mm
528334	pressure spring ø 12,2 mm L 11,6 mm	528468	fine filter ø 8 mm H 13,2 mm	528579	pressure spring ø 11 mm L 30 mm	528682	press ring D1 ø 15 mm D2 ø 11,6 mm
528335	pressure spring ø 10 mm L 30 mm	528469	O-rings Viton thickness 2 mm ID ø 4 mm	528580	valve body	528683	flat gasket PTFE D1 ø 26 mm D2 ø 21 mm
528336	gasket PTFE D1 ø 16 mm D2 ø 12,5 mm	528470	water dispersion ø 30 mm H 3 mm	528581	valve guide	528684	pressure spring ø 14,5 mm L 33 mm
528337	union nut 1/2" L 16 mm hole ø 12,5 mm	528471	water dispersion ø 56,4 mm H 9,2 mm	528582	nozzle	528685	gasket support
528338	gasket ED ø 96 mm int. ø 1 55 mm	528472	shower filter ø 58 mm H 11 mm	528583	O-rings EPDM thickness 2,62 mm	528686	gasket Viton D1 ø 15 mm D2 ø 6 mm
528339	O-rings EPDM thickness 2,62 mm	528473	pressure spring ø 33 mm L 40 mm	528584	nozzle holder	528687	O-rings Viton thickness 1,78 mm
528341	boiler gasket D1 ø 98 mm D2 ø 92 mm	528474	bar ø 2 mm L 110 mm	528585	spindle	528689	
528342	bush D1 ø 12 mm D2 ø 7,8 mm H 6,6 mm	528475	pressure spring ø 14,7 mm L 33 mm	528586	valve	528690	retaining ring shaft ø 15 mm
528343	water level tube ø 13 mm H 138 mm	528476	flat gasket Viton D1 ø 13 mm D2 ø 4 mm	528587	spring guide	528691	disc for knob

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
528692	front part for knob	528814	O-rings EPDM thickness 2 mm ID ø 17 mm	528946	flat gasket PTFE D1 ø 22 mm D2 ø 16 mm	529067	plain washers ID ø 8,3 mm ED ø 14 mm
528693	O-rings silicone thickness 2,62 mm	528815	O-rings EPDM thickness 2,62 mm	528947	fine filter pipe ø 8,5 mm H 22 mm	529069	screw
528694	cylinder head bolt M8	528816	O-rings EPDM thickness 1,78 mm	528950	nozzle hole ø 0,6 mm L 4 mm M6x0,75	529071	filter holder mounting ø 79,5 mm
528695	gasket support	528817	eye bolt	528954	O-rings EPDM thickness 1,78 mm	529073	filter holder mounting ø 82 mm
528696	gasket D1 ø 15 mm D2 ø 6,8 mm	528818	pressure spring ø 20,4/15,9mm L 17 mm	528955	nozzle hole ø 0,8 mm M6	529075	front part for coffee machine tap
528697	gasket Viton D1 ø 13,5 mm D2 ø 4 mm	528819	pressure spring ø 9,8 mm L 15 mm	528956	fine filter flat ø 8 mm	529076	coffee filter ø 70 mm mounting ø 60,5 mm
528698	pressure spring ø 16 mm L 31 mm	528821	screw	528957	flat gasket PTFE D1 ø 117 mm D2 ø 130 mm	529077	coffee filter ø 70 mm mounting ø 60,8 mm
528699	flat gasket copper D1 ø 24 mm D2 ø 20 mm	528822	double nipple stainless steel	528958	gasket PTFE D1 ø 11,5 mm D2 ø 8 mm	529079	coffee filter ø 69 mm mounting ø 60,8 mm
528700	pressure spring ø 8 mm L 53 mm	528823	O-rings EPDM thickness 2,62 mm	528960	filter holder gasket with cone	529080	filter holder spring L 70 mm W 60 mm
528701	valve	528824	pressure spring ø 11,8 mm L 16 mm	528961	flat gasket FIBER D1 ø 29 mm D2 ø 23 mm	529081	shower filter ø 58 mm H 20 mm
528702	flat gasket copper D1 ø 21 mm D2 ø 17 mm	528826	bush D1 ø 8,5 mm D2 ø 12 mm H 6 mm brass	528964	flat gasket fiber D1 ø 86 mm D2 ø 80 mm	529082	water dispersion ø 30 mm hole ø 1,5 mm
528703	nozzle	528828	union nut 3/8" L 21 mm hole ø 12,5 mm	528967	flat gasket FIBER D1 ø 11,5 mm D2 ø 8 mm	529083	water dispersion ø 21 mm hole ø 1,5 mm
528704	pressure spring ø 9,6 mm L 26 mm	528829	steam nozzle ø 15 mm L 25 mm 4 holes	528969	safety valve connection 1/2"	529084	shower filter ø 58 mm H 19 mm
528705	fine filter with housing	528830	steam nozzle 1/8" ø 16 mm L 28 mm	528970	filter holder gasket with bevel 45x2	529085	shower filter ø 52 mm hole ø 6,4 mm
528707	O-rings EPDM thickness 1,78 mm	528831	nozzle holder	528973	filter holder gasket with bevel 45x2	529087	shower filter ø 57,5 mm H 4 mm
528708	inspection glass	528832	nozzle	528974	safety valve connection 1/4"	529088	shower filter ø 55 mm hole ø 5,2 mm
528709	ball stainless steel	528833	fine filter flat ø 8 mm	528975	steam/water tap complete	529089	shower filter ø 48 mm hole ø 5,5 mm
528712	retaining ring E D1 ø 4 mm D2 ø 9 mm	528834	O-rings Viton thickness 1,78 mm	528980	water pipe M18x1 ø 23,5 mm L 35 mm	529090	shower filter ø 51,7 mm hole ø 6,5 mm
528713	gasket ED ø 15 mm ID ø 8 mm H 4,5 mm	528835	flat gasket PTFE D1 ø 28 mm D2 ø 23 mm	528981	manometer MAGISTER ø 60 mm	529091	shower filter ø 51,6/49,1mm H 3,6/2,3mm
528714	bush	528836	pressure spring ø 13,9 mm L 45 mm	528982	display type KAPPA XP W 29 mm L 80 mm	529092	shower filter ø 57,2 mm H 4,3 mm
528715	manometer ø 51,5 mm	528837	gasket ED ø 15 mm ID ø 5 mm H 4 mm	528983	drain pan 1 group L 90 mm W 90 mm	529098	shower filter ø 56,7 mm H 6 mm
528716	gasket	528838	pressure spring ø 8 mm L 21 mm	528984	drain pan 2 groups L 90 mm W 90 mm	529099	coffee filter ø 70 mm mounting ø 60,3 mm
528717	cross flow fan ø 11,6 mm L 21 mm	528839	gasket copper D1 ø 24 mm D2 ø 18 mm	528985	drain pan 3 groups L 90 mm W 90 mm	529100	coffee filter ø 70 mm mounting ø 60,7 mm
528718	cushion for lever ø 17 mm ID ø 8 mm	528840	gasket	528986	hose connector 3/4" plastic elbow	529101	coffee filter ø 66,5 mm mounting ø 57 mm
528719	tension spring ø 10 mm wire gauge ø 1 mm	528841	bush	528987	injector pipe boiler tube ø 6x1mm	529102	coffee filter ø 67 mm mounting ø 57 mm
528720	tension spring ø 13,2 mm	528842	extension	528988	injector pipe boiler tube ø 6x1mm	529105	blank filter ø 70 mm mounting ø 60 mm
528721	roller	528843	group gasket L 71 mm W 71 mm	528989	aspiration tube boiler tube ø 8x1mm	529111	handle ø hexagon 34mm aperture 12x12mm
528723	handle	528844	manometer MAGISTER ø 60 mm	528990	level electrode 1/4" overall length 76 mm	529112	handle
528724	flat gasket FIBER D1 ø 20 mm D2 ø 13 mm	528845	group gasket thickness 1,5 mm	528992	level electrode 3/8"	529113	handle
528725	fine filter with housing	528846	water dispersion ø 30 mm	528993	expansion valve T1 3/8" ET	529114	end cap
528728	keypad unit W 60 mm L 88 mm buttons 6	528847	water dispersion ø 30 mm H 5,6 mm	528995	infusor 1/8" L 48 mm	529116	end cap
528729	handle	528848	O-rings EPDM thickness 3,53 mm	528996	coffee filter ø 70 mm mounting ø 60 mm	529118	handle ø 35 mm M12x1,75
528730	O-rings EPDM thickness 2 mm ID ø 9,5 mm	528849	gasket D1 ø 12 mm ID ø 3 mm	528997	shower filter ø 34 mm hole ø 6,2 mm	529121	water level tube
528731	Teflon ring ø 12 mm ID ø 9,5 mm	528850	gasket	528998	shower filter ø 57 mm H 4 mm	529123	handle for filter holder ø 35 mm M12
528732	spring guide	528851	O-rings EPDM thickness 2,62 mm	528999	water dispersion ø 55,5 / 58mm H 8 mm	529126	cylinder head bolt M8 L 80 mm
528733	pressure spring ø 17 mm L 40 mm	528852	O-rings EPDM thickness 2,62 mm	529000	water dispersion ø 55 mm H 11,5 mm	529127	handle ø 37 mm M12x1,75
528734	gasket Viton D1 ø 13,5 mm D2 ø 4 mm	528853	O-rings EPDM thickness 3 mm ID ø 39,8 mm	529001	filter holder spout 3/8" 1 way	529129	handle ø 37 mm M12x1,75
528735	nut	528855	fine filter with housing with thread	529002	filter holder spout 3/8" 1 way	529132	handle for filter holder ø 36,5 mm
528736	pressure spring ø 7,7 mm L 35 mm	528857	water dispersion ø 39,5 mm H 4,3 mm	529003	filter holder spout 3/8" 1 way	529136	shower filter ø 58 mm H 18 mm
528737	spring guide	528859	flat gasket PTFE D1 ø 50 mm D2 ø 40 mm	529004	filter holder spout 3/8" 1 way	529137	shower filter ø 51,6 mm hole ø 13,1 mm
528738	flat gasket copper D1 ø 30 mm D2 ø 26 mm	528860	flat gasket rubber D1 ø 14 mm D2 ø 4 mm	529005	filter holder spout 3/8" 1 way	529138	shower filter ø 51,6 mm hole ø 13,1 mm
528739	nozzle	528861	pressure spring ø 9,8 mm L 27 mm	529006	filter holder spout 3/8" 1 way	529140	shower filter ø 54,6 mm hole ø 10 mm
528740	group gasket L 71 mm W 71 mm	528862	bezel	529007	filter holder spout 3/8" 2-way	529141	shower filter ø 59,5 mm H 12,5 mm
528741	gasket ID ø 40 mm PTFE thickness 3,5 mm	528863	lever for filling valve	529008	filter holder spout 3/8" 2-way	529143	water dispersion ø 21 mm
528742	boiler gasket D1 ø 203 mm D2 ø 162 mm	528864	lever for filling valve	529009	filter holder spout 3/8" 2-way curved	529144	water dispersion hole ø 7 mm
528743	sealing disc D1 ø 12 mm thickness 4 mm	528865	lever for filling valve	529010	filter holder spout 1 way	529147	shower filter ø 56,5 mm H 4,5 mm
528744	pressure spring ø 14,5 mm L 18 mm	528869	flat gasket PTFE D1 ø 22 mm D2 ø 19,5 mm	529011	filter holder spout 2-way	529148	end cap
528745	O-rings EPDM thickness 1,78 mm	528870	pressure spring ø 16,4 mm L 21 mm	529012	coffee filter ø 70 mm mounting ø 60,5 mm	529150	handle for filter holder L 104 mm
528746	O-rings EPDM thickness 2,62 mm	528871	gasket ED ø 17 mm ID ø 6 mm H 4 mm	529013	coffee filter ø 70 mm mounting ø 60,8 mm	529158	filter holder mounting ø 82 mm
528747	intake valve water complete	528872	O-rings EPDM thickness 1,78 mm	529014	coffee filter ø 70 mm mounting ø 60,5 mm	529160	filter holder suitable for AZOYEN
528748	flat gasket FIBER D1 ø 20,5 mm	528873	flat gasket rubber D1 ø 14 mm D2 ø 4 mm	529015	coffee filter ø 70 mm mounting ø 60 mm	529161	flat gasket fiber D1 ø 34 mm D2 ø 26 mm
528749	steam/water tap	528874	pressure spring ø 11,8 mm L 18 mm	529016	coffee filter ø 70 mm mounting ø 60,8 mm	529162	filter holder spout 3/8" settable curved
528750	pressure spring ø 12,7 mm L 29 mm	528875	flat gasket FIBER D1 ø 30 mm D2 ø 23 mm	529017	coffee filter ø 70 mm mounting ø 61 mm	529163	filter holder spout 1/4" 1 way
528751	gasket	528876	roller	529018	coffee filter ø 68 mm mounting ø 59,5 mm	529164	filter holder spout 1/4" 2-way curved
528752	eccentrics for steam-/water-tap	528877	torsion spring ø 14,3 mm L2 17 mm	529019	coffee filter ø 68 mm mounting ø 60 mm	529165	gasket silicone D1 ø 31,5 mm
528753	holder for steam-/water-tap	528878	gasket L 94 mm W 45 mm thickness 2,2 mm	529020	coffee filter ø 68 mm mounting ø 60 mm	529166	filter holder spout 3/8" settable curved
528754	knob adapter	528883	gasket H 1 mm ED ø 52,5 mm	529021	coffee filter ø 68 mm mounting ø 60 mm	529167	water dispersion ø 58,3 / 53,4mm
528755	bush	528884	O-rings EPDM thickness 2,4 mm	529022	coffee filter ø 68 mm mounting ø 60,5 mm	529170	handle ø 39 mm M12x1,75
528756	pressure spring ø 8,6/5,6mm L 24 mm	528885	shower filter ø 50,5 mm hole ø 6,5 mm	529023	coffee filter ø 68 mm mounting ø 60,5 mm	529171	group gasket D1 ø 65 mm thickness 2 mm
528757	bush D1 ø 8,8 mm int. ø 1 6,2 mm H 6 mm	528886	flat gasket PTFE D1 ø 26 mm D2 ø 17 mm	529024	blank filter ø 70 mm mounting ø 60 mm	529173	group gasket equiv. no. 01228035
528758	steam/water tap	528887	valve triangular ø 12 mm L 22 mm	529026	blind plug ø 50 mm H 2 mm	529174	pressure spring ø 37 mm L 93 mm
528759	pressure spring ø 29,6 mm L 28 mm	528889	pressure spring ø 6,5 mm L 13 mm	529027	coffee filter ø 66 mm mounting ø 57 mm	529175	gasket
528760	plain washers D1 ø 30 mm D2 ø 25 mm	528890	fine filter flat with rim ø 7 mm	529028	coffee filter ø 66 mm mounting ø 57 mm	529176	gasket
528761	knob adapter ø 45 mm L 43 mm	528891	O-rings EPDM thickness 2,62 mm	529029	blank filter ø 65,5 mm mounting ø 56 mm	529177	O-rings EPDM thickness 5,34 mm
528762	plain washers ID ø 6,5 mm ED ø 18 mm	528894	flat gasket FIBER D1 ø 26 mm D2 ø 21 mm	529030	coffee filter ø 65 mm mounting ø 55 mm	529178	shower filter ø 58 mm H 14 mm
528763	cotter pin ø 1,8 mm L 17 mm	528895	pressure spring ø 21,7 mm L 40 mm	529031	coffee filter ø 65 mm mounting ø 55 mm	529179	coffee filter ø 58 mm mounting ø 51 mm
528764	group gasket	528897	flat gasket FIBER D1 ø 31 mm D2 ø 21 mm	529032	shower filter ø 56,7 mm H 6,1 mm	529180	coffee filter ø 58 mm mounting ø 51 mm
528765	keypad unit W 37 mm L 88 mm buttons 3	528898	O-rings EPDM thickness 2 mm ID ø 6,5 mm	529033	filter holder spout 3/8" 2-way curved	529181	filter holder mounting ø 64 mm
528766	O-rings Viton thickness 1,78 mm	528899	plain washers ID ø 11,2 mm ED ø 14,8 mm	529034	filter holder mounting ø 77 mm	529182	filter holder chrome-plated
528767	extension M6	528900	union nut 3/8" L 22 mm hole ø 12 mm	529035	filter holder mounting ø 80,5 mm	529183	threaded rod
528768	nozzle holder M8 int. ø 1 4,5 mm	528901	gasket six holes fixing ED ø 111 mm	529036	mushroom cap handle black	529184	cylindrical handle M10 ø 29 mm L 86 mm
528769	bush	528906	O-rings Viton thickness 3,53 mm	529037	handle ø 35 mm aperture 12x12mm L 120 mm	529185	nut
528770	gasket support D1 ø 10,5 mm D2 ø 17 mm	528907	shower filter ø 27 mm hole ø 5,1 mm	529038	mushroom cap handle black	529186	handle ø 36 mm aperture 10 mm L 125 mm
528771	bush	528909	gasket copper D1 ø 10 mm D2 ø 6 mm	529039	handle ø 35 mm aperture 12x12mm L 120 mm	529187	O-rings Viton thickness 3,53 mm
528772	O-rings EPDM thickness 1,78 mm	528911	pressure spring ø 13 mm L 27 mm	529040	filter holder mounting ø 81,6 mm	529188	O-rings silicone thickness 2,62 mm
528773	gasket	528912	boiler gasket D1 ø 145 mm D2 ø 125 mm	529041	filter holder	529190	nozzle bore ø 0,9 mm
528774	bush	528913	gasket ED ø 10 mm H 5 mm	529042	filter holder mounting ø 82,5 mm	529191	O-rings Viton thickness 2,62 mm
528775	pressure spring ø 6 mm L 21 mm	528914	plain washers ID ø 8 mm ED ø 14 mm	529043	filter holder handle M12	529192	pressure spring ø 20,3 mm L 18 mm
528777	valve body	528915	plain washers ID ø 8,5 mm ED ø 15 mm	529045	extension	529193	fine filter fabric
528778	pressure spring ø 14,7 mm L 32 mm	528916	pressure spring ø 8,2 mm L 20 mm	529046	handle ø 35 mm M12x1,75	529194	shower filter ø 52,1 mm hole ø 6,3 mm
528780	bush	528917	pressure spring ø 10,9 mm L 26 mm	529047	handle ø 31 mm aperture 13x13mm L 90 mm	529195	water dispersion ø 57 mm H 8,5 mm
528781	pressure spring ø 29,5 mm L 29 mm	528918	flat gasket PTFE D1 ø 22 mm D2 ø 16 mm	529048	handle ø 35 mm aperture 13x13mm L 95 mm	529196	O-rings EPDM thickness 5,34 mm
528784	plain washers ID ø 6,3 mm ED ø 29 mm	528920	flat gasket PTFE D1 ø 36 mm D2 ø 30 mm	529049	handle holder	529197	coffee filter ø 70 mm mounting ø 60,6 mm
528785	flat gasket aluminium D1 ø 21 mm	528921	bush D1 ø 15 mm D2 ø 10,8 mm ID ø 8 mm	529050	handle aperture 13x13mm L 127 mm black	529198	coffee filter ø 70 mm mounting ø 60 mm
528789	keypad unit F2006, XP W 29 mm L 61 mm	528922	pressure spring ø 15 mm L 26 mm	529051	filter holder mounting ø 82 mm	529199	filter holder mounting ø 82,5 mm
528791	boiler gasket D1 ø 104 mm D2 ø 73 mm	528923	screw connection 1/2" int. ø 1 11 mm	529052	filter holder mounting ø 81,4 mm	529200	handle for filter holder ø 36,5 mm
528792	expansion valve T1 1/4" ET L 40 mm	528925	pressure spring ø 14,5 mm L 44 mm	529053	filter holder mounting ø 81 mm	529201	extension chrome-plated brass
528793	inspection glass complete	528927	flat gasket PTFE D1 ø 59,5 mm D2 ø 42 mm	529054	handle ø 35 mm M10x1,5	529202	water dispersion ø 21 mm hole ø 1,5 mm
528794	O-rings EPDM thickness 3,53 mm	528928	gasket D1 ø 16 mm ID ø 4 mm	529055	filter holder outlet 3/8"	529204	water dispersion ø 54,5-58,5mm conical
528795	glass plate thickness 5 mm ø 65 mm	528929	O-rings EPDM thickness 2 mm ID ø 18 mm	529056	filter holder mounting ø 79 mm	529205	filter holder mounting ø 83 mm
528799	flat gasket FIBER D1 ø 62 mm D2 ø 55 mm	528930	valve body	529057	handle ø 35 mm aperture 14x14mm L 117 mm	529206	filter holder mounting ø 83 mm
528802	keypad unit W 29 mm L 118 mm buttons 6	528931	boiler gasket D1 ø 226 mm D2 ø 176 mm	529058	filter holder mounting ø 82 mm	529210	end cap
528803	O-rings Viton thickness 3,53 mm	528932	boiler gasket D1 ø 234 mm D2 ø 184 mm	529059	filter holder mounting ø 83 mm	529211	coffee filter ø 68 mm mounting ø 59,5 mm
528806	group gasket L 109 mm W 97 mm	528933	handle	529060	filter holder mounting ø 80 mm	529218	coffee filter ø 68 mm mounting ø 60 mm
528807	flat gasket FIBER D1 ø 20 mm	528935	spring	529061	filter holder mounting ø 76 mm	529221	shaft for coffee machine tap L 145 mm
528808	flat gasket PTFE D1 ø 20 mm D2 ø 13 mm	528939	bearing for filling valve	529062	handle ø 35 mm ID ø 19 mm L 118 mm brown	529223	holder for inspection glass T1 3/8"
528809	boiler gasket D1 ø 92,5 mm D2 ø 80 mm	528940	camshaft shaft ø 8 mm	529063	water level tube ø 12 mm H 134,5 mm	529226	lever for intake tap M8 ø 8 mm L 80 mm
528810	boiler gasket D1 ø 140 mm D2 ø 110 mm	528941	lever L 36 mm M8 H 28 mm W 14 mm	529064	extension 3/8" for filter holder outlet	529228	steam pipe L 200 mm T1 3/8" SS
528811	pressure spring ø 11,5 mm L 25 mm	528943	thread bolt chrome-plated steel M8	529065	blank filter ø 65 mm mounting ø 55 mm	529229	shower filter ø 51,6 mm hole ø 6,2 mm
528813	gasket	528945	group gasket L 77 mm W 74 mm	529066	filter holder spring L 70 mm W 60 mm	529230	coffee filter ø 70 mm mounting ø 60 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
529246	water dispersion ø 30 mm hole ø 2 mm	529383	gasket D1 ø 13 mm D2 ø 17,5 mm	529524	steam/water tap	529672	steam pipe long
529247	filter holder spout M16x1 1 way	529384	press ring	529525	intake valve water complete	529673	steam pipe short
529248	filter holder spout M16x1 2-way	529386	inspection glass	529527	intake valve water	529674	steam nozzle M10x1 ø 12 mm L 16 mm
529249	handle ø 37 mm M10x1,5	529387	water level tube ø 11 mm H 140 mm	529528	tap aerator	529675	steam pipe
529251	water dispersion ø 57,2 mm H 7,7 mm	529388	water level tube ø 11 mm H 108 mm red	529529	intake valve water	529676	steam pipe chrome-plated
529256	O-rings EPDM thickness 2,62 mm	529389	water level tube ø 11 mm H 55 mm	529530	expansion valve with non return valve	529677	water pipe
529265	gasket copper D1 ø 40 mm D2 ø 32 mm	529390	inspection glass sight glass	529535	non return valve	529678	steam pipe SS
529266	filter holder spring wire gauge ø 1,2 mm	529391	water level tube ø 30 mm H 110 mm	529536	water dispersion ø 21 mm hole ø 5,5 mm	529679	intake valve water equiv. no. 10060290
529268	filter holder spring wire gauge ø 1,1 mm	529392	flat gasket silicone D1 ø 31 mm	529537	bush D1 ø 12 mm D2 ø 9 mm ID ø 7 mm	529680	water pipe
529269	retaining ring E D1 ø 9 mm D2 ø 18 mm	529393	gasket D1 ø 6,8 mm D2 ø 17 mm	529538	flat gasket PTFE D1 ø 24 mm D2 ø 20,4 mm	529681	steam/water tap inlet 3/8" outlet 3/8"
529270	handle ø 35 mm ID ø 16,5 mm L 112 mm	529395	water level tube ø 11 mm H 140 mm	529539	group gasket L 74 mm W 68 mm	529684	steam pipe
529271	gasket ED ø 52 mm H 7 mm rubber	529396	non return valve inlet 1/4" outlet 1/4"	529540	gasket D1 ø 15 mm D2 ø 7 mm	529685	steam pipe mounting pos. right
529273	steam valve 1/2" L 75 mm	529397	press ring D1 ø 14,6 mm D2 ø 22 mm	529541	steam/water tap	529686	steam pipe mounting pos. left
529274	water level tube L 190 mm W 60 mm 3/8"	529398	union screw 3/8" hole ø 12,5 mm H 12 mm	529544	intake valve	529687	steam pipe
529275	steam tap mounting pos. right inlet 3/8"	529401	water level tube ø 11 mm H 135 mm	529545	O-rings EPDM thickness 2,62 mm	529688	water pipe
529276	steam tap mounting pos. left inlet 3/8"	529402	steam pipe 3/8" L 170 mm tube ø 10 mm	529546	O-rings EPDM thickness 1,78 mm	529690	intake valve water
529277	steam/water tap inlet 3/8" outlet 3/8"	529403	water level tube complete	529547	gasket D1 ø 12 mm D2 ø 4 mm	529691	intake valve
529278	handle aperture 12x12mm black plastic	529404	water level tube complete	529548	press ring	529693	expansion valve T1 1/8" ET T2 1/8" ET
529279	tap body	529405	water level tube ø 11 mm H 150 mm	529549	flat gasket PTFE D1 ø 14 mm D2 ø 8,5 mm	529694	steam/water tap
529282	shaft for coffee machine tap L 75 mm	529407	water level tube ø 11 mm H 150 mm	529551	steam pipe SS	529695	steam/water tap
529283	expansion valve suitable for RANCILIO	529408	water level tube ø 11 mm H 170 mm	529553	intake valve water complete	529696	steam pipe
529285	non return valve suitable for RANCILIO	529409	gasket D1 ø 16 mm D2 ø 10 mm H 8 mm	529554	steam pipe	529697	steam pipe
529286	water level tube ø 10 mm H 107,5 mm	529410	press ring D1 ø 20 mm D2 ø 18 mm	529556	expansion valve with non return valve	529698	water pipe
529288	injector pipe boiler tube ø 8 mm	529411	water level tube ø 11 mm H 135 mm	529557	water pipe old edition	529699	water pipe
529289	injector pipe boiler tube ø 8 mm	529412	water level tube ø 12 mm H 130 mm	529558	steam pipe L 250 mm	529700	intake valve complete
529290	spring ø 17 mm L 25 mm	529413	O-rings EPDM thickness 2,62 mm	529559	steam pipe L 350 mm	529701	coffee filter ø 60 mm H 22 mm cups 2
529291	expansion valve with non return valve	529414	gasket D1 ø 19 mm D2 ø 11,5 mm H 10,5 mm	529560	water pipe L 250 mm	529702	pressure spring ø 25,7 mm L 13 mm
529292	expansion valve with non return valve	529415	press ring D1 ø 18,5 mm ID ø 12,7 mm	529561	steam/water tap inlet 1/4" outlet 3/8"	529704	retaining ring shaft ø 16 mm
529293	gasket ED ø 51 mm W 7 mm int. ø 1 3/7 mm	529416	water level tube ø 10 mm H 135 mm	529562	intake valve complete	529705	pressure spring ø 11,8 mm L 16 mm
529294	shower filter ø 57 mm H 6 mm	529418	gasket D1 ø 18 mm D2 ø 10 mm H 9,5 mm	529563	steam pipe	529706	bush D1 ø 8,3 mm D2 ø 12 mm H 6 mm brass
529296	gasket ED ø 55 mm W 7 mm int. ø 1 41 mm	529419	water level tube ø 12 mm H 135 mm	529566	water pipe	529707	union nut 3/8" L 21 mm hole ø 12,5 mm
529297	expansion valve T1 3/8" ET	529421	gasket D1 ø 19 mm D2 ø 11,5 mm H 10,5 mm	529568	intake valve brass complete L 195 mm	529708	union nut
529300	expansion valve T1 3/8" ET T2 1/4" ET	529422	water level tube ø 12 mm H 112 mm	529571	water pipe	529709	pressure spring ø 10,9 mm L 31 mm
529301	expansion valve T1 3/8" ET T2 3/8" ET	529423	O-rings silicone thickness 1,78 mm	529572	steam pipe IT M15	529710	pressure spring ø 23,7 mm L 15 mm
529302	non return valve complete	529424	water level tube ø 12 mm H 175 mm	529573	steam pipe IT M20	529715	eye bolt
529303	safety valve connection 3/8"	529425	gasket D1 ø 18,5 mm D2 ø 11 mm H 13,5 mm	529574	steam nozzle	529718	cabl 4 -poles L 1500 mm plug type 1-row
529304	aerator and air bleeder connection 1/4"	529426	pressure spring ø 20,8 mm L 21 mm	529575	steam pipe IT M15 SS	529719	bush for steam tap D1 ø 14,7 mm
529305	aerator and air bleeder	529427	water level tube ø 12 mm H 105 mm	529578	steam pipe IT M20 SS	529722	pressure spring ø 11,3 mm L 16 mm
529306	aerator and air bleeder connection 3/8"	529428	gasket D1 ø 13 mm D2 ø 17,5 mm	529579	water pipe	529724	pressure spring ø 11,6 mm L 31 mm
529307	safety valve connection 1/2"	529429	filter water level glass	529580	steam pipe	529725	retaining ring E D1 ø 4 mm D2 ø 9 mm
529308	safety valve connection 1/4"	529434	water level tube ø 11 mm H 140 mm	529581	steam/water tap	529726	torsion spring ø 11,8 mm L2 7 mm
529309	safety valve connection M19x1	529439	bezel water level glass	529582	steam pipe	529727	pressure spring ø 14 mm L 9 mm
529310	safety valve connection M18x1,5	529445	O-rings EPDM thickness 2,5 mm	529583	steam pipe	529728	spring guide
529311	safety valve connection 1/2"	529448	water level tube ø 12 mm H 170 mm	529584	water pipe	529729	knurled nut M18x1 ø 27 mm H 4 mm brass
529312	expansion valve T1 1/8" ET T2 1/8" ET	529449	water level tube ø 9 mm H 148 mm	529585	water pipe	529731	union nut M18 nickled ID ø 13,3 mm
529316	safety valve connection 3/8"	529450	gasket D1 ø 15 mm D2 ø 9 mm H 8 mm	529586	steam nozzle ø 14 mm L 16 mm 4 holes	529733	bush D1 ø 15,6 mm D2 ø 6,6 mm
529317	safety valve connection 3/8"	529451	press ring	529587	water pipe L 130 mm	529735	reducer IT 3/8" ET 1/2" brass
529319	expansion valve T1 1/4" ET T2 1/4" IT	529452	union screw chrome-plated	529588	steam pipe	529736	pressure spring ø 11,3 mm L 18 mm
529320	expansion valve with non return valve	529453	union screw varnished	529589	steam pipe SS	529737	bush
529321	expansion valve with non return valve	529454	union screw chrome-plated	529593	water pipe	529739	pressure spring ø 12 mm L 22 mm
529322	expansion valve with non return valve	529455	union screw varnished	529594	expansion valve T1 1/4" ET	529741	O-rings EPDM thickness 1,8 mm ID ø 11 mm
529323	non return valve	529456	protection	529595	steam/water tap	529748	steam pipe H 23,5 mm tube ø 10 mm
529326	expansion valve connection 3/8"	529457	protection	529596	steam/water tap inlet 1/4" outlet 1/8"	529749	water pipe ø 23,5 mm L 135 mm
529329	aerator and air bleeder	529458	retaining ring shaft ø 17 mm	529597	steam pipe	529750	steam pipe 3/8" L 220 mm tube ø 10 mm
529330	expansion valve settlable T1 3/8" ET	529459	inspection glass complete	529598	water pipe	529751	steam pipe
529331	safety valve connection M22x1,25	529460	base part for inspection glass round	529599	steam nozzle M10x1 ø 12 mm L 17 mm	529752	drain pan L 80 mm W 70 mm H 55 mm
529332	safety valve connection 1/8"	529461	O-rings EPDM thickness 5,34 mm	529600	water pipe L 120 mm chrome-plated brass	529753	steam pipe H 200 mm
529333	safety valve connection 3/8"	529462	glass plate	529601	water pipe	529754	steam pipe
529334	expansion valve connection 3/8"	529469	tap head for inspection glass round	529602	water pipe	529755	steam pipe
529335	expansion valve	529470	union screw	529603	end piece for water pipe	529756	water pipe
529336	non return valve inlet 1/8" outlet 1/8"	529471	union nut	529604	plain washers ID ø 17 mm ED ø 29,8 mm	529757	water pipe
529337	expansion valve	529472	lever	529605	end piece for flow regulator	529758	water pipe ø 10 mm L 185 mm
529340	expansion valve T1 3/8" ET T2 1/4" ET	529473	knob dial plate	529606	flat gasket PTFE D1 ø 11,7 mm	529760	steam pipe
529341	non return valve	529474	intake valve water complete	529607	steam nozzle M10x0,9 ø 14 mm L 16 mm	529761	steam pipe SS
529342	expansion valve T1 1/8" ET T2 1/8" ET	529475	gasket D1 ø 14 mm D2 ø 4 mm	529608	cap for flow regulator	529762	steam pipe M18x1,25 H 170 mm
529343	expansion valve with non return valve	529476	plain washers ID ø 10 mm ED ø 23 mm	529609	tap aerator D1 ø 23 mm H 15 mm M22x1	529763	steam pipe SS
529344	expansion valve with non return valve	529477	O-rings Viton thickness 1,78 mm	529610	steam pipe 3/8" L 290 mm W 40mm	529764	water pipe M18x1,25 ø 24 mm L 70 mm
529345	expansion valve with non return valve	529478	ball ø 8 mm SS	529615	steam/water tap inlet 3/8" outlet 3/8"	529765	steam/water tap
529346	non return valve 3/8"	529480	O-rings Viton thickness 1,78 mm	529616	intake valve water equiv. no. 06267	529767	steam/water tap
529347	safety valve connection 3/8" IT sealed	529481	flat gasket copper D1 ø 18 mm D2 ø 14 mm	529617	steam/water tap	529769	water pipe
529348	safety valve 3/8"	529482	pressure spring ø 9,5 mm L 9 mm	529618	steam/water tap	529770	steam pipe
529349	flat gasket copper D1 ø 23 mm D2 ø 19 mm	529483	O-rings EPDM thickness 1,78 mm	529619	steam/water tap	529779	steam tap with steam pipe
529350	flat gasket FIBER D1 ø 22 mm	529484	flat gasket copper D1 ø 26,5 mm	529621	water pipe	529780	bush with O-ring
529351	water level tube ø 12 mm H 134 mm	529485	flat gasket fiber D1 ø 58 mm D2 ø 50 mm	529625	steam/water tap	529781	tap body
529352	water level tube ø 12 mm H 135 mm	529486	gasket support	529626	water pipe	529782	tap body
529353	water level tube ø 12 mm H 175 mm	529487	flat gasket rubber D1 ø 14 mm D2 ø 4 mm	529627	tube handle	529783	knob ø 25 mm shaft ø 9x9mm
529354	water level tube ø 12 mm H 105 mm	529488	steam pipe 3/8" H 180 mm W 120 mm	529629	tube handle ø 8 mm L 30 mm plastic	529784	union nut chrome-plated
529355	flat gasket rubber D1 ø 21 mm	529489	bush	529632	water pipe ø 15 mm L 102 mm tube ø 10 mm	529785	union nut brass
529356	ball ø 6 mm plastic for inspection glass	529490	fine filter flat ø 6 mm	529640	intake valve	529786	steam pipe chrome-plated
529357	pressure spring ø 21,4 mm L 21 mm	529491	nozzle bore ø 1,2 mm	529641	steam tap with breathers inlet 3/8"	529787	steam pipe copper
529358	O-rings Viton thickness 3,53 mm	529492	O-rings EPDM thickness 1,78 mm	529642	water tap inlet 3/8" outlet 3/8"	529788	steam nozzle chrome-plated
529360	spring guide	529493	fine filter with rim	529646	intake valve	529789	steam nozzle brass
529361	gasket copper D1 ø 26,1 mm D2 ø 21 mm	529494	plain washers brass	529647	steam pipe	529790	steam tap complete swing lever
529363	flat gasket copper D1 ø 18 mm	529495	gasket water dispersion	529648	joint for steam-/water-tap	529791	steam tap brass
529364	gasket L 90,5 mm W 29,5 mm	529497	water dispersion ø 57,6 mm H 14 mm	529649	water pipe	529792	union nut TR20 left ID ø 14 mm L 24 mm
529365	gasket copper	529498	pressure spring ø 11,5 mm L 23 mm	529650	water pipe	529793	union nut TR20 left ID ø 14 mm L 24 mm
529367	glass plate L 89 mm W 30 mm	529499	O-rings EPDM thickness 2,62 mm	529652	intake valve	529794	handle
529368	water level tube ø 11 mm H 108 mm	529500	pressure spring ø 16,9 mm L 31 mm	529653	steam/water tap	529795	gasket support
529369	O-rings EPDM thickness 2,62 mm	529503	steam tap	529654	steam/water tap with knob	529796	gasket D1 ø 13 mm D2 ø 4 mm
529370	press ring	529504	steam tap suitable for FAEMA series E98	529656	steam pipe Spezial	529797	gasket D1 ø 12 mm D2 ø 5 mm
529371	water level tube ø 12 mm H 130 mm	529505	steam pipe mounting pos. left	529657	steam pipe	529798	spring guide
529372	water level tube ø 12 mm H 140 mm	529506	steam pipe mounting pos. right	529658	intake valve water equiv. no. 5964054	529800	pressure spring ø 12,4 mm L 36 mm
529373	gasket	529510	steam pipe	529659	front part for coffee machine tap	529801	steam pipe SS
529374	flat gasket copper D1 ø 15 mm	529512	tap aerator for water pipe	529661	intake valve water equiv. no. 5964060	529802	steam nozzle
529375	plain washers ID ø 13 mm ED ø 17,8 mm	529513	steam pipe with thread	529663	steam tap	529803	O-rings EPDM thickness 1,78 mm
529378	pressure spring ø 17 mm L 13 mm	529514	steam nozzle	529664	steam/water tap	529804	pressure spring ø 10,9 mm L 16 mm
529379	expansion valve T1 1/4" ET T2 1/4" ET	529520	intake valve water complete	529665	steam pipe 1-group	529805	bush
529380	water level tube ø 12 mm H 135 mm M15	529521	steam/water tap suitable for FUTURMAT	529668	steam pipe 2-4-group	529806	gasket PTFE
529381	water level tube ø 12 mm H 118 mm	529522	steam pipe complete	529670	water pipe L 145 mm bore ø 12 mm	529807	union nut chrome-plated
529382	water level tube ø 12 mm H 112 mm ALINA	529523	water pipe complete	529671	tap body	529808	union nut M20x1 with gasket ID ø 12,5 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
529810	steam tap complete swing lever brass	529958	front foil G10 L 103 mm W 27 mm	530186	prefilter connection ½" ø 180 mm	531054	steam/water tap inlet ¼" outlet 3/8"
529811	cone handle M8 ø 20 mm L 58,5 mm plastic	529959	front foil ELEN L 129 mm W 68 mm	530187	filter	531055	water pipe ø 14,5 mm L 90 mm tube ø 8 mm
529812	steam/water tap brass	529960	front foil ELEN L 128 mm W 68 mm	530188	wrench	531056	water pipe ½" ø 23,5 mm L 95,5 mm
529813	steam/water tap chrome-plated	529961	front foil ELEN L 129 mm W 69 mm	530189	prefilter connection ¾" ø 180 mm	531057	catch for coffee beans container
529814	star handle shaft 7x7mm ø 58 mm L 19 mm	529962	front foil MARKUS L 110 mm W 35 mm wood	530199	filter	531058	lever for FAEMA chrome-plated brass
529815	disc for knob ø 33,8 mm ELEKTRA	529963	front foil MARKUS L 110 mm W 35 mm blue	530201	softener manual with 2 valves	531059	keypad foil L 74 mm W 55 mm buttons 2
529816	steam pipe SS	529964	front foil control L 102 mm W 27 mm	530202	softener manual with 2 valves	531060	keypad foil L 74 mm W 55 mm buttons 2
529817	expansion valve with non return valve	529965	front foil control L 102 mm W 27 mm red	530203	softener manual with 2 valves	531061	cover for water level tube W 45 mm
529818	water pipe ø 10 mm L 50 mm	529966	front foil control L 102 mm W 27 mm	530238	softener manual with 2 valves	531062	drain tap with nut 3/4" black
529819	steam pipe mounting pos. right 3/8"	529967	label steam ø 19 mm thickness 2 mm	530239	regenerant salt type BROXETTEN	531063	drain tap with nut pipe length 55 mm
529822	steam pipe mounting pos. left 3/8"	529968	keypad unit 230 V without probe	530240	regenerant salt type BROXO content 25 kg	531064	gasket ø 24 mm ID ø 9 mm H 19 mm
529823	water pipe 3/8" ø 14,5 mm L 90 mm	529969	level controller 240 V AC 50/60Hz 10 A	530242	ion-exchange resin type Purolite 251	531066	gasket for electrode double ID ø 3 mm
529824	steam/water tap	529970	drain pan L 100 mm W 80 mm H 60 mm	530243	water filter EVERPURE type BH2	531067	water level tube ED ø 8 mm ID ø 6 mm
529825	steam/water tap chrome-plated	529972	drain pan DIAMANT L 100 mm W 113 mm	530244	water filter EVERPURE type BH2	531068	water dispersion ø 30 mm M18x1,5
529826	steam pipe	529973	filter holder suitable for CREM-EXPOBAR	530245	water filter EVERPURE type 2CB5-S	531069	drain unit hose connector ø 21 mm
529827	water pipe	529975	coffee filter ø 70 mm mounting ø 60 mm	530246	water filter EVERPURE type 4CB5-S	531070	water dispersion ø 56,5 mm H 12,5 mm
529829	safety valve connection 1/2"	529976	shower filter ø 34,2 mm hole ø 4,9 mm	530248	water filter EVERPURE type 7CB5-S	531071	steam pipe M16x1,5 H 175 mm L 190 mm
529830	keypad unit 230 V CONTROL d - CAL	529977	water dispersion ø 19,3 mm M10x1,5	530249	filter head EVERPURE type QL2B	531072	nozzle bore ø 0,7 mm M6x1 L 60 mm
529831	steam/water tap	529978	gasket water dispersion ø 51,5 mm	530250	filter head EVERPURE type QL3B	531073	steam tap
529832	steam pipe	529979	end cap ½" L 30 mm brass WS 26	530270	filter head EVERPURE type QL3Bi	531074	steam pipe stainless steel
529833	water pipe	529980	fine filter ø 8,8 mm H 22 mm	530271	water filter CUNO type HF05-MS	531075	intake valve complete
529834	water pipe	529981	gasket D1 ø 15,3 mm D2 ø 5,5 mm	530272	water filter CUNO type HF10-MS	531076	valve body for filling valve
529835	steam/water tap	529982	tap aerator L 58 mm	530273	filter head CUNO type VH3 BSPT	531077	thread bolt
529843	steam/water tap	529983	tap aerator L 100 mm	530274	ion-exchange resin type Dowex HCR-S/S	531078	gasket PTFE D1 ø 18 mm D2 ø 9 mm
529848	water pipe	529984	water level tube Min/Max complete	530283	ion-exchange resin type Dowex HCR-S/S	531079	drain valve
529850	steam pipe SS	529985	injection pipe for filter ø 6 mm	530284	O-rings EPDM thickness 1,78 mm	531080	pipe steam/water E61 edition old edition
529851	steam/water tap inlet 1/4" outlet 3/8"	529986	injection nozzle for filter PTFE	530293	O-rings EPDM thickness 1,78 mm	531083	steam pipe E97
529853	steam pipe	529987	injection nozzle with pipe for filter	530296	O-rings EPDM thickness 1,78 mm	531085	drain pan ø 76 mm H 36 mm
529854	water pipe	529988	injection nozzle for group L 9 mm	530311	O-rings EPDM thickness 1,78 mm	531086	ratchet
529856	intake valve water complete	529989	water dispersion M10x1,5 hole ø 3 mm	530315	O-rings silicone thickness 1,78 mm	531087	filter pan int. ø 1 255 mm
529857	steam/water tap	529990	steam tap complete swing lever inlet ¼"	530316	O-rings silicone thickness 1,78 mm	531088	extension for drain tap T1 3/4" T2 1/2"
529858	steam pipe mounting pos. left	529991	intake valve brass automatic	530328	ball type CABLT/MINI/MAXI	531089	drain tap with nut tube ø 10,2 mm
529859	steam pipe mounting pos. right	529992	expansion valve T1 ¼" T2 ¼" T3 3/8"	530500	nozzle type DVA LT connection M6x1	531090	water dispersion 3/8" IT 1/4"
529862	water pipe	529993	expansion valve with non return valve	530501	softener cartridge type B 5232	531091	flat gasket D1 ø 16,8 mm D2 ø 10,5 mm
529863	flat washer ID ø 12,3 mm ED ø 18 mm	529994	non return valve inlet 3/8" outlet 3/8"	530502	softener cartridge type B 52MX	531092	connecting fitting for drain tap T1 1/2"
529868	aerator and air bleeder	529995	steam pipe with tube handle 3/8"	530503	softener cartridge type B 52	531093	water level tube ED ø 8 mm ID ø 6 mm
529879	intake valve complete	529996	steam pipe with tube handle 3/8"	530504	softener cartridge type B 58MX	531094	cover for water level tube W 45 mm
529880	safety valve connection 3/8"	529997	steam pipe with tube handle 3/8"	530505	softener cartridge type B 58	531095	pressure spring
529888	steam pipe without nozzle	529998	steam pipe with tube handle 3/8"	530506	connection head type BYP with bypass	531096	pressure spring
529889	steam pipe H 170 mm tube ø 10 mm	529999	steam pipe with tube handle 3/8"	530507	connecting fitting type R 8-3/8	531097	gasket
529893	non return valve 1/8" IT - 1/8" ET	530012	steam pipe with tube handle 3/8"	530508	softener bag type Oscar 60	531099	plain washers
529894	steam pipe IT 3/8"	530013	water filter CUNO type CS-14	530509	softener bag type Oscar 90	531100	lever left hole ø 16 mm L 140 mm grey
529895	filter holder spout 3/8" 3 ways curved	530014	water filter CUNO type CFS-9112-S	530510	softener bag type Oscar 150	531102	valve for filling valve
529896	steam tap mounting pos. right	530015	water filter CUNO type CS-451	530511	softener bag type Oscar 300	531103	drain tap pipe length 45 mm 3/4" black
529897	steam tap mounting pos. left	530016	water filter CUNO type CS-51	530512	softener cartridge type Nical 125	531104	drain tap pipe length 45 mm 3/4"
529899	water tap inlet 1/4" outlet 3/8" 3/8"	530017	water softener type CFS-6135	530513	softener cartridge type Nical 250	531105	drain tap inlet 3/4" outlet 1/2"
529900	cover for drain pan L 100 mm W 75 mm	530018	softener cartridge type SWC-1350	530514	softener cartridge type Nical 450 B blue	531107	O-rings EPDM thickness 3 mm ID ø 16,2 mm
529901	manometer ø 60 mm pressure range 0-20bar	530022	water filter CUNO type SWC-9135	530515	softener cartridge type Nical 900 B blue	531108	water level tube ED ø 9 mm ID ø 6 mm
529902	manometer ø 60 mm pressure range 0-3bar	530026	water filter CUNO type CS-11	530516	softener cartridge type Nical deMi	531109	O-rings EPDM thickness 2,5 mm
529903	cylindrical handle M8 bore ø 8,5 mm	530027	O-rings silicone thickness 3,53 mm	530517	softener cartridge type Nical Midi	531110	water level tube ED ø 9 mm ID ø 6 mm
529904	handle ø 27/28mm aperture 12x12mm black	530055	O-rings Viton thickness 3 mm ID ø 14 mm	530550	softener cartridge type Nical Mx	531111	water level tube ED ø 9 mm ID ø 6 mm
529905	tap body T1 M13x1 T2 M13x1 T3 3/8"	530058	flowmeter with display unit	530552	silicone hose ID ø 6 mm ED ø 10 mm L 5 m	531112	water level tube ED ø 9 mm ID ø 6 mm
529906	shaft steam/water tap complete ø 12,7 mm	530059	silicone hose ID ø 10 mm ED ø 15 mm	530555	silicone hose ID ø 8 mm ED ø 14 mm L 5 m	531113	water level tube ED ø 9 mm ID ø 6 mm
529907	washer D1 ø 8 mm D2 ø 4,3 mm	530060	silicone hose ID ø 10 mm ED ø 16 mm	530556	silicone hose ID ø 12 mm ED ø 18 mm	531114	gasket fiber D1 ø 78 mm D2 ø 46 mm
529908	membrane keypad L 132 mm W 40 mm	530061	silicone hose ID ø 13 mm ED ø 19 mm	530565	PVC braided hose ID ø 10 mm ED ø 16 mm	531115	gasket fiber D1 ø 81 mm D2 ø 46 mm
529909	shaft steam/water tap square 7x7mm	530062	silicone hose ID ø 14 mm ED ø 20 mm	530721	PVC braided hose ID ø 13 mm ED ø 19 mm	531116	keypad foil L 74 mm W 55 mm buttons 2
529910	drain pipe ø 16 mm L 100 mm T1 1/8"	530063	silicone hose ID ø 16 mm ED ø 23 mm	530807	universal hose PVC ID ø 13 mm ED ø 19 mm	531117	keypad foil L 74 mm W 55 mm buttons 2
529911	screw connection ¼" IT 3/8" L 31 mm	530070	silicone hose ID ø 18 mm ED ø 25 mm	530808	container lid type DVA LT/BP plastic	531118	keypad foil L 74 mm W 55 mm buttons 2
529912	fine filter flat ø 11 mm H 0,25 mm	530071	connection head water + more	530809	softener automatic with timer	531120	keypad foil L 130 mm W 40 mm buttons 6
529913	magnet M5 for solenoid valve set H 22 mm	530072	softener cartridge type bestmax X	530820	softener automatic with timer	531121	cabl 2 -poles L 300 mm plug type 1-row
529914	spacer ring H 6,5 mm D1 ø 11 mm	530073	softener cartridge type bestmax S	530821	silicone hose ID ø 8 mm ED ø 14 mm L 1 m	531122	cabl 2 -poles L 700 mm plug type 1-row
529915	gasket D1 ø 12 mm thickness 5 mm NBR	530074	softener cartridge type bestmax V	530822	silicone hose ID ø 10 mm ED ø 15 mm	532001	grinding burrs pair turn direction right
529916	pressure spring ø 7,4 mm L 22 mm	530075	softener cartridge type bestmax M	530823	silicone hose ID ø 10 mm ED ø 16 mm	532003	O-rings EPDM thickness 1,78 mm
529917	pressure spring ø 11,8 mm L 29 mm	530076	softener cartridge type bestmax L	530824	silicone hose ID ø 12 mm ED ø 16 mm	532004	O-rings EPDM thickness 1,78 mm
529918	pressure spring ø 8 mm L 33 mm	530081	softener cartridge type bestmax XL	530825	softener automatic with timer	532005	O-rings EPDM thickness 1,78 mm
529919	pressure spring ø 11,7 mm L 25 mm	530094	braided hose ID ø 13 mm ED ø 19 mm	530826	softener automatic with timer	532006	O-rings EPDM thickness 1,78 mm
529922	union nut 3/8" nickel-plated brass	530097	water meter	530827	softener automatic with timer	532007	O-rings EPDM thickness 1,78 mm
529923	tap body T1 M13x1 T2 M18x1,25	530098	descaling agent ScaleKleen 50 g bag	531000	softener automatic with timer	532008	O-rings EPDM thickness 1,78 mm
529924	tap body T1 M13x1 T2 M18x1,25	530099	descaling agent ScaleKleen 200 g bag	531001	pressure spring ø 12,6 mm L 30,5 mm	532009	O-rings EPDM thickness 1,78 mm
529927	valve body	530103	descaling agent ScaleKleen 1000 g can	531002	pressure spring ø 10,7 mm L 25,5 mm	532010	O-rings EPDM thickness 1,78 mm
529928	screw connection L 18,2 mm ø 28 mm	530104	water filter EVERPURE type 4H	531003	pressure spring ø 14,7 mm L 26 mm	532011	O-rings EPDM thickness 1,78 mm
529929	piston steam/water tap with thread bolt	530106	water filter EVERPURE type MH	531004	safety valve connection 3/8"	532012	O-rings EPDM thickness 1,78 mm
529930	gasket support for expansion valve	530107	filter head EVERPURE type QL3	531005	union nut 3/8" L 35,1 mm hole ø 12,3 mm	532013	O-rings EPDM thickness 1,78 mm
529931	filter holder T1 3/8" T2 M13x1	530110	softener type BWSO 2000 complete	531006	spring guide for steam-/water-tap	532014	O-rings EPDM thickness 1,78 mm
529932	keypad unit wood brown W 45,4 mm	530111	softener cartridge type BWSO 2000 new	531007	expansion valve with non return valve	532015	O-rings EPDM thickness 1,78 mm
529933	keypad unit 230 V W 117 mm L 71 mm	530112	softener cartridge	531008	water tap with pipe inlet ¼"	532016	O-rings EPDM thickness 1,78 mm
529934	filter holder mounting ø 82,4 mm	530114	water filter EVERPURE type QC7	531009	steam tap with pipe inlet ¼"	532017	O-rings EPDM thickness 1,78 mm
529935	keypad unit 230 V SS W 117 mm L 71 mm	530115	water filter EVERPURE type AH	531010	intake valve for LA ROCCA	532018	O-rings EPDM thickness 1,78 mm
529936	filter holder mounting ø 80 mm	530118	filter head EVERPURE type QL2	531011	steam tap inlet ¼" suitable for LA ROCCA	532019	O-rings EPDM thickness 1,78 mm
529937	keypad unit 230 V with probe W 117 mm	530120	softener cartridge ø 80 mm H 260 mm	531012	inspection glass suitable for LA ROCCA	532020	O-rings EPDM thickness 1,78 mm
529938	keypad unit 230 V buttons 5	530121	softener manual with 2 valves	531013	gasket L 71,5 mm W 71,5 mm	532021	O-rings EPDM thickness 1,78 mm
529939	keypad unit 230 V with probe W 117 mm	530122	softener manual with 2 valves	531014	steam pipe H 145 mm L 165 mm ø 14 mm	532022	O-rings EPDM thickness 1,78 mm
529940	keypad unit 230 V W 116,5 mm L 27 mm	530123	softener manual with bypass valve	531015	steam pipe H 170 mm L 190 mm ø 13,5 mm	532023	O-rings EPDM thickness 1,78 mm
529941	display oval W 138 mm L 78 mm	530124	softener manual with bypass valve	531016	steam pipe H 165 mm L 200 mm ø 14 mm	532045	O-rings EPDM thickness 1,78 mm
529942	keypad unit W 138 mm L 35 mm buttons 5	530125	softener manual with bypass valve	531017	water level tube ø 11 mm H 145 mm	532046	O-rings EPDM thickness 2,62 mm
529943	display suitable for DIAMANT	530126	softener manual with bypass valve	531018	press-button switch ø 8 mm L 20 mm	532047	O-rings EPDM thickness 2,62 mm
529944	bezel L 102 mm W 40 mm wood	530127	softener manual with 2 valves	531019	piston triangle ø 13 mm L 19,6 mm	532048	O-rings EPDM thickness 2,62 mm
529945	bezel L 102 mm W 40 mm plastic black	530131	softener manual with 2 valves	531020	gasket PTFE D1 ø 15 mm D2 ø 11,2 mm	532049	O-rings EPDM thickness 2,62 mm
529946	bezel L 102 mm W 40 mm plastic oval	530132	softener automatic with timer	531021	nozzle M10x1 ø 16 mm L 28 mm	532050	O-rings EPDM thickness 2,62 mm
529947	pressure spring ø 14,7 mm L 34 mm	530133	softener automatic with timer	531022	plain washers ID ø 7 mm ED ø 11 mm	532051	O-rings EPDM thickness 2,62 mm
529948	keypad unit 230 V wood W 45,5 mm	530134	softener automatic	531023	shower filter ø 55/56mm H 9 mm	532052	O-rings EPDM thickness 2,62 mm
529949	electronic box lighting 230 V AC	530140	softener automatic	531024	coffee filter ø 70 mm mounting ø 60 mm	532053	O-rings EPDM thickness 2,62 mm
529950	central unit 3 groups 230 V AC	530146	softener type BWSO 7000 complete	531025	filter holder mounting ø 83 mm	532054	O-rings EPDM thickness 2,62 mm
529951	central unit doser 3 groups 240 AC	530147	softener cartridge type BWSO 7000 new	531026	shim gasket D1 ø 72 mm D2 ø 48 mm	532055	O-rings EPDM thickness 2,62 mm
529952	central unit 3-group 230 V AC	530158	softener cartridge	531027	shim gasket D1 ø 72 mm D2 ø 48 mm	532056	O-rings EPDM thickness 2,62 mm
529953	keypad unit buttons 5 steam/water	530161	softener automatic with timer	531028	filter holder suitable for LA ROCCA	532057	O-rings EPDM thickness 2,62 mm
529954	keypad unit W 78 mm L 131 mm buttons 5	530178	softener manual with 2 valves	531029	pump for air connection UK	532058	O-rings EPDM thickness 2,62 mm
529955	display W 62 mm L 136 mm model MARKUS	530179	filter connection 3/8" ø 59 mm L 58 mm	531030	O-rings Viton thickness 1,78 mm	532059	O-rings EPDM thickness 2,62 mm
529956	p.c.b. LED type DIAMANT	530182	filter connection ¼" ø 59 mm L 58 mm	531035	O-rings Viton thickness 2,62 mm	532060	O-rings EPDM thickness 2,62 mm
529957	p.c.b. LED type DIAMANT	530183	prefilter connection 3/8" ø 180 mm	531053	water pipe 3/8" ø 22 mm L 98-145mm	532061	O-rings EPDM thickness 2,62 mm

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
532062	O-rings EPDM thickness 2,62 mm	532302	O-rings silicone thickness 3,53 mm	532518	O-rings EPDM thickness 1,5 mm ID ø 30 mm	541154	pressure control ø 38 mm
532063	O-rings EPDM thickness 2,62 mm	532303	O-rings silicone thickness 3,53 mm	532520	O-rings Viton thickness 3,53 mm	541155	pressure control ø 38 mm
532064	O-rings EPDM thickness 2,62 mm	532304	O-rings silicone thickness 3,53 mm	532521	O-rings silicone thickness 2,62 mm	541158	pressure control ø 38 mm
532065	O-rings EPDM thickness 2,62 mm	532305	O-rings silicone thickness 3,53 mm	532523	O-rings silicone thickness 1,78 mm	541160	pressure control ø 38 mm
532066	O-rings EPDM thickness 2,62 mm	532306	O-rings silicone thickness 3,53 mm	532524	O-rings Viton thickness 2,62 mm	541200	thermometer 62x11mm
532067	O-rings EPDM thickness 2,62 mm	532307	O-rings silicone thickness 3,53 mm	532526	O-rings Viton thickness 1,78 mm	541201	manometer ø 52 mm
532068	O-rings EPDM thickness 2,62 mm	532308	O-rings silicone thickness 3,53 mm	532530	O-rings silicone thickness 2 mm	541202	manometer ø 53,5 mm
532100	O-rings EPDM thickness 2,62 mm	532309	O-rings silicone thickness 3,53 mm	532532	O-rings silicone thickness 1,78 mm	541203	manometer double scale ø 63 mm
532101	O-rings EPDM thickness 3,53 mm	532310	O-rings silicone thickness 3,53 mm	532533	O-rings silicone thickness 1,5 mm	541205	manometer double scale ø 63 mm
532102	O-rings EPDM thickness 3,53 mm	532311	O-rings silicone thickness 3,53 mm	532535	O-rings EPDM thickness 1,5 mm ID ø 17 mm	541206	manometer ø 42 mm
532103	O-rings EPDM thickness 3,53 mm	532312	O-rings silicone thickness 3,53 mm	532540	O-rings EPDM thickness 5 mm ID ø 10 mm	541207	manometer ø 42 mm
532104	O-rings EPDM thickness 3,53 mm	532313	O-rings silicone thickness 3,53 mm	532541	O-rings Viton thickness 5,34 mm	541208	manometer ø 61 mm
532105	O-rings EPDM thickness 3,53 mm	532314	O-rings silicone thickness 3,53 mm	532542	O-rings silicone thickness 1,78 mm	541209	manometer double scale ø 60 mm
532106	O-rings EPDM thickness 3,53 mm	532315	O-rings silicone thickness 3,53 mm	532544	O-rings EPDM thickness 4,5 mm	541210	manometer double scale ø 70 mm
532107	O-rings EPDM thickness 3,53 mm	532316	O-rings silicone thickness 3,53 mm	532548	O-rings Viton thickness 3,53 mm	541211	manometer double scale ø 63 mm
532155	O-rings EPDM thickness 3,53 mm	532317	O-rings silicone thickness 3,53 mm	532549	O-rings EPDM thickness 3 mm ID ø 27 mm	541212	manometer double scale ø 63 mm
532156	O-rings EPDM thickness 5,34 mm	532318	O-rings silicone thickness 3,53 mm	532550	O-rings EPDM thickness 3,53 mm	541214	manometer ø 57 mm
532186	O-rings EPDM thickness 5,34 mm	532319	O-rings silicone thickness 3,53 mm	532552	O-rings NBR 787/70 thickness 2,62 mm	541215	manometer ø 52 mm
532188	O-rings silicone thickness 1,78 mm	532320	O-rings silicone thickness 3,53 mm	532553	O-rings HNBR thickness 4 mm ID ø 25 mm	541216	manometer ø 53 mm
532189	O-rings silicone thickness 1,78 mm	532372	O-rings silicone thickness 3,53 mm	532554	O-rings silicone thickness 1,5 mm	541217	manometer ø 53 mm
532190	O-rings silicone thickness 1,78 mm	532403	O-rings silicone thickness 5,34 mm	532555	O-rings silicone thickness 1,5 mm	541220	manometer ø 49,3 mm
532191	O-rings silicone thickness 1,78 mm	532405	O-rings Viton thickness 1,78 mm	532556	O-rings Viton thickness 2,62 mm	541223	manometer double scale ø 63 mm
532192	O-rings silicone thickness 1,78 mm	532406	O-rings Viton thickness 1,78 mm	532557	O-rings NBR thickness 2,62 mm	541225	manometer double scale ø 60 mm
532193	O-rings silicone thickness 1,78 mm	532407	O-rings Viton thickness 1,78 mm	532558	O-rings NBR thickness 2,62 mm	541226	manometer ø 51 mm
532194	O-rings silicone thickness 1,78 mm	532408	O-rings Viton thickness 1,78 mm	532559	O-rings silicone thickness 2 mm	541228	manometer double scale ø 60 mm
532195	O-rings silicone thickness 1,78 mm	532409	O-rings Viton thickness 1,78 mm	532560	O-rings NBR thickness 2 mm ID ø 14 mm	541229	manometer ø 41 mm
532196	O-rings silicone thickness 1,78 mm	532410	O-rings Viton thickness 1,78 mm	532561	O-rings Viton thickness 2,62 mm	541230	manometer ø 44 mm
532197	O-rings silicone thickness 1,78 mm	532411	O-rings Viton thickness 1,78 mm	532562	O-rings silicone thickness 2,62 mm	541233	manometer ø 53 mm
532198	O-rings silicone thickness 1,78 mm	532412	O-rings Viton thickness 1,78 mm	532563	O-rings silicone thickness 2,62 mm	541234	manometer double scale ø 60 mm
532199	O-rings silicone thickness 1,78 mm	532413	O-rings Viton thickness 1,78 mm	532565	O-rings Viton thickness 3,53 mm	541236	manometer double scale ø 60 mm
532200	O-rings silicone thickness 1,78 mm	532414	O-rings Viton thickness 1,78 mm	532566	O-rings Viton thickness 1,78 mm	541237	manometer 1/4"
532201	O-rings silicone thickness 1,78 mm	532415	O-rings Viton thickness 1,78 mm	532567	O-rings Viton thickness 1,78 mm	541238	manometer 1/4"
532202	O-rings silicone thickness 1,78 mm	532416	O-rings Viton thickness 1,78 mm	532568	O-rings Viton thickness 2,62 mm	541239	manometer 1/4"
532203	O-rings silicone thickness 1,78 mm	532417	O-rings Viton thickness 1,78 mm	532570	O-rings silicone thickness 2,62 mm	541240	manometer 1/4"
532204	O-rings silicone thickness 1,78 mm	532418	O-rings Viton thickness 1,78 mm	532571	O-rings EPDM thickness 1,9 mm ID ø 8 mm	541241	manometer 1/8"
532205	O-rings silicone thickness 1,78 mm	532419	O-rings Viton thickness 1,78 mm	532572	O-rings Viton thickness 1,78 mm	541242	manometer 1/8"
532206	O-rings silicone thickness 1,78 mm	532420	O-rings Viton thickness 1,78 mm	532573	O-rings EPDM thickness 2,62 mm	541243	manometer ø 52 mm
532207	O-rings silicone thickness 1,78 mm	532421	O-rings Viton thickness 1,78 mm	532576	O-rings EPDM thickness 2,62 mm	541244	manometer ø 52 mm
532208	O-rings silicone thickness 1,78 mm	532422	O-rings Viton thickness 1,78 mm	532578	O-rings Viton thickness 2,62 mm	541245	manometer ø 52 mm
532209	O-rings silicone thickness 1,78 mm	532423	O-rings Viton thickness 1,78 mm	532579	O-rings Viton thickness 3,53 mm	541246	manometer ø 50 mm
532210	O-rings silicone thickness 1,78 mm	532424	O-rings Viton thickness 2,62 mm	532580	O-rings Viton thickness 2,62 mm	541247	manometer ø 50 mm
532211	O-rings silicone thickness 1,78 mm	532425	O-rings Viton thickness 2,62 mm	532581	O-rings Viton thickness 3,53 mm	541253	manometer ø 52 mm
532212	O-rings silicone thickness 1,78 mm	532427	O-rings Viton thickness 2,62 mm	532582	O-rings EPDM thickness 2,3 mm	541254	manometer ø 42,3 mm
532213	O-rings silicone thickness 1,78 mm	532428	O-rings Viton thickness 2,62 mm	532583	O-rings Viton thickness 1,78 mm	541255	manometer ø 41 mm
532214	O-rings silicone thickness 1,78 mm	532429	O-rings Viton thickness 2,62 mm	532584	O-rings Viton thickness 2,62 mm	541256	manometer double scale ø 60 mm
532215	O-rings silicone thickness 1,78 mm	532430	O-rings Viton thickness 2,62 mm	532585	O-rings silicone thickness 3 mm	541257	manometer double scale ø 58 mm
532216	O-rings silicone thickness 1,78 mm	532431	O-rings Viton thickness 2,62 mm	532587	O-rings NBR thickness 2,62 mm	541259	manometer double scale ø 58 mm
532217	O-rings silicone thickness 1,78 mm	532432	O-rings Viton thickness 2,62 mm	532588	O-rings NBR thickness 1,78 mm	541261	manometer double scale ø 63 mm
532218	O-rings silicone thickness 1,78 mm	532433	O-rings Viton thickness 2,62 mm	532589	O-rings silicone thickness 1,78 mm	541262	manometer ø 44 mm
532219	O-rings silicone thickness 1,78 mm	532434	O-rings Viton thickness 2,62 mm	532590	O-rings silicone thickness 3 mm	541263	manometer double scale ø 63 mm
532220	O-rings silicone thickness 1,78 mm	532435	O-rings Viton thickness 2,62 mm	532591	O-rings silicone thickness 2,62 mm	541264	manometer double scale ø 63 mm
532221	O-rings silicone thickness 1,78 mm	532436	O-rings Viton thickness 2,62 mm	532592	O-rings NBR thickness 1,78 mm	541266	manometer double scale ø 60 mm
532222	O-rings silicone thickness 1,78 mm	532437	O-rings Viton thickness 2,62 mm	532593	O-rings Viton thickness 2 mm ID ø 50 mm	541267	manometer double scale ø 63 mm
532223	O-rings silicone thickness 1,78 mm	532438	O-rings Viton thickness 2,62 mm	532595	O-rings silicone thickness 5,34 mm	541268	manometer double scale ø 58 mm
532224	O-rings silicone thickness 1,78 mm	532439	O-rings Viton thickness 2,62 mm	532596	O-rings silicone thickness 5,34 mm	541269	manometer ø 58 mm
532225	O-rings silicone thickness 1,78 mm	532440	O-rings Viton thickness 2,62 mm	532597	O-rings silicone thickness 4,5 mm	541270	manometer double scale ø 58 mm
532226	O-rings silicone thickness 1,78 mm	532441	O-rings Viton thickness 2,62 mm	532598	O-rings NBR thickness 1,78 mm	541273	manometer double scale ø 57 mm
532227	O-rings silicone thickness 1,78 mm	532442	O-rings Viton thickness 2,62 mm	532599	O-rings EPDM thickness 2 mm ID ø 1,9 mm	541274	manometer double scale ø 63 mm
532228	O-rings silicone thickness 1,78 mm	532443	O-rings Viton thickness 3,53 mm	532602	O-rings EPDM thickness 2 mm ID ø 14 mm	541279	manometer ø 51 mm
532229	O-rings silicone thickness 1,78 mm	532444	O-rings Viton thickness 3,53 mm	532605	O-rings silicone thickness 3,53 mm	541281	manometer double scale ø 63 mm
532230	O-rings silicone thickness 1,78 mm	532445	O-rings Viton thickness 3,53 mm	532606	O-rings EPDM thickness 1,5 mm ID ø 12 mm	541282	manometer ø 53 mm
532231	O-rings silicone thickness 1,78 mm	532446	O-rings Viton thickness 3,53 mm	533001	O-rings silicone thickness 3,53 mm	541283	manometer ø 52 mm
532232	O-rings silicone thickness 1,78 mm	532448	O-rings Viton thickness 3,53 mm	540071	gasket copper D1 ø 16,8 mm D2 ø 12 mm	541284	manometer ø 52 mm
532233	O-rings silicone thickness 1,78 mm	532449	O-rings Viton thickness 3,53 mm	540072	flat gasket FIBER D1 ø 18 mm D2 ø 10 mm	541286	manometer ø 52 mm
532235	O-rings silicone thickness 1,78 mm	532452	O-rings Viton thickness 3,53 mm	540222	flat gasket rubber D1 ø 12,5 mm	541287	manometer ø 60 mm
532236	O-rings silicone thickness 1,78 mm	532453	O-rings Viton thickness 1,78 mm	540265	O-rings EPDM thickness 2,62 mm	541288	manometer double scale ø 60 mm
532237	O-rings silicone thickness 2,62 mm	532456	O-rings EPDM thickness 2,62 mm	540266	flex hose SS L 300 mm with loose gasket	541289	manometer double scale ø 63 mm
532238	O-rings silicone thickness 2,62 mm	532470	O-rings Viton thickness 2 mm ID ø 16 mm	540424	flex hose SS L 500 mm with loose gasket	541290	manometer ø 51 mm
532239	O-rings silicone thickness 2,62 mm	532471	O-ring cord EPDM thickness 1,5 mm Qty 1m	540498	O-rings Viton thickness 2 mm ID ø 32 mm	541326	manometer ø 51 mm
532240	O-rings silicone thickness 2,62 mm	532472	O-ring cord EPDM thickness 1,78 mm	540499	hose connector 2-way brass	541340	pressure control pre-adjusted
532241	O-rings silicone thickness 2,62 mm	532473	O-ring cord EPDM thickness 2 mm Qty 1m	540644	hose connector 2-way brass	541410	pressure control ø 38 mm
532242	O-rings silicone thickness 2,62 mm	532474	O-ring cord EPDM thickness 2,5 mm Qty 1m	540646	hose connector 1/2" grommet ø 20 mm	541417	manometer double scale ø 60 mm
532243	O-rings silicone thickness 2,62 mm	532475	O-ring cord EPDM thickness 2,62 mm	540658	ball-tap IT ¾" L 56 mm handle ø 65 mm	541447	pressure control ø 38 mm
532244	O-rings silicone thickness 2,62 mm	532476	O-ring cord EPDM thickness 3 mm Qty 1m	540682	ball-tap IT ¾" L 69 mm handle ø 65 mm	541453	manometer ø 60 mm
532245	O-rings silicone thickness 2,62 mm	532477	O-ring cord EPDM thickness 3,5 mm Qty 1m	540730	O-rings EPDM thickness 1,78 mm	541512	pressure control
532246	O-rings silicone thickness 2,62 mm	532478	O-ring cord EPDM thickness 3,53 mm	540731	ball-tap L 70 mm lever handle	541513	manometer double scale ø 60 mm
532247	O-rings silicone thickness 2,62 mm	532479	O-ring cord EPDM thickness 4 mm Qty 1m	540758	ball-tap L 61 mm lever handle	541634	manometer double scale ø 63 mm
532248	O-rings silicone thickness 2,62 mm	532480	O-ring cord EPDM thickness 5 mm Qty 1m	540775	ball-tap L 90 mm lever handle	541635	penetration thermometer display digital
532249	O-rings silicone thickness 2,62 mm	532481	O-ring cord EPDM thickness 5,33 mm	540931	ball-tap IT 1" L 83,5 mm wing handle	541636	penetration thermometer display digital
532250	O-rings silicone thickness 2,62 mm	532482	O-ring cord EPDM thickness 6,99 mm	540937	ball-tap IT 3/8" L 54 mm wing handle	541643	penetration thermometer display digital
532251	O-rings silicone thickness 2,62 mm	532484	O-ring cord EPDM thickness 8 mm Qty 1m	540982	ball-tap IT ¾" - 1" L 80 mm wing handle	541668	pressure control
532252	O-rings silicone thickness 2,62 mm	532485	O-rings silicone thickness 2,62 mm	540983	ball-tap IT ¾" ET ¾" L 69 mm wing handle	541669	manometer pressure range 3 bar ø 63 mm
532253	O-rings silicone thickness 2,62 mm	532487	O-rings EPDM thickness 2,5 mm ID ø 35 mm	540991	ball-tap IT 1" ET 1" L 79 mm wing handle	541676	manometer ø 41 mm pressure range 16 bar
532254	O-rings silicone thickness 2,62 mm	532488	O-rings Viton thickness 2,62 mm	541015	ball-tap L 61 mm lever handle	541679	pressure control ø 35 mm
532255	O-rings silicone thickness 2,62 mm	532489	O-rings silicone thickness 7 mm	541020	pressure control ø 45 mm	541680	manometer ø 43 mm pressure range 0-16bar
532256	O-rings silicone thickness 2,62 mm	532493	O-rings EPDM thickness 6 mm ID ø 40 mm	541021	pressure control ø 38 mm	541681	manometer ø 41 mm
532257	O-rings silicone thickness 2,62 mm	532494	O-rings Viton thickness 1,78 mm	541042	pressure control pressure connection ¾"	541682	manometer ø 41 mm pressure range 0-16bar
532258	O-rings silicone thickness 2,62 mm	532497	O-rings EPDM thickness 2,62 mm	541087	pressure control ø 38 mm	541684	star handle shaft 6x6mm ø 50 mm L 18 mm
532259	O-rings silicone thickness 2,62 mm	532498	O-rings Viton thickness 1,78 mm	541089	penetration thermometer display digital	541685	pressure control pressure range 0-1bar
532260	O-rings silicone thickness 2,62 mm	532499	O-rings EPDM thickness 3,53 mm	541096	pressure control ø 38 mm	541686	manometer double scale ø 63 mm
532261	O-rings silicone thickness 2,62 mm	532504	O-rings EPDM thickness 2,62 mm	541097	penetration thermometer display digital	541687	manometer double scale ø 63 mm
532262	O-rings silicone thickness 2,62 mm	532505	O-rings Viton thickness 2,62 mm	541100	penetration thermometer display analogue	541688	manometer ø 41 mm pressure range 0-15bar
532263	O-rings silicone thickness 2,62 mm	532506	O-rings silicone thickness 1,78 mm	541101	pressure control ø 45 mm	541689	manometer ø 41 mm pressure range 0-3bar
532264	O-rings silicone thickness 2,62 mm	532508	O-rings Viton thickness 3,53 mm	541104	pressure control ø 45 mm	541690	manometer ø 41 mm pressure range 0-3bar
532265	O-rings silicone thickness 2,62 mm	532509	O-rings silicone thickness 1,78 mm	541107	pressure control ø 38 mm	541691	pressure control
532266	O-rings silicone thickness 2,62 mm	532510	O-rings EPDM thickness 2 mm ID ø 26,5 mm	541131	pressure control ø 38 mm	541692	star handle shaft 7x7mm ø 64 mm L 24 mm
532267	O-rings silicone thickness 2,62 mm	532512	O-rings EPDM thickness 3 mm ID ø 30 mm	541143	pressure control ø 35 mm	541693	manometer ø 41 mm pressure range 0-3bar
532268	O-rings silicone thickness 2,62 mm	532513	O-rings Viton thickness 3,53 mm	541151	pressure control ø 35 mm	541694	manometer ø 63 mm
532300	O-rings silicone thickness 2,62 mm	532514	O-rings silicone thickness 2,62 mm	541152	pressure control ø 38 mm	541695	pressure control ø 48 mm
532301	O-rings silicone thickness 3,53 mm	532516	O-rings silicone thickness 3 mm	541153	pressure control ø 38 mm	541696	manometer ø 58 mm



Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
541697	manometer double scale W 47 mm H 95 mm	550111	terminal block 5 -poles max. 40 A	550293	flat plug size 2,8x0,8mm 0,5-1,5mm²	550710	appliance inlet max 250 V max. 16 A
541698	manometer double scale ø 60 mm	550112	terminal block 6 -poles max. 40 A	550294	flat pin bushing size 2,8x0,8mm	550711	fixing plate temp.-resist. 200 °C
541699	manometer double scale ø 60 mm	550113	porcelain clamp 2,5 mm² 2 -poles	550295	flat pin bushing size 4,8x0,8mm	550712	plug 3-pole-poles all-rubber base
541700	pressure control ø 34 mm	550114	porcelain clamp 2,5 mm² 3 -poles	550296	flat pin bushing size 4,8x0,8mm	550713	plug 3-pole-poles all-rubber base
541702	pressure control ø 38 mm	550115	porcelain clamp 2,5 mm² 4 -poles	550297	flat pin bushing size 6,3x0,8mm	550714	plug 3-pole-poles all-rubber base
541703	manometer ø 40 mm	550116	porcelain clamp 10 mm² 2 -poles	550316	flat pin bushing size 6,3x0,8mm	550715	plug 3-pole-poles all-rubber base
541704	manometer ø 63 mm	550150	porcelain clamp 10 mm² 3 -poles	550317	plug for box mounting receptacles	550716	plug 5-pole 3P/1N/PE-poles max 250/400V
541705	manometer ø 63 mm	550151	flat pin bushing 0,5-1,5mm² Qty 100 pc	550326	flat gasket FIBER D1 ø 30 mm D2 ø 21 mm	550717	plug 5-pole 3P/1N/PE-poles max 250/400V
541706	manometer ø 62 mm pressure range 0-3bar	550152	flat pin bushing size 4,8x0,8mm	550327	terminal block 12 -poles	550718	coupling/power socket
541707	manometer pressure range 0-2,5bar	550153	flat pin bushing size 4,8x0,8mm	550331	terminal block 1 -poles	550720	coupling/power socket
541708	manometer double scale ø 63 mm	550154	flat pin bushing size 6,3x0,8mm	550332	protective covering nylon L.max. 120 °C	550721	plug 3-pole-poles thermoplastic
541709	manometer double scale ø 60 mm	550155	flat pin bushing size 6,3x0,8mm	550349	protective covering size 6,3 mm nylon	550722	plug 3-pole-poles thermoplastic
541710	manometer double scale ø 60 mm	550156	flat pin bushing size 6,3x0,8mm	550350	terminal block 4 -poles max. 40 A	550723	plug 3-pole-poles thermoplastic
541711	manometer double scale ø 60 mm	550157	flat pin bushing size 6,3x0,8mm	550351	bush for thermostat	550724	plug 3-pole-poles thermoplastic
541712	manometer double scale ø 60 mm	550158	flat pin bushing size 6,3x0,8mm	550355	union screw	550735	plug 3-pole-poles thermoplastic
541713	manometer pressure range 0-2,5bar	550159	bumper connection 0,5-1,5mm² Qty 100 pc	550372	terminal block 6 -poles max. 40 A	550736	ring terminal insulated ø 3,2 mm
541714	manometer double scale ø 60 mm	550160	bumper connection 1,0-2,5mm² Qty 100 pc	550388	pass-through terminal block 0,5-4mm²	550737	ring terminal insulated ø 3,7 mm
541715	manometer ø 41 mm pressure range 0-3bar	550161	bumper connection 2,5-6,0mm² Qty 100 pc	550389	holder for contact thermostat	550738	ring terminal insulated ø 4,3 mm
541716	manometer ø 41 mm pressure range 0-3bar	550162	ring terminal size M3 ø3,2mm 0,5-1,5mm²	550411	holder for contact thermostat	550739	ring terminal insulated ø 4,3 mm
541718	manometer pressure range 0-15bar ø 41 mm	550163	ring terminal size M4 ø4,3mm 0,5-1,5mm²	550414	terminal block 6 -poles max. 40 A	550740	ring terminal insulated ø 5,3 mm
541719	manometer double scale ø 60 mm	550164	ring terminal size M4 ø4,3mm 1,5-2,5mm²	550425	porcelain clamp 10 mm² 4 -poles	550741	ring terminal insulated ø 5,3 mm
541720	manometer double scale ø 60 mm	550165	ring terminal size M5 ø5,3mm 1,5-2,5mm²	550458	device connector box	550742	ring terminal insulated ø 5,3 mm
541721	manometer double scale ø 63 mm	550166	ring terminal size M5 ø5,3mm 4,0-6,0mm²	550470	terminal block 3 -poles max. 20 A	550743	spate terminal insulated ø 3,2 mm
541722	manometer double scale ø 63 mm	550167	ring terminal size M6 ø6,5mm 1,5-2,5mm²	550507	terminal block 3 -poles max. 40 A	550744	spate terminal insulated ø 3,7 mm
541723	manometer double scale ø 63 mm	550168	ring terminal size M6 ø6,5mm 4,0-6,0mm²	550516	terminal block 4 -poles max. 40 A	550745	spate terminal insulated ø 4,3 mm
541724	pressure control pressure connection 1/4"	550169	pin cable eye size 1,9x12mm 0,5-1,5mm²	550517	terminal block 3 -poles max. 41 A	550746	spate terminal insulated ø 4,3 mm
541725	pressure control pressure connection 1/4"	550170	pin cable eye size 2,8x13mm 1,5-2,5mm²	550518	terminal block 5 -poles max. 40 A	550747	spate terminal insulated ø 5,3 mm
541726	pressure control ø 38 mm	550172	pin cable eye size 2,8x13mm 4,0-6,0mm²	550520	terminal block 6 -poles max. 41 A	550748	spate terminal insulated ø 5,3 mm
541727	pressure control ø 38 mm	550173	spate terminal size M4 ø4,3mm 0,5-1,5mm²	550521	coupling/power socket	550749	spate terminal insulated ø 6,5 mm
541728	manometer double scale ø 63 mm	550174	spate terminal size M4 ø4,3mm 1,5-2,5mm²	550522	coupling/power socket	550750	end connector size 10x21mm 1,0-2,5mm²
541729	manometer double scale ø 63 mm	550175	spate terminal size M5 ø5,3mm 1,5-2,5mm²	550524	power socket 5-pole 3P/1N/PE-poles	550751	ring terminal insulated ø 4,2 mm
541730	manometer double scale ø 60 mm	550176	spate terminal size M5 ø5,3mm 4,0-6,0mm²	550526	plug 16 A 3-pole 1P/1N/PE thermoplastic	550801	ring terminal insulated ø 4,2 mm
541731	manometer double scale ø 60 mm	550177	spate terminal size M6 ø6,5mm 1,5-2,5mm²	550527	coupling/power socket	550802	PC board connectors 3 -poles
541732	manometer double scale ø 63 mm	550178	spate terminal size M6 ø6,5mm 4,0-6,0mm²	550535	coupling/power socket	550803	PC board connectors 4 -poles
541733	manometer double scale ø 63 mm	550179	flat pin bushing size 6,3x0,8mm	550558	power socket 3 -poles thermoplastic	550804	PC board connectors 5 -poles
541734	pressure control ø 45 mm	550180	flat pin bushing size 6,3x0,8mm	550592	fuse holder suitable fuse 5x20mm	550805	PC board connectors 6 -poles
541735	manometer ø 40 mm	550181	wire end sleeve 0,75 mm² Cu gal Sn	550593	porcelain clamp 2,5 mm² 1 -poles	550810	PC board connectors 7 -poles
541737	manometer double scale ø 58 mm	550182	wire end sleeve 1 mm² Cu gal Sn	550594	porcelain clamp 4 mm² 1 -poles max. 20 A	550838	PC board connectors 12 -poles
541738	manometer double scale ø 58 mm	550183	wire end sleeve 1,5 mm² Cu gal Sn	550595	porcelain clamp 6 mm² 1 -poles max. 30 A	550839	terminal block 12 -poles
541739	manometer ø 58 mm	550184	wire end sleeve 2,5 mm² Cu gal Sn	550596	porcelain clamp 10 mm² 2 -poles	550851	ribbon cable 20 -poles L 135 mm
541740	manometer ø 42 mm	550185	wire end sleeve 4 mm² Cu gal Sn	550615	porcelain clamp 10 mm² 3 -poles	550872	flat gasket rubber D1 ø 14,5 mm
541741	manometer ø 42 mm pressure range 0-16bar	550186	wire end sleeve 6 mm² Cu gal Sn	550616	flat pin bushing size 6,3x0,8mm	550906	appliance inlet max 250 V max. 10 A
541743	manometer ø 43 mm	550187	wire end sleeve 10 mm² Cu gal Sn	550617	bullet receptacle size ø 5mmmm	550908	plug 3-pole-poles all-rubber base
541744	pressure control ø 45 mm	550188	bullet receptacle size ø4mm 0,5-1,5mm²	550618	bullet receptacle size ø 5mmmm	550920	plug 3-pole-poles rubber
541745	manometer pressure range 0-2,5bar	550189	bullet receptacle size ø4mm 1,5-2,5mm²	550619	bullet connector size ø4mm 1,5-2,5mm²	550921	plug-in terminal blocks 4 -poles
541750	pressure control ø 33 mm	550190	wire end sleeve 0,75mm² Qty 100 pc	550620	bullet connector size ø 5mmmm 4,0-6,0mm²	550923	bush clamp 4 -poles max. 16 A max 400 V
541751	pressure control ø 40 mm	550191	wire end sleeve 1mm² Qty 100 pc	550621	pin cable eye size 3,0x14mm 0,5-1,5mm²	550953	bullet receptacle ø 6 mm 0,5-1,5mm²
541752	manometer ø 40 mm pressure range 0-4bar	550192	wire end sleeve 1,5 mm² Qty 100 pc	550623	pin cable eye size 2,2x13mm 1,5-2,5mm²	550954	terminal block 6 -poles max. 20 A
541753	manometer ø 40 mm pressure range 0-16bar	550193	wire end sleeve 2,5 mm² Qty 100 pc	550624	ring terminal size M3 ø3,2mm 1,5-2,5mm²	550959	terminal block 9 -poles max. 20 A
541755	manometer ø 50 mm pressure range 0-16bar	550194	wire end sleeve 4 mm² Qty 100 pc	550625	ring terminal size M3,5 ø3,7mm	550977	flat pin bushing size 4,8x0,8mm
541756	manometer ø 50 mm	550195	wire end sleeve 6 mm² Qty 100 pc	550626	ring terminal size M3,5 ø3,7mm	550988	terminal block 6 -poles
541757	manometer ø 50 mm pressure range 0-16bar	550196	wire end sleeve 10 mm² Qty 100 pc	550627	ring terminal size M3,5 ø3,7mm	550989	terminal block 2 -poles
541760	manometer ø 50 mm	550197	bullet connector size ø4mm 0,5-1,5mm²	550628	ring terminal size M4 ø4,3mm 4,0-6,0mm²	550999	terminal block 4 -poles max. 25 A
541761	manometer ø 41 mm pressure range 0-15bar	550198	bullet connector size ø4mm 1,5-2,5mm²	550629	ring terminal size M5 ø5,3mm 0,5-1,5mm²	551000	plug 2 -poles max 250 V max. 30 A
541762	manometer ø 41 mm pressure range 0-3bar	550200	flat pin bushing size F6,3mm 1,0-2,5mm²	550630	ring terminal size M6 ø6,5mm 0,5-1,5mm²	551001	terminal block 4 -poles max 380 V
541763	pressure control ø 34 mm	550202	plug 3-pole-poles all-rubber base	550631	ring terminal size M8 ø8,5mm 1,5-2,5mm²	551002	flat pin bushing size 6,3 mm 0,5-1mm² SS
541764	manometer double scale ø 58 mm	550203	coupling/power socket	550632	ring terminal size M8 ø8,5mm 4,0-6,0mm²	551003	flat pin bushing size 6,3 mm 1-2,5mm² SS
541765	manometer ø 39 mm pressure range 0-16bar	550204	plug 3-pole-poles all-rubber base	550633	spate terminal size M3 ø3,2mm 0,5-1,5mm²	551004	flat pin bushing size 6,3 mm 4-6mm² SS
541766	manometer double scale ø 63 mm	550205	plug 3-pole-poles thermoplastic	550634	spate terminal size M3 ø3,2mm 1,5-2,5mm²	551005	ring terminal insulated ø 3,2 mm
541767	pressure control ø 45 mm	550206	plug 5-pole 3P/1N/PE-poles max 250/400V	550635	spate terminal size M3,5 ø3,7mm	551006	ring terminal insulated ø 4,3 mm
541768	manometer ø 39 mm pressure range 0-16bar	550207	plug 5-pole 3P/1N/PE-poles max 250/400V	550636	spate terminal size M3,5 ø3,7mm	551007	ring terminal insulated ø 5,3 mm
541771	manometer ø 39 mm pressure range 0-3bar	550208	power socket 3 -poles thermoplastic	550637	spate terminal size M3,5 ø3,7mm	551008	ring terminal insulated ø 4,2 mm
541772	manometer double scale ø 58,5 mm	550209	plug 5-pole 3P/1N/PE-poles max 250/400V	550638	spate terminal size M4 ø4,3mm 4,0-6,0mm²	551009	ring terminal insulated ø 5,3 mm
541773	manometer double scale ø 58,5 mm	550210	plug 16 A 3-pole 1P/1N/PE thermoplastic	550640	spate terminal size M5 ø5,3mm 0,5-1,5mm²	551010	ring terminal insulated ø 6,5 mm
541774	manometer ø 41 mm pressure range 0-3bar	550212	plug 16 A 5-pole 3P/1N/PE max 415 V	550641	spate terminal size M8 ø8,5mm 4,0-6,0mm²	551011	ring terminal insulated ø 3,2 mm
541775	manometer ø 41 mm pressure range 0-3bar	550214	plug 3-pole-poles PVC countries D/F/B/I	550642	flat pin bushing size 6,3x0,8mm	551012	ring terminal insulated ø 4,2 mm
541783	manometer ø 41 mm pressure range 0-25bar	550215	plug 16 A 5-pole 3P/1N/PE max 415 V	550643	flat plug size 4,8x0,8mm 1,5-2,5mm²	551013	ring terminal insulated ø 5,2 mm
541784	pressure control connection 1/4"	550216	coupling/power socket	550644	flat pin bushing size 6,3x0,8mm	551014	ring terminal insulated ø 4,2 mm
541785	pressure control	550217	plug 5-pole 3P/1N/PE-poles max 250/400V	550648	flat plug size 6,3x0,8mm 4,0-6,0mm²	551015	ring terminal insulated ø 5,2 mm
541930	manometer ø 40 mm	550232	plug 5-pole 3P/1N/PE-poles max 250/400V	550649	flat plug size 4,8x0,5mm 0,5-1,0mm²	551023	ring terminal insulated ø 6,5 mm
543104	pressure control ø 45 mm	550235	terminal block 12 -poles	550650	flat pin bushing size 4,8x0,5mm	551024	install plug max 250 V max. 10 A
543115	O-rings EPDM thickness 2,4 mm	550236	flat pin bushing size 4,8x0,8mm	550651	flat pin bushing size 2,8x0,8mm	551026	appliance inlet max 250 V max. 10 A
548007	O-rings EPDM thickness 5 mm ID ø 25 mm	550237	flat pin bushing size 4,8x0,8mm	550652	flat pin bushing size 4,8x0,8mm	551027	terminal block 5 -poles max. 16 A
548385	flat gasket rubber D1 ø 9 mm D2 ø 18 mm	550238	flat plug size 6,3x0,8mm 0,5-1,5mm²	550653	flat pin bushing size 4,8x0,8mm	551028	terminal block 2 -poles max. 12 A
548684	tap aerator connection M22x1	550239	flat plug size 6,3x0,8mm 1,5-2,5mm²	550654	flat pin bushing size 6,3x0,8mm	551029	terminal block 3 -poles phases 1
550001	tap head for water level tube 3/8"	550240	terminal block 12 -poles	550655	flat pin bushing size 6,3x0,8mm	551030	terminal block 3 -poles phases 1
550006	flat pin bushing size 6,3 mm 1,0-2,5mm²	550241	device connector box	550656	flat pin bushing size 6,3x0,8mm	551031	terminal block 5 -poles phases 3
550007	sensor clamp for sensor ø 4 mm	550242	plug 3-pole-poles thermoplastic	550657	flat plug size 6,3 mm 1,0-2,5mm²	551032	connecting clamp 1 -poles max. 63 A
550008	ring terminal Fe gal Ni L.max. 340 °C	550243	plug for box mounting receptacles	550658	flat pin bushing size 6,3x0,8mm	551035	power socket 2 -poles max 250 V
550009	ring terminal Fe gal Ni L.max. 340 °C	550244	plug for box mounting receptacles	550659	flat pin bushing size 6,3x0,8mm	551036	power socket 2 -poles max 250 V
550010	ring terminal Fe gal Ni L.max. 340 °C	550245	appliance inlet max 250 V max. 10 A	550660	flat pin bushing size 4,8x0,8mm	551037	terminal block 5 -poles phases 3
550012	ring terminal Fe gal Ni L.max. 340 °C	550246	plug for box mounting receptacles	550661	flat pin bushing size 4,8x0,8mm	551038	terminal block 3 -poles phases 1
550018	plug connector size F6,3mm 1,0-2,5mm²	550247	plug 3-pole-poles thermoplastic	550664	flat pin bushing size 6,3x0,8mm	551039	fuse holder ø 10 mm suitable fuse 5x20
550021	end connector size 12,5x25mm 2,5-6,0mm²	550249	coupling/power socket	550665	right-angle plug 2 -poles PVC	551040	appliance inlet max 250 V max. 10 A
550022	insulating tape PVC	550250	adhesive base size 19x19mm Qty 100 pc	550666	protective covering size 2,8 mm nylon	551041	frame with lid for power socket
550023	insulating tape PVC	550251	cable tie L 100 mm W 2,5 mm Qty 100 pc	550667	protective covering size 4,8 mm nylon	551042	power socket 2-pole + grounding-poles
550024	insulating tape PVC	550252	cable tie L 160 mm W 2,5 mm Qty 100 pc	550682	protective covering size 6,3 mm nylon	551043	power socket 2-pole + grounding-poles
550031	insulating tape PVC	550253	cable tie L 200 mm W 3,6 mm Qty 100 pc	550694	hexagonal screw M8 thread length 20 mm	551044	power socket 2-pole + grounding-poles
550033	insulating tape glass fabric	550254	cable tie L 290 mm W 3,6 mm Qty 100 pc	550698	gasket aluminium D1 ø 27 mm D2 ø 22 mm	551045	power socket 2-pole-poles max 250 V
550034	end connector size 15x28mm 6,0-8,5mm²	550255	cable tie L 140 mm W 3,6 mm Qty 100 pc	550699	power socket 3 -poles thermoplastic	551046	power socket 2 -poles max 250 V
550037	terminal block 5 -poles max. 32 A	550262	flat pin bushing size 4,8x0,8mm	550700	plug for box mounting receptacles	551047	capillary pipe clamp for pipe ø 8 mm
550038	terminal block 3 -poles max. 16 A	550263	flat gasket copper D1 ø 20 mm D2 ø 14 mm	550701	plug for box mounting receptacles	551048	terminal block 2 -poles 400 V
550039	terminal block 6 -poles max. 16 A	550274	power socket 5-pole 3P/1N/PE-poles	550702	plug for box mounting receptacles	551049	terminal block 4 -poles phases 3 400 V
550045	sensor clamp for sensor ø 3,1 mm	550278	spate terminal size M6 ø6,5mm 0,5-1,5mm²	550703	plug for box mounting receptacles	551050	terminal block 2 -poles max. 20 A
550046	flat pin bushing size 6,3 mm 0,5-1,5mm²	550279	terminal block 3 -poles max. 40 A	550704	plug for box mounting receptacles	551051	cable gland PG16 cable ø 16 mm
550047	flat pin bushing size 6,3 mm 2,5-6,0mm²	550282	flat pin bushing size 6,3x0,8mm	550705	appliance inlet max 250 V max. 10 A	551052	terminal block 3 -poles
550054	size 6,3x0,8mm CuZn gal Sn	550283	flat pin bushing size 6,3x0,8mm	550706	appliance inlet max 250 V max. 16 A	551053	frame with lid for power socket
550056	power socket 2 -poles max 250 V	550290	flat pin bushing size 2,8x0,8mm	550707	appliance inlet max 250 V max. 10 A	551067	frame with lid for power socket
550109	insulating tape glass fabric	550291	flat pin bushing size 2,8x0,8mm	550708	appliance inlet max 250 V max. 10 A	551071	terminal block 3 -poles max. 16 A
550110	terminal block 3 -poles max. 40 A	550292	flat pin bushing size 6,3x0,8mm	550709	appliance inlet max 250 V max. 10 A		

Part no.	Description	Part no.	Description	Part no.	Description	Part no.	Description
560025	PC board connectors set 7-13-poles	560418	cylinder head bolt M8 L 55 mm	601486	axial fan L 92 mm W 92 mm H 25 mm 230 V	802019	test tube brush nylon ø 20 mm
560026	cylinder head bolts M4	560419	cylinder head bolt M6 thread length 8 mm	601488	gear motor 90 W 230 V 50 Hz 48 rpm	802020	portable coffee measuring set
560027	cylinder head bolts M4	560420	grub screw M8 L 10 mm stainless steel	601490	gear motor 90 W 230 V 50 Hz 70 rpm	802024	coffee spoon stainless steel
560031	cylinder head bolts M5	560422	countersunk screw M5 L 14 mm SS Qty 1 pc	601494	gear motor LIP type 111 48 W 230 V	802025	brush for coffee grinders wood
560033	cylinder head bolts M6	560423	grub screw M8 L 25 mm zinc coated	601495	motor for coffee grinder 230 V 48 W	802026	coffee press aluminium D1 ø 53 mm
560040	cylinder head bolts M6	560424	nut M7L thread length 13 mm Qty 1 pc	601496	motor for mixer 230 V 50/60Hz phases 1	802027	coffee press stainless steel
560062	countersunk screws M5 L 12 mm WS 3 SS	560425	countersunk screw M4 L 10 mm	601698	axial fan L 60 mm W 60 mm H 25 mm 12 V	802028	holder for filter holder
560067	flat-headed bolts M4 thread length 10 mm	560426	countersunk screw M4 L 13 mm	650057	axial fan L 40,5 mm W 40,5 mm H 11 mm	802029	thermometer display analogue
560076	flat-headed bolts M5 thread length 10 mm	560427	flat-headed bolts M3 thread length 6 mm	650105	lever doser hole ø 20 mm plastic	802030	coffee press aluminium D1 ø 57,5 mm
560079	countersunk screws M4 L 10 mm SS DIN 963	560428	flat-headed bolts M6 thread length 16 mm	690493	coffee press ø 52/56mm H 62 mm plastic	802031	barista kit
560081	hexagonal screws M6 thread length 12 mm	560429	cylinder head bolt M6	690968	spring hinge left type TRS/4	802032	coffee press aluminium D1 ø 57,5 mm
560083	hexagonal screws M4 thread length 10 mm	560430	flat-headed bolts M4 thread length 10 mm	691332	roll pin ø 5 mm L 20 mm	802035	coffee press aluminium D1 ø 53 mm
560085	hexagonal screws M5 thread length 10 mm	560431	flat-headed bolts M4 thread length 16 mm	691470	flat gasket silicone D1 ø 13,8 mm	802041	cleaner set for coffee machine
560113	hexagonal screws M5 thread length 20 mm	560432	screw M4 thread length 8 mm	691527	retaining ring E D1 ø 8 mm D2 ø 16 mm	802042	equipment foot ø 18,5 mm H 11 mm
560117	plain washers ID ø 6,4 mm ED ø 12 mm	560433	flat-headed bolts M4 thread length 8 mm	691535	key cylinder with key	802043	equipment foot H 8,5 mm 9x8mm for doser
560126	plain washers ID ø 6,4 mm ED ø 18 mm SS	560434	hexagonal screw M6 thread length 16 mm	691624	disc aluminium D1 ø 10 mm D2 ø 14 mm	802044	milk foamer connection 3/8"
560127	tooth lock washers ID ø 5,2 mm	560435	screw for plastic ø 5 mm L 34 mm	692091	gasket copper D1 ø 12,5 mm D2 ø 17 mm	802045	equipment foot ø 28 mm L 14 mm rubber
560128	tooth lock washers ID ø 6,2 mm	560436	countersunk screw for plastic ø 2,2 mm	692092	equipment foot ø 21 mm H 10 mm	802046	equipment foot ø 25 mm H 10 mm
560129	tooth lock washers ID ø 8,3 mm	560437	flat-headed bolts for plastic ø 4 mm	693046	equipment foot sticker ø 18 mm H 9 mm	802047	milk foamer connection 1/8" plastic
560137	hexagonal nut M5 H 4 mm SS WS 8	560438	hexagonal nut M6 H 6 mm	693435	ball-tap lever handle	802102	equipment foot H 22 mm 10x10mm T80
560142	hut nuts M6 WS 10 SS Qty 20 pc DIN 1587	560439	hexagonal nut M5 H 4 mm	693745	gasket PTFE D1 ø 10 mm D2 ø 14 mm	802103	cleaning brush nylon ø 10 mm elbow
560199	hexagonal nuts M6 H 6 mm SS WS 10	560440	hexagonal nut M6 H 4 mm	695187	gasket PTFE D1 ø 20 mm D2 ø 15 mm	802104	coffee spoon plastic
560200	hexagonal nuts M10 H 8 mm SS WS 17	560441	plain washers ID ø 6,5 mm ED ø 12 mm	695209	t-fitting plastic	802106	coffee press nylon D1 ø 49 mm D2 ø 53 mm
560204	flat gasket copper D1 ø 16 mm D2 ø 10 mm	560442	plain washers ID ø 11 mm ED ø 20 mm	695343	cotter pin ø 2 mm L 20 mm	802107	detergent for coffee makers 200 g
560208	hexagonal screw M8 thread length 25 mm	560443	plain washers ID ø 4,5 mm ED ø 16 mm	695534	t-fitting ø 19 mm	802109	detergent for coffee makers 150 g
560215	lock washer ID ø 8,3 mm ED ø 15 mm	560444	plain washers ID ø 5 mm ED ø 10 mm	695537	gasket silicone D1 ø 36 mm D2 ø 23,5 mm	802110	milk foamer connection 3/8" plastic
560216	countersunk screws M5 L 14 mm SS DIN 963	560445	flat-headed bolts for plastic ø 2,8 mm	695773	gasket silicone D1 ø 40 mm D2 ø 30 mm	802111	milk foamer connection 1/8"
560220	countersunk screws M5 L 20 mm SS DIN 963	560446	flat-headed bolts M4 thread length 8 mm	695880	flat gasket rubber D1 ø 26 mm D2 ø 17 mm	802115	detergent for milk foamer 1 l
560225	countersunk screws M6 L 20 mm SS DIN 963	560448	flat-headed bolts M4 thread length 10 mm	696352	flat gasket fiber D1 ø 38 mm D2 ø 27 mm	802116	digital balance
560274	cylinder head bolt M4 L 30 mm	561000	hexagonal screw M5 thread length 8 mm	696353	spring washer ID ø 11 mm ED ø 21 mm	802117	temperature meter with plunge sensor
560276	hexagonal screws M5 thread length 25 mm	570004	steam pipe L 345 mm W 150 mm tube ø 8 mm	697410	spring washer ID ø 8,5 mm ED ø 15 mm	802120	descaler Puly Cleaner 300 g
560300	flat-headed bolts M5 thread length 12 mm	570005	silicone hose ID ø 5 mm ED ø 8 mm L 25 m	697417	grub screw M5 L 6 mm stainless steel	802123	portable coffee measuring set
560307	countersunk screw M5 L 16 mm SS Qty 1 pc	570006	silicone hose ID ø 5 mm ED ø 9 mm L 1 m	697820	grub screw M5 L 10 mm stainless steel	802137	detergent tea/coffee 1000 g
560315	flat gasket aluminium D1 ø 21 mm	570007	silicone hose ID ø 5 mm ED ø 9 mm L 5 m	697879	equipment foot ø 20 mm H 12,5 mm	802157	milk foamer connection 3/8" plastic
560316	cylinder head bolt M5	570008	silicone hose ID ø 5 mm ED ø 11 mm	700970	O-rings NBR thickness 2,62 mm	802158	detergent for coffee makers 150 g
560323	cylinder head bolt M8	570009	silicone hose ID ø 5 mm ED ø 11 mm L 5 m	800003	equipment foot ø 18,5/22,5mm H 33 mm	802159	detergent for coffee makers 370 g
560328	sheet metal screws ø 2,9 mm L 19 mm SS	570010	silicone hose ID ø 5 mm ED ø 11 mm L 1 m	800011	temperature meter water proof	802160	detergent for espresso makers 100 g
560329	washer ID ø 5 mm ED ø 8,5 mm	570012	silicone hose ID ø 6 mm ED ø 10 mm	800012	filter holder with manometer ø 72 mm	802400	detergent for coffee grinders 150 g
560330	washer ID ø 8 mm ED ø 12 mm	570013	silicone hose ID ø 6 mm ED ø 11 mm	800014	filter holder with manometer ø 73 mm	890070	brush nylon ø 30 mm
560331	washer ID ø 5 mm ED ø 8 mm	570018	silicone hose ID ø 6 mm ED ø 11 mm L 5 m	800088	pulver for knob ø 59 mm H 21,5 mm	890071	sealing compound LOCTITE 518
560343	flat gasket copper D1 ø 22 mm D2 ø 18 mm	570020	PVC braided hose ID ø 4 mm ED ø 10 mm	800089	crimp pliers not insulated pick-up plugs	890072	sealing compound LOCTITE 573
560346	tooth lock washer ID ø 4,2 mm ED ø 8 mm	570022	PVC braided hose ID ø 6 mm ED ø 12 mm	800090	crimp pliers terminals insulated	890086	sealing compound LOCTITE 574 bottle
560349	grub screw M5 L 6 mm SS 913	570023	universal hose PVC ID ø 8 mm ED ø 12 mm	800091	crimp pliers uninsulated terminals	890087	sealing hemp reel 80 g
560350	plain washers ID ø 9,3 mm ED ø 18,6 mm	570026	silicone hose ID ø 6 mm ED ø 12 mm	800092	crimp pliers terminals insulated	890089	silicone fat collapsible tube 25 g
560351	plain washers ID ø 9,5 mm ED ø 13 mm	570027	universal hose PVC ID ø 4 mm ED ø 6 mm	800093	crimp pliers terminals insulated	890097	hemp dispenser
560352	hexagonal screw M5 thread length 12 mm	570028	universal hose PVC ID ø 4 mm ED ø 7 mm	800094	crimp pliers uninsulated terminals	890098	thread sealing LOCTITE 577
560353	plain washers ID ø 7 mm ED ø 10 mm	570029	universal hose PVC ID ø 6 mm ED ø 8 mm	800095	crimping pliers for end sleeves	890100	thread sealing LOCTITE 5331 elastic
560354	flat-headed bolts M4 thread length 7 mm	570036	universal hose PVC ID ø 6 mm ED ø 9 mm	800096	crimping pliers for end sleeves	890101	Teflon belt coil 12m reel
560355	flat-headed bolts M4 thread length 10 mm	570038	silicone hose ID ø 6 mm ED ø 11 mm L 1 m	800106	crimp pliers for wire end sleeves	890109	silicone flat collapsible tube 75 g
560357	flat-headed bolts M5 thread length 10 mm	570039	silicone hose ID ø 6 mm ED ø 12 mm L 1 m	800108	temperature meter incl. wire sensor	890116	seal thread LOCTITE 55 can L 150 m
560358	screw M5 thread length 8 mm Qty 1 pc	570041	silicone hose ID ø 8 mm ED ø 12 mm	800110	surface sensor K -50 up to +1000°C	890118	fitting grease
560359	screw M6 L 16 mm intake hexagonal 4mm	570042	silicone hose ID ø 8 mm ED ø 12 mm L 1 m	800112	wire sensor K -50 up to +400°C type 111	890119	fitting grease
560360	square nut M8 H 3,7 mm WS 14 Qty 1 pc	570043	silicone hose ID ø 8 mm ED ø 12 mm L 5 m	800115	plunge sensor K -50 up to +600°C	890135	fitting grease
560361	long nuts M4 L 20 mm WS 10	570044	silicone hose ID ø 9 mm ED ø 14 mm	800116	temperature meter set	890162	thread sealing LOCTITE 511
560362	flat-headed bolts M4 thread length 10 mm	570045	silicone hose ID ø 9 mm ED ø 14 mm L 5 m	800118	case measures 340x270x80mm	900909	seal thread LOCTITE 55 L 50 m
560363	plain washers ID ø 12 mm ED ø 18 mm	570046	silicone hose ID ø 9 mm ED ø 14 mm L 1 m	800123	temperature meter set	950010	flat gasket rubber D1 ø 31 mm D2 ø 18 mm
560364	plain washers ID ø 16,8 mm ED ø 34 mm	570047	universal hose PVC ID ø 5 mm ED ø 7 mm	800190	temperature meter set	950100	detergent for coffee makers 900 g
560365	raised countersunk head screw M5	570048	silicone hose ID ø 9,5 mm ED ø 15,5 mm	800191	temperature meter without sensor	960000	permanent filter plastic W1 170 mm
560368	flat-headed bolts M4 thread length 8 mm	570049	PVC hose ID ø 3 mm ED ø 6 mm PVC Qty 50m	800192	plunge sensor K -50 up to +550°C	960001	milk jug without lid capacity 0,35 l
560370	cylinder head bolt M8	570054	ID ø 3 mm ED ø 8 mm Qty 50m	800193	surface sensor K -50 up to +450°C	960002	milk jug without lid capacity 0,6 l
560371	countersunk screw M5 L 16 mm	570055	silicone hose ID ø 9,5 mm ED ø 15,5 mm	800201	liquids sensor K -50 up to +1000°C	960003	milk jug without lid capacity 0,9 l
560372	flat-headed bolts M4 thread length 12 mm	570056	silicone hose ID ø 9,5 mm ED ø 15,5 mm	800202	crimp tool kit Standard 6-piece	960004	milk jug without lid capacity 1,5 l
560373	flat-headed bolts M5 thread length 10 mm	570057	silicone hose ID ø 10 mm ED ø 14 mm	800203	crimp tool kit Profi 5-piece	960005	coffee pot 1,8 l plastic/steel
560374	cylinder head bolt M4	570058	silicone hose ID ø 10 mm ED ø 14 mm	800204	crimp tool kit Ergonomic 5-piece	960006	measuring cup 1 l plastic
560375	hut nuts M4 WS 7 brass Qty 1 pc	570059	silicone hose ID ø 10 mm ED ø 14 mm	800205	crimp pliers uninsulated elbow terminals	960007	cocoa dredger stainless steel ø 55 mm
560376	countersunk screw M5 L 12 mm	570060	silicone hose ID ø 10 mm ED ø 15 mm	800206	crimp pliers uninsulated terminals	960008	cocoa dredger stainless steel ø 70 mm
560379	lock washer ID ø 4,3 mm ED ø 7,3 mm SS	570061	silicone hose ID ø 13 mm ED ø 19 mm	800207	crimp pliers insulated terminals	960009	coffee pot 2,2 l glass
560381	hexagonal nut slotted M6 H 5 mm SS	570062	silicone hose ID ø 14 mm ED ø 20 mm	800208	crimp pliers not insulated pick-up plugs	960010	filter pan plastic W 185 mm D 167 mm
560382	washer ID ø 7 mm ED ø 20,8 mm	570063	silicone hose ID ø 16 mm ED ø 23 mm	800209	crimp pliers	960011	basket filter type 202s Qty 100 pc
560383	washer D1 ø 6,6 mm D2 ø 21,5 mm	570069	silicone hose ID ø 18 mm ED ø 25 mm	800210	crimp pliers wire end sleeves	960012	filter pan plastic W 185 mm D 167 mm
560384	countersunk screw M5 L 21 mm	570070	silicone hose ID ø 10 mm ED ø 16 mm	800211	crimp pliers uninsulated terminals	960013	basket filter type 206 Qty 200 pc
560385	nut M6 H 4 mm WS 10 Qty 1 pc	570071	silicone hose ID ø 11,5 mm ED ø 15,5 mm	800212	crimp pliers insulated terminals	960014	basket filter type 220 Qty 100 pc
560386	hexagonal screw M5 thread length 12 mm	570072	silicone hose ID ø 11,5 mm ED ø 15,5 mm	800213	crimp pliers not insulated pick-up plugs	960015	coffee pot 1,8 l glass
560387	countersunk screw M6 thread length 16 mm	570102	silicone hose ID ø 11,5 mm ED ø 15,5 mm	800214	crimp pliers wire end sleeves	960016	basket filter for coffee makers
560388	hexagonal nut M10L H 8,15 mm brass	570103	silicone hose ID ø 11,5 mm ED ø 17,5 mm	800215	crimp pliers uninsulated terminals	960017	coffee pot 1,8 l glass suitable for MARCO
560389	cylinder head bolt M4	570104	silicone hose ID ø 11,5 mm ED ø 17,5 mm	800216	crimp dies for wire end sleeves	960070	basket filter D1 ø 110 mm D2 ø 400 mm
560390	spring washer nominal-ø 7,8 mm	570105	silicone hose ID ø 11,5 mm ED ø 17,5 mm	800217	crimp dies crimp terminals unisulated	960072	coffee pot 1,7 l glass
560391	cylinder head bolts M3	570106	silicone hose ID ø 12 mm ED ø 16 mm	800218	crimp dies terminals insulated	960075	filter pan stainless steel W 175 mm
560392	roll pin ø 2 mm L 16 mm SS	570107	silicone hose ID ø 12 mm ED ø 17 mm	800219	crimp dies uninsulated terminals	960076	coffee pot 1,85 l glass
560393	hut nuts M11x1,75 WS 17 brass Qty 1 pc	570108	silicone hose ID ø 12 mm ED ø 17 mm	800220	crimp dies uninsulated elbow terminals	960078	filter pan plastic ED ø 170 mm
560394	flat-headed bolts M4	570109	silicone hose ID ø 12 mm ED ø 17 mm	800221	crimp dies not insulated pick-up plugs	960079	measuring cup 2,2 l plastic
560395	flat-headed bolts M5 thread length 10 mm	570110	silicone hose ID ø 12 mm ED ø 18 mm	800222	crimp dies insulated terminals	960080	brush equiv. no. 7110606101 plastic
560396	flat-headed bolts M4 thread length 8 mm	570111	silicone hose ID ø 12 mm ED ø 19 mm	800223	crimp dies wire end sleeves	960081	brush nylon ø 15 mm
560397	flat gasket copper D1 ø 22 mm	570112	silicone hose ID ø 12 mm ED ø 19 mm	800224	crimp pliers	960082	brush container equiv. no. 7270102101
560398	oval head screws M5 thread length 5 mm	570113	silicone hose ID ø 12 mm ED ø 19 mm	800228	crimp dies	960084	filter pan plastic ED ø 174 mm
560399	plain washers ID ø 6,5 mm ED ø 22 mm	570114	silicone hose ID ø 13 mm ED ø 19 mm	800305	crimp dies uninsulated terminals	960095	coffee spoon plastic
560400	plain washers ID ø 21,5 mm ED ø 32 mm	570115	silicone hose ID ø 13,5 mm ED ø 17,5 mm	801451	temperature meter	960096	measuring cup 2 l plastic
560402	flat-headed bolts M5 thread length 8 mm	570116	silicone hose ID ø 13,5 mm ED ø 17,5 mm	801452	test tube brush SS wire corrugated	960100	coffee spoon plastic
560403	cylinder head bolt M5 L 15,5 mm	570117	silicone hose ID ø 13,5 mm ED ø 17,5 mm	801453	test tube brush SS wire corrugated	960101	basket filter for coffee makers
560404	flat-headed bolts M4 thread length 12 mm	570118	silicone hose ID ø 14 mm ED ø 20 mm	801454	test tube brush SS wire corrugated	960102	basket filter for coffee makers
560405	oval head screws M4 thread length 8 mm	570119	silicone hose ID ø 16 mm ED ø 23 mm	801455	test tube brush SS wire corrugated	960103	basket filter for coffee makers
560406	plain washers ID ø 17,3 mm ED ø 30 mm	570381	silicone hose ID ø 18 mm ED ø 25 mm	801456	test tube brush SS wire corrugated	960104	basket filter for coffee makers
560407	flat-headed bolts M4 thread length 16 mm	570383	universal hose PVC ID ø 5 mm ED ø 8 mm	801457	test tube brush SS wire corrugated	960105	basket filter for coffee makers
560408	grub screw M4 L 10 mm stainless steel	570550	universal hose PVC ID ø 4 mm ED ø 6 mm	801461	test tube brush SS wire corrugated	960106	basket filter for coffee makers
560411	hexagonal screw M5 thread length 22 mm	570555	silicone hose ID ø 6 mm ED ø 10 mm	801462	test tube brush nylon ø 4 mm		
560412	flat-headed bolts M5 thread length 40 mm	570564	silicone hose ID ø 12 mm ED ø 18 mm	801463	test tube brush nylon ø 6 mm		
560413	plain washers ID ø 5 mm ED ø 8 mm	570565	PVC braided hose ID ø 10 mm ED ø 16 mm	801464	test tube brush nylon ø 8 mm		
560414	plain washers ID ø 17 mm ED ø 25 mm	570823	PVC braided hose ID ø 13 mm ED ø 19 mm	801465	test tube brush nylon ø 10 mm		
560415	hexagonal screw M6 thread length 14 mm	570843	silicone hose ID ø 12 mm ED ø 16 mm	801466	test tube brush nylon ø 12 mm		
560417	plain washers ID ø 4,5 mm ED ø 9 mm	601082	silicone hose ID ø 5 mm ED ø 9 mm L 25 m	801467	test tube brush nylon ø 15 mm		