

GAS THERMOSTATS

Gas thermostats



Gas thermostats PEL 25/24




page 4

Gas thermostats SABAF



page 6

Gas thermostats COPREC/IMIT



page 7

Gas thermostats ROBERTSHAW




page 8

Gas thermostats EGA



page 10

Gas thermostats SIT



page 11

Gas thermostats MP JUNKERS



page 16


Gas thermostats

gas thermostats PEL 25S



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/L2 (mm)	spindle (mm)
1	101441	30 - 90	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	160	21/15	
	101955	up to 140	M16x1,5	10	0,50	M16x1,5	10/8	M8x1	1200	6	120	38/15	
	101442	100 - 200	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	120	21/15	
	101906	up to 250	M16x1,5	10	1,00	M16x1,5	10/8	M8x1	1200	6	120	36/20	
	101907	up to 280	M16x1,5	10	1,00	M16x1,5	10/8	M8x1	1200	6	120	36/20	
	101991	100 - 300	M16x1,5	10	0	M16x1,5	10/8	M9x1	1200	6	100	21/15	
	101172	100 - 300	M16x1,5	10	0,35	M16x1,5	10/8	M9x1	1200	6	100	21/15	
2	101332	120 - 320	M16x1,5	10	0	M16x1,5	10/8	M9x1	1200	6	100	21/15	
3	101901	50 - 300	pipe flange	-	0,35	M16x1,5	10/8	M9x1	1200	6	100	21/15	
	101905	100 - 200	ø 21mm	-	0,35	M16x1,5	10/8	M9x1	1200	6	120	21/15	

gas thermostats PEL 24S



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101078	55 - 110	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	160	27/17	
	101077	110 - 220	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	101900	up to 280	M20x1,5	12	0,80	M20x1,5	12/10	M8x1	1200	6	120	31/15	
	106203	120 - 280	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	101759	100 - 300	M20x1,5	12	1,50	M20x1,5	12/10	M9x1	1200	6	100	27/17	
	101433	100 - 300	M20x1,5	12	0	M20x1,5	12/10	M9x1	1200	6	100	27/17	
	101076	120 - 320	M20x1,5	12	0,35	M20x1,5	12/10	M9x1	1200	6	100	27/17	
	106192	140 - 340	M20x1,5	12	0,35	M20x1,5	12/10	M8x1	1200	6	100	27/17	
	106193	up to 90	flange holder		0	flange holder		M9x1	1200	6	160	27/17	
	106194	up to 110			0			M9x1	1200	6	160	27/17	
2	106195	up to 210			0			M9x1	1200	6	120	27/17	
	106026	100 - 300			0			M9x1	1200	6	100	27/17	
	101159	120 - 320			0,35			M9x1	1200	6	100	27/17	
	106196	up to 350						M9x1	1200	6	100	27/17	
3	106197	120 - 280	pipe flange	-	0,35	M20x1,5	12/10	M9x1	1200	6	120	27/17	
	106198	140 - 340	ø 21mm	-	0,35	M20x1,5	12/10	M8x1	1200	6	100	27/17	

accessories and spare parts for PEL 25S



item	order no.	description		thread	ø pipe (mm)
1	101451	union nut		M16x1,5	8
2	101300	union nut		M16x1,5	10
3	101450	olive		-	8
4	101278	olive		-	10



item	order no.	description		thread	ø pipe (mm)
1	100908	screw		M10x1	4
2	100909	screw		M10x1	6
3	101246	olive		-	4
4	101286	olive		-	6



item	order no.	description	
1	101060	magnetic unit	
2	106199	magnetic unit nut M8x1	
	106200	magnetic unit nut M9x1	
3	101880	gasket for pipe flange ø 21mm	

bypass nozzle for PEL 25



pos.	order no.	ø (mm)	pos.	order no.	ø (mm)	pos.	order no.	ø (mm)
1	106191	0	8	100428	0,65	15	100407	1,00
2	100259	0,35	9	100429	0,70	16	100435	1,05
3	100281	0,40	10	100432	0,75	17	100436	1,10
4	100414	0,45	11	100409	0,80	18	100437	1,15
5	100390	0,50	12	100410	0,85	19	100438	1,20
6	100391	0,55	13	100433	0,90	20	100413	1,65
7	100392	0,60	14	100434	0,95	21	100776	1,75

accessories and spare parts for PEL 24S



item	order no.	description		thread	ø (mm)
1	101250	union nut		M20x1,5	10
	101251	union nut		M20x1,5	12
2	101249	olive		-	10
3	101248	olive		-	12
4	100908	screw		M10x1	4
	100909	screw		M10x1	6
5	101246	locking ring		-	4
6	101286	locking ring		-	6

connecting flange



item	order no.	description		thread	ø (mm)
1	101240	gas connecting piece horizontal		M20x1,5	12/10
2	101241	gas connecting piece vertical		M20x1,5	12/10
3	101235	gas connecting piece horizontal		M20x1,5	12/10
4	101236	gas connecting piece vertical		M20x1,5	12/10
5	101365	gas connecting piece horizontal		M20x1,5	12



item	order no.	description		thread	ø (mm)
1	101239	fitting		3/8	10
2	101461	screw set		-	-
3	101460	o-ring		-	-
4	101331	adapter for flanged cables 12/10mm		-	-
5	106165	gasket for pipe flange ø 27mm		-	-



item	order no.	description	
1	101058	magnetic unit	
2	106199	magnetic unit nut M8x1	
	106200	magnetic unit nut M9x1	


bypass nozzle for PEL 24




pos.	order no.	ø (mm)	pos.	order no.	ø (mm)	pos.	order no.	ø (mm)
1	106201	0	12	100627	1,00	23	100699	1,55
2	100455	0,35	13	100628	1,05	24	100250	1,60
3	100448	0,50	14	100649	1,10	25	100251	1,65
4	100458	0,60	15	100655	1,15	26	100263	1,70
5	100459	0,65	16	100659	1,20	27	100264	1,75
6	100493	0,70	17	100664	1,25	28	100265	1,80
7	100494	0,75	18	100666	1,30	29	100266	1,85
8	100497	0,80	19	100667	1,35	30	100267	1,90
9	100546	0,85	20	100674	1,40	31	100268	1,95
10	100597	0,90	21	100677	1,45	32	100273	2,00
11	100598	0,95	22	100679	1,50			

Gas thermostats

gas thermostats SABAF



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet 1	gas outlet 2	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101679	300	pipe flange	-	0,35	3/8"ET/10mm	M13x1 ID/8mm	M8x1(2x)	850	4	150	34/14	
	101837	300	pipe flange	-	0,45	3/8"ET/10mm	M13x1 ID/8mm	M8x1(2x)	850	4	140	34/14	
2	101692	300	M13x1	8	0,50	3/8"ET/10mm	-	M8x1	850	4	140	34/14	
	101173	300	M13x1	8	0,80	3/8"ET/10mm	-	M8x1	850	4	140	37/14	
3	101687	300	pipe flange	-	0,45	M13x1 ID/8mm	-	M8x1	850	4	140	17/12	
	101886	300	pipe flange	-	0,52	M13x1 ID/8mm	-	M8x1	850	4	140	17/12	
	101181	300	pipe flange	-	0,46	M13x1 ID/8mm	-	M8x1	850	4	150	45/27	



item	order no.	temperature (°C)	gas input	ø gas input (mm)	ø bypass nozzle (mm)	gas outlet 1	gas outlet 2	thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	L1/L2 (mm)	spindle (mm)
1	101694	300	pipe flange	-	0,38	M13x1 ID/8mm	-	M8x1	850	4	150	29/29	
	101695	300	pipe flange	-	0,52	M13x1 ID/8mm	-	M8x1	850	4	150	29/29	
2	101836	300	pipe flange	-	0,45	3/8"ET/10mm	M13x1 ID/8mm	M8x1 (2x)	850	4	140	34/14	
3	101175	300	pipe flange	-	0,35	3/8"ET/10mm	M13x1 ID/8mm	M8x1 (2x)	850	4	150	27/13	

accessories and spare parts for SABAF




item	order no.	description	thread	ø pipe (mm)
1	101476	union nut	M13x1	8
	101478	union nut	3/8"	10
2	101477	tube nut	M13x1	8
3	101277	olive	-	8
	101278	olive	-	10




item	order no.	description
1	101375	fixing flange
2	693074	pipe
3	101376	flange gasket
4	101351	flange bracket
5	101751	flange bracket
6	346333	micro switch

gas thermostats COPRECI/IMIT



item	order no.	producer	temperature (°C)	pipe input	ø pipe input (mm)	ø bypass nozzle (mm)	gas outlet	pilot burner connection	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/L2 (mm)	spindle (mm)
1	101533	Copreci	110	pipe flange	-	0,35	3/8"	1/8"	M8x1	1000	7	150	33/12	
	109534	Copreci	300	pipe flange	-	0,50	3/8"	1/8"	M8x1	1100	4	84	33/12	
	109051	Copreci	300	pipe flange	-	0,60	3/8"	1/8"	M8x1	1100	4	84	33/12	
2	106016	Imit	300	flange holder	-	0,45	1/4"	-	M8x1	840	4	150	23/11	

accessories and spare parts for COPRECI/IMIT




item	order no.	description	item	order no.	description
1	101060	magnetic unit	3	101376	flange gasket
2	101538	flange bracket	4	101537	flange gasket


Gas thermostats

gas thermostats ROBERTSHAW




item	order no.	temperature (°C)	temperature (°F)	gas input/ gas outlet	pipe input/ pipe outlet	capillary length (mm)	ø sensor (mm)	length sensor (mm)	gland	L1 (mm)	no. Robertshaw	spindle (mm)
1	580054	26 - 93	80 - 200	M11x1 ID	1/4"*	610	9,3	130	3/8"	21	GSE 070240000	
	580051	93 - 190	200 - 375	M11x1 ID	1/4"*	460	6,4	320	1/4"	23	GSE 020180000	
	580052	93 - 190	200 - 375	M11x1 ID	1/4"*	610	9,3	130	3/8"	21	GSH 30240000	
	580041	93 - 204	200 - 400	M11x1 ID	1/4"*	760	9,3	130	1/4"	21	GSA 60301800	
	580053	93 - 204	200 - 400	M11x1 ID	1/4"*	1530	9,3	130	3/8"	21	GSF 90602300	
	580055	93 - 190	200 - 375	3/8" ID	-	1830	8	190	-	47	GSE 030720000	
2	580056	65 - 287	150 - 550	3/8" ID	-	1400	5	390	-	21	FDTOE 30254	
	580057	up to 287	low - 550	1/2" ID	-	1400	5	390	-	21	FDTE 010154	
	580058	65 - 287	150 - 550		-	1400	5	390	-	21		
	580059	93 - 204	200 - 400	3/8" ID	-	600	8	250	-	21	FDL 30136	
3	580060	65 - 287	150 - 550	1/2" ID	-	1250	5	390	-	21	FDO 10748	

*1/4" pipe (american) = 6,5mm



item	order no.	temperature (°C)	temperature (°F)	gas input/gas outlet	pipe input/pipe outlet	capillary length (mm)	ø sensor (mm)	sensor length (mm)	L1/2 (mm)	type	spindle (mm)
1	580061	100 - 300	212 - 572	flange holder	3/8"	720	5	200	25/15	RTGJ	
2	580062	93 - 287	200 - 550	flange holder	7/16" pipe	1200	5	290	-	BJW	-



pos.	order no.	temperature (°C)	gas input/ gas outlet	gas input/ pipe outlet	capillary length (mm)	ø sensor (mm)	sensor length (mm)	gland	thermocouple connection	type
1	580063	50 - 110	3/4"	3/4"	900	9,5	149	3/8"	ASA 11/32	RGIST 1
	580064	90 - 190	3/4"	3/4"	1200	6	160	3/8"	ASA 11/32	RGIST 2x160
	580065	100 - 320	3/4"	3/4"	900	3,9	223	-	ASA 11/32	RGIST 3
	580066	100 - 450	3/4"	3/4"	900	3,9	210	-	-	RGIST 4

accessories and spare parts for ROBERTSHAW



item	order no.	description		thread	ø pipe (mm)
1	106111	tube nut with olive		M11x1	6
	106109	tube nut with olive		M11x1	1/4"
2	106110	union screw		M11x1	1/4"
3	101263	slotted nut for thermocouple		ASA 11/32	-
4	101481	olive		-	1/4" CCT

Gas thermostats


gas thermostats EGA



item	order no.	type	temperature (°C)	gas input	ø gas input (mm)	gas outlet	ø pipe outlet (mm)	thermocouple connection	temperature sensor
1	nla*	25213	30 - 100	M15x1	10	3/8"	10	M8x1	type 1
	nla*	25213	100 - 200	M15x1	10	3/8"	10	M8x1	type 2
	nla*	25213	100 - 250	M15x1	10	3/8"	10	M8x1	type 3
	nla*	25213	100 - 300	M15x1	10	3/8"	10	M8x1	type 3
	nla*	25213	100 - 300	M15x1	10	M17x1	12	M8x1	type 3
2	nla*	21495	100 - 200	M15x1	10	3/8"	10	M8x1	type 4
3	nla*	21383	100 - 200	M18x1,5	12	M18x1,5	12	M8x1	type 3
	nla*	21383	120 - 300	M18x1,5	12	M18x1,5	12	M8x1	type 3

*no longer available

accessories and spare parts for EGA




item	order no.	temperature (°C)	capillary length (mm)	ø sensor (mm)	sensor length (mm)	application	type gas thermostat	gland	type temperature sensor
1	102743	up to 125	900	8	160	bain marie, oven, pasta cooking unit	25213 21383	-	1
2	102135	up to 200	900	5	150	fryer		M12x1	2
3	102133	up to 320	900	8	90	oven		-	3
	102134	up to 320	1250	8	90	grill plate		-	3
						baking tipping pan			
4	102197	up to 200	900	5	135	fryer	21495	M12x1	4




item	order no.	description
1	101230	magnetic unit nut M8x1
	101231	magnetic unit nut M9x1
	101233	magnetic unit nut M10x1
2	101060	magnetic unit
3	101058	magnetic unit

gas thermostats BABYSIT



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Sit
1	101103	manual	3/8"	3/8"	M9x1	without thermostatic control			0.660.190
	106031	30 - 90	3/8"	3/8"	M9x1	1000	6	230	0.660.193
2	101104	30 - 110	3/8"	3/8"	M9x1	1000	6	237	0.660.806
	101889	30 - 110	3/8"	3/8"	M9x1	1000	6	237	0.660.802
	101105	75 - 315	3/8"	3/8"	M9x1	1000	5	185	0.660.606

gas thermostats AC2/AC3



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	pressure controller	no. Sit
1	101439	20 - 70	3/8"	3/8"	M9x1	-	0.610.016
2	101440	30 - 70	1/2"	1/2"	M9x1	3 - 18 mbar	0.610.001


accessories and spare parts for BABYSIT, controller AC2/AC3




item	order no.	description	item	order no.	description
1	100001	piezoelectric igniter	5	102875	minimum adjusting screw ø 0,70mm
2	101055	magnetic unit	6	100904	locking screw ø 4mm
3	100903	magnetic unit nut		100905	locking screw ø 6mm
4	101333	stuff 3/8" with o-ring	7	101273	olive ø 12mm
5	102874	minimum adjusting screw without hole	8	101276	screw connection 3/8" - ø 12mm

Gas thermostats

gas thermostats MINISIT



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	sensor (p.14)	pressure controller	gland	no. Sit
3	101106	manual	1/2"	3/8"	M9x1	-	-	-	-	-	-	0.710.106
5	101431	13 - 38	1/2"	1/2"	M10x1	1050	8	120	type E1	yes	-	0.710.125
2	101910	20 - 90	1/2"	3/8"	M9x1	1050	14,5	19	type F2	yes	-	0.710.852
4	101432	30 - 90	1/2"	1/2"	M9x1	1050	8	100	type E2	yes	-	0.710.199
1	101130	30 - 100	1/2"	3/8"	M9x1	1050	5	125	type A1	no	-	0.710.850
2	101088	30 - 100	1/2"	3/8"	M9x1	1050	5	125	type A1	yes	-	0.710.851
6	106030	40 - 110	1/2"	3/8"	M9x1	1050	5	125	type A1	yes	-	0.710.817
7	101689	40 - 110	1/2"	3/8"	M9x1	1050	5	125	type A1	no	-	0.710.819
2	101912	50 - 190	1/2"	3/8"	M9x1	1050	14,4	14,5	type F1	yes	-	0.710.752
1	101131	50 - 190	1/2"	3/8"	M9x1	1200	5	95	type A2	no	-	0.710.750
	101135	110 - 190	1/2"	3/8"	M9x1	1050	6	105	type A3	no	-	0.710.756
	101434	110 - 190	1/2"	3/8"	M9x1	1200	5	105	type G1	no	-	0.710.758
	101437	110 - 190	1/2"	3/8"	M9x1	1050	6	105	type A3	yes	-	0.710.757
2	101114	110 - 190	1/2"	3/8"	M9x1	1050	14,4	26	type F3	yes	-	0.710.754
1	101678	110 - 190	1/2"	3/8"	M9x1	1050	14,4	26	type F3	no	-	0.710.760






7



8




9

item	order no.	temperature (°C)	gas input	gas outletc	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	sensor (p.14)	pressure controller	gland	no. Sit
1	101385	60 - 200	3/8"	3/8"	M10x1	1050	5	95	type D2	no	M14x1,5	0.710.724
8	106029	120 - 200	3/8"	3/8"	M9x1	1050	6	105	type D1	no	M14x1,5	0.710.743
1	101132	100 - 340	1/2"	3/8"	M9x1	1050	5	70	type B1	no	-	0.710.650
1	101134	100 - 340	1/2"	3/8"	M9x1	1800	5	70	type B1	no	-	0.710.652
2	101438	100 - 340	1/2"	3/8"	M9x1	1050	5	70	type B1	yes	-	0.710.651
11	101796	100 - 340	1/2"	3/8"	M9x1	1800	5	70	type B1	yes	-	0.710.657
1	101435	100 - 340	1/2"	3/8"	M9x1	1050	4	72	type C1	no	-	0.710.654
8	102873	140 - 380	1/2"	3/8"	M9x1	1050	4	72	type C2	no	-	0.710.648
9	101768	160 - 380	3/8"	3/8"	M10x1	1050	5	68	type B2	no	-	0.710.618
10	106018	160 - 380	1/2"	3/8"	M10x1	1050	5	68	type B2	yes	-	0.710.656
12	102872	160 - 380	3/8"	3/8"	M10x1	1050	5	68	type B2	no	-	0.710.619



10




11



12

Gas thermostats


accessories and spare parts for MINISIT



item	order no.	temperature (°C)	capillary length (mm)	ø sensor	length sensor (mm)	application	sensor type
1	102106	13 - 38	1050	8mm	120	oven	E1
2	106223	20 - 90	1050	1/4"	19	bain marie	F2
1	102117	30 - 90	1050	8mm	100	bain marie	E2
3	102100	30 - 100	1050	5mm	125	bain marie	A1
	102103	50 - 190	1050	5mm	95	fryer	A2
2	nla**	50 - 190	1050	1/4"	14,5	fryer	F1
	102104	110 - 190	1050	1/4"	26	fryer	F3
4	102105	110 - 190	1200	5mm	105	fryer	G1
3	102118	110 - 190	1050	6mm	105	fryer	A3
	102844*	60 - 200	1050	5mm	95	fryer	D2
	106225	120 - 200	1050	6mm	105	fryer	D1
5	102102	100 - 340	1050	5mm	70	oven/grill	B1
	102107*	100 - 340	1050	4mm	72	oven/grill	C1
	106226	140 - 380	1050	4mm	72	oven/grill	C2
	106227	160 - 380	1050	5mm	68	oven/grill	B2

*capillary pipe and sensor, CNS

**no longer available



item	order no.	description
1	101136	piezoelectric igniter with slot cover
2	101137	slot cover
3	100001	piezoelectric igniter



item	order no.	description	thread
1	101505	connecting flange	3/8"
2	101504	connecting flange	1/2"
3	101516	screw for flange holder 3/8"/1/2"	-
4	101517	screw for flange holder 1/2"	-
5	100809	o-ring	-



item	order no.	description
1	110068	knob
2	101053	magnetic unit M9x1
	101054	magnetic unit M10x1



item	order no.	description	internal thread	external thread
1	101267	reducer	3/8"	1/2"
2	101270	connection fitting	3/8"	3/8"
3	101271	connection fitting	1/2"	3/8"
4	101272	connection fitting	1/2"	3/8"



item	order no.	description	thread	ø pipe (mm)
1	101275	union screw	1/2"	16
	101276	union screw	3/8"	12
2	101274	locking ring	-	16
	101273	locking ring	-	12
3	100904	locking screw	M10x1	4
	100905	locking screw	M10x1	6
4	100820	gland	M14x1,5	-

gas thermostats EUROSIT



item	order no.	temperature (°C)	gas input	gas outlet	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Sit
1	101199	13 - 38	3/8"	3/8"	M10x1	1000	8	120	0.630.025
	101413	30 - 100	3/8"	3/8"	M9x1	1000	5	120	0.630.325
	101188	110 - 190	3/8"	3/8"	M9x1	1000	4	205	0.630.332
	101992	110 - 190	3/8"	3/8"	M9x1	1000	4	205	0.630.337
	101409	40 - 280	3/8"	3/8"	M9x1	1000	4	72	0.630.328
2	101696	60 - 300	3/8"	3/8"	M9x1	1000	4	72	0.630.330
	101915	80 - 320	3/8"	3/8"	M9x1	1000	4	72	0.630.327
	101700	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.331
	101125	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.326
	106035	100 - 340	3/8"	3/8"	M9x1	1000	4	72	0.630.336
	102870	140 - 380	3/8"	3/8"	M9x1	1000	4	72	0.630.205
	101769	100 - 340	3/8"	3/8"	M10x1	1000	4	72	0.630.206

accessories and spare parts for EUROSIT




item	order no.	description	suitable for	item	order no.	description	suitable for
1	101358	cover with piezoelectric igniter		5	101711	adapter for knob ø 10x8mm	Zanussi
2	101392	adapter for knob		6	101712	adapter for knob ø 10x8mm	Olis
3	101390	spindle ø 6x4,6mm	Zanussi/Mareno	7	101816	adapter for knob ø 10x8mm	Mareno
	110357	spindle ø 8x6,5mm	Zanussi/Baron	8	113022	adapter for knob ø 10x8mm	Fagor
4	110358	adapter for knob ø 10x8mm	Zanussi				



item	order no.	description
1	101050	magnetic unit
2	101273	olive ø 10mm
3	101276	screw connection 3/8"/ø 12mm
4	100904	locking screw ø 4mm
	100905	locking screw ø 6mm
5	101333	stuff 3/8" with o-ring


Gas thermostats

gas thermostats MP/JUNKERS



item	order no.	temperature (°C)	gas input	gas outlet	pressure controller	thermocouple connection	capillary length (mm)	ø sensor (mm)	sensor length (mm)	no. Junkers/MP
1	106216	30 - 110	-	-	no	M10x1	-	-	-	7743-610-501
	101167	135 - 200	3/8" elbow	3/8" straight	no	M10x1	920	6	220	7743-633-201
	106215	170 - 300	3/8" straight	3/8" straight	no	M10x1	820	6	100	7743-633-202
2	106217	30-110	-	-	yes	M10x1	-	-	-	7743-610-601
	101177	135 - 200	3/8" elbow	3/8" straight	yes	M10x1	920	6	220	7743-643-201
	106024	170 - 300	3/8" straight	3/8" straight	no	M10x1	820	6	100	7743-643-402

accessories and spare parts for MP/JUNKERS



item	order no.	description
1	100039	piezoelectric igniter for 106024
2	101060	magnetic unit
3	101276	screw connection 3/8"/ø 12mm
4	101273	olive ø 12mm
5	102137	sensor 135 - 200°C for 101167 + 101177
	101407	sensor 130 - 300°C for 106024 + 106215
	102154	sensor 30 - 110°C for 106216 + 106217

gas thermostats MERTIK



item	order no.	temperature (°C)	gas input		gas outlet		thermocouple connection	capillary length (mm)	ø sensor (mm)	length sensor (mm)	pressure controller	gland	MERTIK-no.
			bottom	edgewise	bottom	edgewise							
1	101966	30 - 110	-	3/8"	-	3/8"	M9x1	720	6	80	-	-	GV31T-C2AKA2K0A0
2	101786	30 - 110	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	80	-	-	GV30-C5AKH2C0
	101982	110 - 190	3/8"	3/8"	3/8"	3/8"	M9x1	720	4	160	5 - 40mbar	-	GV31T-C5AXE2K0Y0
1	101979	110 - 190	3/8"	-	-	3/8"	M9x1	720	4	165	5 - 40mbar	-	GV31T-C3AXE2K0Y0
	101746	100 - 195	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	70	-	1/4"	GV30-C5AÜA2C000
2	106222	100 - 195	3/8"	3/8"	3/8"	3/8"	M10x1	720	6	70	-	1/4"	GV30-C5AÜA2C0L0
	101959	100 - 340	3/8"	-	-	3/8"	M9x1	720	4	68	2,5 - 20mbar	-	GV30T-C3A7A2K6
	101957	100 - 340	3/8"	-	-	3/8"	M9x1	720	4	68	-	-	GV30T-C3A7A2K6A0/1
1	101960	100 - 340	3/8"	-	3/8"	-	M9x1	720	4	72	-	-	GV31T-C1A7AGK000
	106205	100 - 340	3/8"	-	3/8"	-	M9x1	720	4	68	-	-	GV30T-C1A7AMK6Z0
	101745	100 - 340	3/8"	3/8"	3/8"	3/8"	M10x1	720	4	68	-	-	GV30T-C5A7A2C0
2	101744	100 - 340	3/8"	3/8"	3/8"	3/8"	M10x1	720	4	68	-	-	GV30T-C1A7AGC000

accessories and spare parts for MERTIK



item	order no.	description
1	101276	screw connection
2	101273	olive
3	106221	magnetic unit

Notes

20 horizontal lines for notes.

G.E.V. Großküchen-Ersatzteil-Vertrieb GmbH
Robert-Koch-Straße 3a
82152 Planegg/Munich
Germany

Phone: +49 (0)89 745572-0
Fax: +49 (0)89 745572-83
order@gev-online.com
www.gev-online.com

Member of the  **GEV GROUP**